References

- AASHTO (2010). *International Scan: Reducing Congestion and Funding Transportation Using Road Pricing*. Washington, DC: American Association of State Highway and Transportation Officials with the Federal Highway Administration (FHWA) and the National Cooperative Highway Research Program (NHCPR).
- Abbs, D., McInnes, K. and Rafter, T. (2007). *The Impact of Climate Change on Extreme Rainfall and Coastal Sea Levels over South-East Queensland, Part 2: A High-Resolution Modelling Study of the Effect of Climate Change on the Intensity of Extreme Rainfall Events*. CSIRO Division of Marine and Atmospheric Research, Aspendale, Victoria, Australia.
- Abbs, D. and Rafter, T. (2008). *The Effect of Climate Change on Extreme Rainfall Events in the Westernport Region*. CSIRO Division of Marine and Atmospheric Research, Aspendale, Victoria, Australia.
- ABS (2004). *Environmental Expenditure: Local Government 2002–2003*. Australian Bureau of Statistics: 4611.0.
- Adams, B.J. and Papa, F. (2000). *Urban Stormwater Management Planning with Analytical Probabilistic Models*. New York: Wiley.
- Adamson, D., Mallawaarachchi, T. and Quiggin, J. (2009). Declining inflows and more frequent droughts in the Murray–Darling Basin: climate change, impact and adaptation. *Australian Journal of Agricultural and Resource Economics*, 53, 345–366.
- Agudelo-Vera, C., Leduc, W., Melsa, A. and Rijnaarts, H. (2012). Harvesting urban resources towards more resilient cities. *Resources, Conservation and Recycling*, 64, 3–12.
- Agyeman, J. and Evans, T. (2003). Toward just sustainability in urban communities: building equity rights with sustainable solutions. *The Annals of the American Academy of Political and Social Science*, 590, 35–53.
- Ahearn, D.S., Sheibley, R.W., Dahlgren, R.A. and Anderson, M., (2005). Land use and land cover influence on water quality in the last free-flowing river draining the western Sierra Nevada, California. *Journal of Hydrology*, 313(3–4), 234–247.
- Ahyerre, M., Chebbo, G., Tassin, B. and Gaume, E. (1998). Storm

- water quality modelling, an ambitious objective? *Water Science and Technology*, 37, 205–213.
- Alberti, M. (2005). The effects of urban patterns on ecosystem function. *International Regional Science Review*, 28, 169–192.
- Alberti, M. (1996). Measuring urban sustainability. *Environmental Impact Assessment Review*, 16, 381–424.
- Allison, R. and Pezzaniti, D. (2006). Gross pollutant and sediment traps. In: *Australian Runoff Quality: A Guide to Water Sensitive Urban Design*. Canberra, ACT, Australia: EA Books, Chapter 8.
- An, T. (1996). Determinants of Malaria Transmission in the Highlands of Ethiopia: the Impact of Global Warming on Morbidity and Mortality Ascribed to Malaria. Ph.D. Thesis, University of London.
- Anderson, M.J., Daly, E.P., Miller, S.L. and Milford, J.B. (2002). Source apportionment of exposures to volatile organic compounds: II. Application of receptor models to TEAM study data. *Atmospheric Environment*, 36, 3643–3658.
- Andrade, A.I.A.S.S. and Stigter, T.Y. (2009). Multi-method assessment of nitrate and pesticide contamination in shallow alluvial groundwater as a function of hydrogeological setting and land use. *Agricultural Water Management*, 96, 1751–1765.
- APHA (2005). Standard Methods for the Examination of Water and Waste Water. American Public Health Association, American Water Works Association, Water Environment Federation, Washington, DC.
- Araujo, I., Wild, J., Villa, N., Camargo, N., Cubillan, D. and Prieto, A. (2008). Determination of anti-inflammatory drugs in water samples, by in situ derivatization, solid phase microextraction and gas chromatography-mass spectrometry. *Talanta*, 75, 111–115.
- ARE (2004). Sustainability Assessment: Conceptual Framework and Basic Methodology, Swiss Federal Office for Spatial Development, Berne.
- Arnfield, A.J. (2003). Two decades of urban climate research: a review of turbulence, exchanges of energy and water, and the urban heat island. *International Journal of Climatology*, 23, 1–26.
- Artola, C.G., Pareja, B.L. and Garcia, P.G. (1995). Impact on hydrology and nutrient movements of developments in river basins draining into reservoirs. *Water Research*, 29(2), 601–609.
- Asakawa, S., Yoshida, K. and Yabe, K. (2004). Perceptions of urban stream corridors within the greenway system of Sapporo, Japan. *Landscape and Urban Planning*, 68, 167–182.
- ASCE (1975). Aspects of hydrological effects of urbanisation. *Journal of Hydraulics Division (ASCE)*, HY5, 449–468.

- Ashley, R., Stovin, V., Moore, S., Hurley, L., Lewis, L. and Saul, A. (2010). Potential Source Control and SUDS Applications: Land Use and Retrofit Options. London Tideway Tunnels Programme Thames Tunnel Project Needs Report, Pennine Water Group, University of Sheffield, 28 April.
- Asseng, S., Jamieson, P.D., Kimball, B., Pinter, P., Sayre, K., Bowden, J.W. and Howden, S.M. (2004). Simulated wheat growth affected by rising temperature, increased water deficit and elevated atmospheric CO₂. *Field Crops Research*, 85, 85–102.
- ASTM (1995). Standards on Environmental Sampling, ASTM Publication 03-4418095–38. American Society for Testing and Materials: Philadelphia, PA, USA.
- Australian/New Zealand Standard (1998). Water Quality – Sampling Part 1: Guidance on the Design of Sampling Programs, Sampling Techniques and the Preservation and Handling of Samples. 1998 AS/NZS 5667.1. Joint publication by Standard Australia and Standard New Zealand.
- Ayoko, G.A., Singh, K., Balereia, S. and Kokot, S. (2007). Exploratory multivariate modelling and prediction of the physico-chemical properties of surface water and groundwater. *Journal of Hydrology*, 336, 115–124.
- Ayoko, G.A. (2004). Volatile organic compounds in indoor environments. In: Hutzinger, O. (ed.), *The Handbook of Environmental Chemistry*, Heidelberg: Springer-Verlag, pp. 1–35.
- Azapagic, A. (2003). Systems approach to corporate sustainability: a general management framework. *Process Safety and Environmental Protection*, 81, 303–316.
- Azzellino, A., Salvetti, R., Vismara, R. and Bonomo, L. (2006). Combined use of the EPA-QUAL2E simulation model and factor analysis to assess the source apportionment of point and non-point loads of nutrients to surface waters. *Science of the Total Environment*, 371, 214–222.
- Bai, X. and Imura, H. (2001). Towards sustainable urban water resource management: a case study in Tianjin, China. *Sustainable Development*, 9, 24–35.
- Ball, J.E., Jenks, R. and Aubourg, D. (1998). An assessment of the availability of pollutant concentrations on road surfaces. *The Science of the Total Environment*, 209, 243–254.
- Banister, D., Stead, D., Steen, P., Akerman, J., Dreborg, K. and Nijkamp, P. (2000). *European Transport Policy and Sustainable Mobility*. London, UK: Spon Press.
- Barron, O.V., Pollock, D. and Dawes, W. (2011). Evaluation of catchment contributing areas and storm runoff in flat terrain subject to urbanisation. *Hydrology and Earth System Sciences*, 15, 547–559.

- Basher, R.E., Pittock, A.B., Bates, B., Done, T., Gifford, R.M., Howden, S.M., Sutherst, R., Warrick, R., Whetton, P., Whitehead, D., Williams, J.E. and Woodward, A. (1998). Australasia. In: Watson, R.T., Zinyowera, M.C. and Moss, R.H. (eds), *The Regional Impacts of Climate Change, Special Report of IPCC Working Group II*. Cambridge, UK: Cambridge University Press, pp. 105–148.
- Beasley, G. and Kneale, P. (2002). Reviewing the impact of metals and PAHs on macroinvertebrates in urban watercourses. *Progress in Physical Geography*, 26, 236–270.
- Beebe, K.R., Pell, R.J. and Seaholtz, M.B. (1998). *Chemometrics: A Practical Guide*. New York: Wiley.
- Beecham, S. (2003). Water sensitive urban design: a technological assessment. *Waterfall Journal of the Stormwater Industry Association*, 17, 5–13.
- Belis, C.A., Karagulian, F., Larsen, B.R. and Hopke, P.K. (2013). Critical review and meta-analysis of ambient particulate matter source apportionment using receptor models in Europe. *Atmospheric Environment*, 68, 94–108.
- Benoliel, M.J. (1994). Sample storage for inorganic compounds in surface water – a review. *International Journal of Environmental Analytical Chemistry*, 57, 197–206.
- Benson, E., Hansen, J. and Schwartz, G. (2000). Water views and residential property value. *Appraisal Journal*, 68, 260–271.
- Bentivegna, V., Curwell, S., Deakin, M., Lombardi, P., Mitchell, G. and Nijkamp, P. (2002). A vision and methodology for integrated sustainable urban development: BEQUEST. *Building Research and Information*, 30, 83–94.
- Berke, P.R. and Conroy, M.M. (2000). Are we planning for sustainable development? *Journal of the American Planning Association*, 66, 21–33.
- Best, M.A., Wither, A.W. and Coates, S. (2007). Dissolved oxygen as a physico-chemical supporting element in the Water Framework Directive. *Marine Pollution Bulletin*, 55, 53–64.
- BITRE (2008). Transport Activities in Australia. The Bureau of Infrastructure, Transport and Regional Economics.
- Blair, J., Prasad, D., Judd, B., Zehner, R., Soebarto, V. and Hyde, R. (2004). Affordability and Sustainability Outcomes: A Triple-Bottom-Line Assessment of Traditional and Master Planned Communities, Volume 1, Final Report. AHURI, UNSW-UWS Research Centre.
- BMT WBM (2009). Evaluating Options for Water Sensitive Urban Design – a National Guide. Joint Steering Committee for Water Sensitive Cities.
- Bradford, W. L. (1977). Urban stormwater pollutant loadings: a statis-

- tical summary through 1972. *Journal of the Water Pollution Control Federation*, 49, 613–622.
- BREEAM (2006). Ecohomes 2006 – the Environmental Rating for Homes – the Guidance, UK Foundation for the Built Environment, Building Research Establishment Environmental Assessment Method. Accessed 15 October 2011, at: http://www.breeam.org/filelibrary/Technical%20Manuals/EcoHomes_2006_Guidance_v1.2_-_April_2006.pdf.
- Briassoulis, H. (2001). Sustainable development and its indicators: through a (planner's) glass darkly. *Journal of Environmental Planning and Management*, 44, 409–427.
- Brinkmann, W.L.F. (1985). Urban stormwater pollutants: sources and loadings. *GeoJournal*, 11(3), 277–283.
- Brodie, I.M. and Egodawatta, P. (2011). Relationships between rainfall intensity, duration and suspended particle wash-off from an urban road surface. *Hydrology Research*, 42, 239–249.
- Brook, J.R., Dann, T.F. and Burnett, R.T. (1997). The relationship among TSP, PM₁₀, PM_{2.5} and inorganic constituents of atmospheric particulate matter at multiple Canadian locations. *Air Waste Management Association*, 47, 2–19.
- Brown, L., Affum, J. and Chan, A. (2004). Transport Pollution Futures for Gold Coast City 2000, 2011, 2021, based on the Griffith University Transport Pollution Modelling System (TRAEMS) Brisbane, QLD, Urban Policy Program. Brisbane, Australia: Griffith University.
- Brydon, J., Roa, M.C., Brown, S.J. and Schreier, H. (2006). Integrating wetlands into watershed management: effectiveness of constructed wetlands to reduce impacts from urban stormwater. *Environmental Role of Wetlands in Headwaters*, 63, 143–154.
- Buentello, J.A., Gatlin, D.M. and Neill, W.H. (2000). Effects of water temperature and dissolved oxygen on daily feed consumption, feed utilization and growth of channel catfish (*Ictalurus punctatus*). *Aquaculture*, 182, 339–352.
- Campbell, S. (1996). Green cities, growing cities, just cities? Urban planning and the contradictions of sustainable development. *Journal of the American Planning Association*, 62, 296–312.
- Can, A., Rademaker, M., Van Renterghem, T., Mishra, V., Van Poppel, M. and Touhafi, A. (2011). Correlation analysis of noise and ultrafine particle counts in a street canyon. *Science of the Total Environment*, 409, 564–572.
- Carleton, J.N., Grizzard, T., Godrej, A.N. and Post, H.E. (2000). Performance of constructed wetlands in treating urban stormwater runoff. *Water Environment Research*, 72, 295–304.
- Carraro, C., Eboli, F., Ciampalini, C., Cruciani, S. and Giove, L. (2009).

- The FEEM Sustainability Index (FEEM SI) Methodological Report. Accessed 15 April 2012, at: www.feemsi.org.
- Carrillo, J., Yigitcanlar, T., Garcia, B. and Lonnqvist, A. (Forthcoming). *Knowledge and the City: Concepts, Applications and Trends of Knowledge-Based Urban Development*. Washington, DC, USA: Routledge.
- Carroll, S., Dawes, L., Goonetilleke, A. and Hargreaves, M. (2006). *Water Quality Profile of an Urbanising Catchment – Ningi Creek Catchment*. Brisbane, Australia: Queensland University of Technology.
- CASBEE (2007). *Comprehensive Assessment System for Building Environmental Efficiency for Urban Development – Technical Manual*, Japan Sustainable Building Consortium (JSBC)/Japan Green Build Council (JaGBC). Accessed 15 October 2011, at: <http://www.ibec.or.jp/CASBEE/english/index.htm>.
- Chambers, P.A., Allard, M., Walker, S.L., Marsalek, J., Lawrence, J., Servos, M., Busnarda, J., Munger, K.S., Adare, K., Jefferson, C., Kent, R.A. and Wong, M.P. (1997). Impacts of municipal wastewater effluents on Canadian waters: a review. *Water Quality Research Journal of Canada*, 32, 659–713.
- Chanan, A. and Woods, P. (2006). Introducing total water cycle management in Sydney: a Kogarah Council initiative. *Desalination*, 187, 11–16.
- Charlesworth, S.M. and Lees, J.A. (1999). Particulate-associated heavy metals in the urban environment: their transport from source to deposit, Coventry, UK. *Chemosphere*, 39(5), 833–848.
- Chen, H., Teng, Y. and Wang, J. (2013). Source apportionment for sediment PAHs from the Daliao River (China) using an extended fit measurement model of chemical mass balance model. *Ecotoxicology and Environmental Safety*, 88, 148–154.
- Chen, Y., Xu, Y.P. and Yin, Y.X. (2009). Assessment of effects of land use changes on storm runoff generation – a case study of Xitiaoxi Basin. *Scientia Geographica Sinica*, 29, 117–123.
- Chiew, F.H.S. and McMahon, T.A. (2002). Modelling the impacts of climate change on Australian streamflow. *Hydrological Processes*, 16, 1235–1245.
- Chiew, F.H.S. and McMahon, T.A. (1999). Modelling runoff and diffuse pollution loads in urban areas. *Water Science and Technology*, 39(12), 241–248.
- Choguill, C.L. (2008). Developing sustainable neighbourhoods. *Habitat International*, 32(1), 41–48.
- Chrysoulakis, N., Lopes, M., Joséc, R., Grimmond, S., Jones, M., Magliulo, V., Klostermann, J., Synnefah, A., Mitrakaki, Z., Castro, J., González, A., Vogt, R., Vesala, T., Spanom, D., Pigeonn, G., Freer-Smith, P., Staszewski, T., Hodges, T., Mills, G. and Cartalish, C.

- (2013). Sustainable urban metabolism as a link between bio-physical sciences and urban planning: the BRIDGE project. *Landscape and Urban Planning*, 112, 100–117.
- Chui, P.C. (1997). Characteristics of stormwater quality from two urban catchments in Singapore. *Environmental Monitoring and Assessment*, 44, 173–181.
- Clark, P.U., Pisias, N.G., Stocker, T.F. and Weaver, A.J. (2002). The role of the thermohaline circulation in abrupt climate change. *Nature*, 415, 863–869.
- Codner, G.P., Laurenson, E.M. and Mein, R.G. (1988). Hydrologic Effects of Urbanization: A Case Study. Proceedings of the Hydrology and Water Resources Symposium, Institution of Engineers Australia, pp.201–205.
- Cohen, B. (2004). Urban growth in developing countries: A review of current trends and a caution regarding existing forecasts. *World Development*, 32, 23–51.
- Collier, T.K., Johnson, L.L., Stehr, C.M., Myers, M.S. and Stein, J.E. (1998). A comprehensive assessment of the impacts of contaminants on fish from an urban waterway. *Marine Environment Research*, 46(1–5), 243–247.
- Colville, R.N., Hutchinson, E.J., Mindell, J.S. and Warren, R.F. (2001). The transport sector as a source of air pollution. *Atmospheric Environment*, 35, 1537–1565.
- Comber, L., Fisher, P. and Wadsworth, R. (2005). What is land cover? *Environment and Planning B: Planning and Design*, 32, 199–209.
- Convery, S., Carey, T., Clabby, G. and Brennan, C. (2008). Green City Guidelines: Advice for the Protection and Enhancement of Biodiversity in Medium to High-Density Urban Developments. Accessed 8 March 2012, at: http://www.uep.ie/pdfs/guidelines_intro.pdf.
- Coombes, P.J., Kuczera, G., Argue, J.R., Cosgrove, F., Arthur, D., Bridgeman, H.A. and Enright, K. (1999). Design, monitoring and performance of the water sensitive urban development at Figtree Place in Newcastle. In: *Proceedings of the 8th International Conference on Urban Storm Drainage*. Sydney, Australia, pp.1319–1326.
- Coplak, J. and Raksanyi, P. (2003). Ecocity: Planning Sustainable Settlements. Bratislava: Slovak University of Technology.
- Cordery, I. (1977). Quality characteristics of urban storm-runoff water in Sydney, Australia. *Water Resources Research*, 13(1), 197–202.
- CSIRO (2007). Climate Change in Australia. Technical Report 2007, 148 pp.
- CSIRO (2003). Climate Change: an Australian Guide to the Science and Potential Impacts. Canberra, ACT: The Australian Greenhouse Office.

- CSIRO (2001). Climate Change: Projections for Australia. Accessed 7 October 2013, at: <http://www.cmar.csiro.au/e-print/open/projections2001.pdf>.
- CSIRO (1999). *Urban Stormwater: Best Practice Environmental Management Guidelines*. CSIRO Publishing.
- Cullen, P. (2007). Driving innovation: urban design in a changing climate. In: *Proceedings of the 13th International Conference on Rainwater Catchment Systems*, 21–23 August 2007, Sydney, Australia.
- Curwell, S., Deakin, M. and Lombardi, P.L. (2005). The BEQUEST framework: a vision and methodology. In: Curwell, S., Deakin, M. and Symes, M. (eds), *Sustainable Urban Development: The Framework and Protocols for Environmental Assessment*. Oxford: Routledge, pp. 19–43.
- Dalal-Clayton, B. and Sadler, B. (2005). *Strategic Environmental Assessment: A Sourcebook and Reference Guide to International Experience*. London, UK: Earthscan.
- Davidson, G. (2011). Waste Management Practices: Literature Review. Accessed 14 April 2012, at: [http://www.dal.ca/content/dam/dalhousie/pdf/sustainability/Waste%20Management%20Literature%20Review%20Final%20June%202011%20\(1.49%20MB\).pdf](http://www.dal.ca/content/dam/dalhousie/pdf/sustainability/Waste%20Management%20Literature%20Review%20Final%20June%202011%20(1.49%20MB).pdf).
- Davies, W. (1983). *Wildlife of the Brisbane Area*. Queensland: Jacaranda Press.
- Davis, A.P., Shokouhian, M., Sharma, H. and Minami, C. (2006). Water quality improvement through bioretention media: Nitrogen and phosphorus removal. *Water Environment Research*, 78, 284–293.
- Davis, A.P., Traver, R.G. and Hunt, W.F. (2010). Improving urban stormwater quality: applying fundamental principles. *Journal of Contemporary Water Research and Education*, 146, 3–10.
- Davis, A.P., Mohammad, S. and Shubei, N. (2001). Loading estimates of lead, copper, cadmium, and zinc in urban runoff from specific sources. *Chemosphere*, 44, 997–1009.
- Davis, A.P. (2008). Field performance of bioretention: hydrology impacts. *Journal of Hydrologic Engineering*, 13, 90–95.
- De Jager, C. and Usoskin, I. (2006). On possible drivers of sun-induced climate changes. *Journal of Atmospheric and Solar-Terrestrial Physics*, 68, 2053–2060.
- Deletic, A. and Orr, D.W. (2005). Pollution build-up on road surfaces. *Journal of Environmental Engineering*, 131, 49–59.
- Delpla, I., Jung, A.V., Baures, E., Clement, M. and Thomas, O. (2009). Impacts of climate change on surface water quality in relation to drinking water production. *Environment International*, 35, 1225–1233.
- Department of Transport and the Regional Services (DOTARS) (2003).

- National Charter of Integrated Land Use and Transport Planning. Canberra: DOTARS.
- Dietz, M.E. and Clausen, J.C. (2005). A field evaluation of rain garden flow and pollutant treatment. *Water, Air and Soil Pollution*, 167(1–4), 123–138.
- Dionysiou, D. (2010). Overview: harmful algal blooms and natural toxins in fresh and marine waters – exposure, occurrence, detection, toxicity, control, management and policy. *Toxicon*, 55(5), 907–908.
- Dizdaroglu, D., Yigitcanlar, T. and Dawes, L. (2012). A micro-level indexing model for assessing urban ecosystem sustainability. *Smart and Sustainable Built Environment*, 1, 291–315.
- Doughty, M.R.C. and Hammond, G.P. (2004). Sustainability and the built environment at and beyond the city scale. *Building and Environment*, 39, 1223–1233.
- Dramstad, W., Tveit, M., Fjellstad, W. and Fry, G. (2006). Relationships between visual landscape preferences and map-based indicators of landscape structure. *Landscape and Urban Planning*, 78, 465–474.
- Driscoll, C., Whittall, D., Aber, J., Boyer, E., Castro, M., Cronan, C., Goodale, C.L., Groffman, P., Hopkinson, C., Lambert, K., Lawrence, G. and Ollinger, S. (2003). Nitrogen pollution in the northeastern United States: sources, effects and management options. *BioScience*, 53, 357–374.
- Droste, R.L. and Hartt, J.P. (1975). Quality and variation of pollutant loads in urban stormwater runoff. *Canadian Journal of Civil Engineering*, 2(4), 418–429.
- Drumheller, B., Quaid, A., Wyman, M., Liljenwall, J. and Young, A. (2001). Sustainable Transportation Options for Protecting the Climate, a Guide for Local Governments. USA: International Council for Local Environmental Initiatives.
- Duncan, H.P. (1995). A Review of Urban Stormwater Quality Processes. Report No 95/9, Cooperative Research Centre for Catchment Hydrology.
- Dur, F., Yigitcanlar, T. and Bunker, J. (2010). Sustainable transport infrastructure: perspectives for sustainable urban and transport development. In: Yigitcanlar, T. (ed.), *Sustainable Urban and Regional Infrastructure Development: Technologies, Applications and Management*. Hersey, PA: Engineering Science Reference, pp.44–61.
- Dur, T. (2012). The Integrated Land Use and Transportation Indexing Model: Assessing the Sustainability of Gold Coast, Australia. Unpublished Ph.D. Thesis, Queensland University of Technology, Brisbane, Australia.
- Eaton, A.D., Clescei, L.S. and Greenberg, A.E. (1999). Standard Methods

- for the Examination of Water and Wastewater, 20th edn. American Public Health Association, American Waterworks Association, Water Environment Federation.
- Ebbert, J.C. and Wagner, R.J. (1987). Contributions of rainfall to constituent loads in storm runoff from urban catchments. *Water Resources Bulletin*, 23(5), 867–871.
- Ebert, U. and Welsch, H. (2004). Meaningful environmental indices: a social choice approach. *Journal of Environmental Economics and Management*, 47, 270–283.
- EEA (2005). EEA Core Set of Indicators Guide, Technical Report: No. 1/2005. Copenhagen, Denmark: European Environment Agency.
- EEA (2003). Mapping the Impacts of Recent Natural Disasters and Technological Accidents in Europe. Copenhagen, Denmark: European Environment Agency.
- Egodawatta, P., Ziyath, A.M. and Goonetilleke, A. (2013). Characterising metal build-up on urban road surfaces. *Environmental Pollution*, 176, 87–91.
- Egodawatta, P., Thomas, E. and Goonetilleke, A. (2009). Understanding the physical processes of pollutant build-up and wash-off on roof surfaces. *Science of the Total Environment*, 407, 1834–1841.
- Egodawatta, P., Thomas, E. and Goonetilleke, A. (2007). Mathematical interpretation of pollutant wash-off from urban road surfaces using simulated rainfall. *Water Research*, 41, 3025–3031.
- Egodawatta, P. and Goonetilleke, A. (2008). Understanding urban road surface pollutant wash-off and underlying physical processes using simulated rainfall. *Water Science and Technology*, 57, 1241–1246.
- Egodawatta, P. and Goonetilleke, A. (2007). Characteristics of pollution build-up on residential road surfaces. In: Piasecki, M., Wang, S., Holz, K., Kawahara, M., Gonzalez, A. and Beran, B. (eds), *7th International Conference on Hydroscience and Engineering*, 10–13 September, 2006, Drexel University, Philadelphia. Accessed 16 October 2013, at: <http://eprints.qut.edu.au/12660/>.
- Egodawatta, P. (2007). Translation of Small Plot Pollution Mobilisation and Transport Measurements from Impermeable Urban Surfaces to Urban Catchment Scale. Ph.D. Thesis, Queensland University of Technology.
- EHMP (2012). Ecosystem Health Monitoring Program Report Card for 2012. Healthy Waterways, Queensland.
- Ellis, J.B., Chocat, B., Fujita, S., Rauch, W. and Marsalek, J. (2004). *Urban Drainage: A Multilingual Glossary*, London, UK: IWA Publishing.
- Ellis, J.B., Revitt, D.M. and Lundy, L. (2012). An impact assessment

- methodology for urban surface runoff quality following best practice treatment. *Science of the Total Environment*, 416, 172–179.
- Ellis, K.V. (1989). *Surface Water Pollution and its Control*. Basingstoke: Macmillan.
- EPAV (1996). *Environmental Management Guidelines for Stormwater Pollution Control – Major Roads and Freeways*, draft. EPA Victoria, Melbourne.
- European Commission (EC) (2011). *Impact Assessment*. Accessed 6 October 2011, at: http://ec.europa.eu/governance/impact/index_en.htm.
- European Commission (EC) (2009). *Impact Assessment Guidelines*. Accessed 6 October 2011, at: http://ec.europa.eu/governance/impact/commission_guidelines/docs/iag_2009_en.pdf.
- European Commission (EC) (2004). *Achieving Sustainability in Transport and Land Use (ASTRAL) deliverable 5: Final Report*. Accessed 6 October 2011, at: http://www.transport-research.info/Upload/Documents/200604/20060405_163800_12607_Final_report_ASTRAL%20.pdf.
- European Commission (EC) (1998). *SPARTACUS: System for Planning and Research in Towns and Cities for Urban Sustainability – Final Report*. EC Environment and Climate Research Program, DGXII, Helsinki.
- Falkenmark, M. (1997). Meeting water requirements of an expanding world population. *Philosophical Transactions of the Royal Society of London*, 352, 929–936.
- Fam, S., Stenstrom, M.K. and Silverman, G. (1987). Hydrocarbons in urban runoff. *Journal of the Environmental Engineering ASCE*, 113, 1032–1046.
- Farnham, I.M., Johannesson, K.H., Singh, A.K., Hodge, V.F. and Stetzenbach, K.J. (2003). Factorial analytical approaches for evaluating groundwater trace element chemistry data. *Analytica Chimica Acta*, 490, 123–138.
- Fenger, J. (1999). Urban air quality. *Atmospheric Environment*, 33, 4877–4900.
- Ferguson, B.K. and Suckling, P.W. (1990). Changing rainfall-runoff relationships in the urbanizing Peachtree Creek Watershed, Atlanta, Georgia. *Water Resources Bulletin*, 26(2), 313–322.
- Field, R. and Pitt, R.E. (1990). Urban storm-induced discharge impacts. *Water Environment Technology*, 2, 64–67.
- Fletcher, T.D., Duncan, H.P., Lloyd, S. and Poelsma, P. (2004). *Stormwater Flow and Quality and the Effectiveness of Non-Proprietary Stormwater Treatment Measures*. Melbourne: Co-Operative Research Centre for Catchment Hydrology.

- Franczyk, J. and Chang, H. (2009). The effects of climate change and urbanisation on the runoff of the Rock Creek basin in the Portland metropolitan, Oregon, USA. *Hydrological Processes*, 23, 805–815.
- Friend, A.J., Ayoko, G.A. and Guo, H. (2011). Multi-criteria ranking and receptor modelling of airborne fine particles at three sites in the Pearl River Delta region of China. *Science of the Total Environment*, 409, 719–737.
- Friend, A.J. (2012). Multicriteria Ranking and Source Apportionment of Airborne Particulate Matter. Ph.D. Thesis, Queensland University of Technology, Brisbane, Australia.
- Gabrielsen, P. and Bosch, P. (2003). Environmental indicators: typology and use in reporting. Copenhagen: European Environment Agency.
- Gardiner, A. and Hardy, M. (2005). Beyond demonstration mode: the application of WSUD in Australia. *Australian Planner*, 42(4), 16–21.
- Gasparatos, A. (2010). Embedded value systems in sustainability assessment tools and their implications. *Journal of Environmental Management*, 91, 1613–1622.
- Geldreich, E.E. (1996). *Microbial Quality of Water Supply in Distribution Systems*. Boca Raton, FL: CRC Press.
- Ghose, M.K., Paul, R. and Banerjee, R.K. (2005). Assessment of the status of urban air pollution and its impact on human health in the city of Kolkata, Department of Civil Engineering, Bengal Engineering College, Kolkata, India. *Environmental Monitoring and Assessment*, 108, 151–167.
- Glaeser, E. (2011). *Triumph of the City: How our GREATEST INVENTION makes us Richer, Smarter, Greener, Healthier, and Happier*. New York: Penguin Press.
- Glass, C. and Bissouma, S. (2005). Evaluation of a parking lot bioretention cell for removal of storm water pollutants. *Ecosystems and sustainable development V*, WIT, Southampton, U.K., 699–708.
- Gobster, P.H. and Westphal, L.M. (2004). The human dimensions of urban greenways: planning for recreation and related experiences. *Landscape Urban Plan*, 68, 147–165.
- Godschalk, D.R. (2004). Land use planning challenges: coping with conflicts in visions of sustainable development and livable communities. *Journal of the American Planning Association*, 70(1), 5–13.
- Goettle, A. and Krauth, K. (1980). Total pollution loads considering urban storm runoff. *Water Science and Technology*, 13(3), 155–173.
- Gold Coast City Council (GCCC) (2006). Local Planning Scheme. Gold Coast: Department of Environment and Transport Planning, Gold Coast City Council.
- González, A., Donnelly, A., Jones, M., Chrysoulakis, N. and Lopes, M.

- (2013). A decision-support system for sustainable urban metabolism in Europe. *Environmental Impact Assessment Review*, 38, 109–119.
- Goonetilleke, A., Thomas, E., Ginn, S. and Gilbert, D. (2005). Understanding the role of land use in urban stormwater quality management. *Journal of Environmental Management*, 74, 31–42.
- Goonetilleke, A., Egodawatta, P. and Rajapakse, J. (2011). Water Sensitive Urban Design (WSUD) Application Auditing. Queensland University of Technology, Australia.
- Goonetilleke, A. and Thomas, E. (2003). Water Quality Impacts of Urbanisation-Evaluation of Current Research. Brisbane: Queensland University of Technology. Accessed 13 October 2013, at: <http://eprints.qut.edu.au/4209/>.
- Gray, M., Logan, M., Thormann, M. and White, J.S. (2008). Water quality assessment of Ferguson and Clairmont Lakes, Grande Prairie, Alberta. Edmonton: Aquality Environmental Consulting Ltd.
- Greenway, M. and Jenkins, G.A. (2004). A Comparative Study of the Effectiveness of Wetlands and Ponds in the Treatment of Stormwater in Subtropical Australia. Avignon, France: Environmental Engineering Chiangmai University.
- Greenway, M. (2010). Wetlands and ponds for stormwater treatment in subtropical Australia: Their effectiveness in enhancing biodiversity and improving water quality? *Journal of Contemporary Water Research and Education*, 146, 22–38.
- Griffin, G. (2002). Where green turns to Gold: strip cultivation and the Gold Coast Hinterland. *Transform*, 2(1), 1–15.
- Grimm, N.B., Foster, D., Groffman, P., Grove, J.M., Hopkinson, C.S., Hadelhoffer, K.J., Pataki, D.E. and Peters, D. (2008). The changing landscape: ecosystem responses to urbanisation and pollution across climatic and societal gradients. *Front Ecological Environment*, 6, 264–272.
- Grimmond, S. (2007). Urbanization and global environmental change: local effects of urban warming. *The Geographical Journal*, 173, 83–88.
- Gunawardana, C., Goonetilleke, A., Egodawatta, P., Dawes, L.A. and Kokot, S. (2012a). Role of solids in heavy metal pollution of receiving waters. *Journal of Environmental Engineering*, ASCE, 138(4), 490–498.
- Gunawardana, C., Goonetilleke, A., Egodawatta, P., Dawes, L.A. and Kokot, S. (2012b). Source characterisation of road dust based on chemical and mineralogical composition. *Chemosphere*, 87, 163–170.
- Gunawardana, J., Ziyath, A.M., Bostrom, T.E., Bekessy, L.K., Ayoko, G.A., Egodawatta, P. and Goonetilleke, A. (2013). Characterisation of atmospheric deposited particles during a dust storm in urban areas of Eastern Australia. *Science of the Total Environment*, 461–462, 72–80.
- Gunawardana, J., Egodawatta, P., Ayoko, G.A. and Goonetilleke, A.

- (2012). Role of traffic in atmospheric accumulation of heavy metals and polycyclic aromatic hydrocarbons. *Atmospheric Environment*, 54, 502–510.
- Gunawardena, J. (2012). Relating Vehicle Generated Pollutants To Urban Stormwater Quality. Ph.D. Thesis, Queensland University of Technology.
- Guo, H., Wang, T. and Louie, P.K.K. (2004). Source apportionment of ambient non-methane hydrocarbons in Hong Kong: Application of a principal component analysis/absolute principal component scores (PCA/APCS) receptor model. *Environmental Pollution*, 129, 489–498.
- Gupta, K. and Saul, A.J. (1996). Specific relationship for the first flush load in combined sewer flows. *Water Research*, 30, 1244–1252.
- Gustavson, K.R., Lonergan, S.C. and Ruitenbeek, H.J. (1999). Selection and modeling of sustainable development indicators: a case study of the Fraser River Basin, British Columbia. *Ecological Economics*, 28(1), 117–132.
- Hacking, T. and Guthrie, P. (2008). A framework for clarifying the meaning of triple bottom-line, integrated, and sustainability assessment. *Environmental Impact Assessment Review*, 28(2–3), 73–89.
- Haddad, K., Egodawatta, P., Rahman, A. and Goonetilleke, A. (2013). Uncertainty analysis of pollutant build-up modelling based on a Bayesian Weighted Least Squares approach. *Science of the Total Environment*, 449, 410–417.
- Hall, M.J. and Ellis, J.B., (1985). Water quality problems of urban areas. *GeoJournal*, 11, 265–275.
- Han, Y., Lau, S., Kayhanian, M. and Setenstorm, M.K. (2006). Characteristics of highway stormwater runoff. *Water Environment Research*, 78, 2377–2388.
- Hanafizadeh, M., Saghaei, A. and Hanafizadeh, P. (2009). An index for cross-country analysis of ICT infrastructure and access. *Telecommunications Policy*, 33, 385–405.
- Handy, S., Weston, L., Song, J., and Lane, K.M.D. (2002). Education of transportation planning professionals. *Transportation Research Record*, (1812), 151–160.
- Harrison, R.M. and Wilson, S.J. (1985). The chemical composition of high-way drainage waters. *The Science of the Total Environment*, 43, 63–77.
- Harvey, D. (2000). *Modern Analytical Chemistry*, Boston: McGraw Hill.
- Hatt, B.E., Fletcher, T.D. and Deletic, A. (2008). Hydraulic and pollutant removal performance of fine media stormwater filtration systems. *Environmental Science and Technology*, 42, 2535–2541.

- Hatt, B.E., Deletic, A. and Fletcher, T.D. (2007). Stormwater reuse: designing biofiltration systems for reliable treatment. *Water Science and Technology*, 55, 201–209.
- Haughton, G. (1997). Developing sustainable urban development models. *Cities*, 14, 189–195.
- Healthy Waterways (2003). Assessment of the Relative Contribution of Road Runoff to Total Pollutant Export. Healthy Waterways Science Update August 2003, WBM Oceanics Australia.
- Helsel, D., Kim, J., Grizzard, T., Randall, C. and Hoehn, R. (1979). Land use influences on metals in storm drainage. *Journal Water Pollution Control Federation*, 51(4), 709–717.
- Hennessy, K., Clarke, J. and Ricketts, J. (2011). Methods for Producing Extreme Temperature Projections for Australia. Victoria: CSIRO.
- Herngren, L., Goonetilleke, A., Ayoko, G.A. and Mostert, M.M. (2010). Distribution of polycyclic aromatic hydrocarbons in urban stormwater in Queensland Australia. *Environmental Pollution*, 158, 2848–2856.
- Herngren, L., Goonetilleke, A., Sukpum, R. and De Silva, D.Y. (2005a). Rainfall simulation as a tool for urban water quality research. *Environmental Engineering Science*, 22, 378–383.
- Herngren, L., Goonetilleke, A. and Ayoko, G.A. (2006). Analysis of heavy metals in road-deposited sediments. *Analytica Chimica Acta*, 571, 270–278.
- Herngren, L., Goonetilleke, A. and Ayoko, G.A. (2005b). Understanding heavy metal and suspended solids relationships in urban stormwater using simulated rainfall. *Journal of Environmental Management*, 76, 149–158.
- Herngren, L. (2005). Build-up and Wash-off Process Kinetics of PAHs and Heavy Metals on Paved Surfaces Using Simulated Rainfall. Ph.D. Thesis, Queensland University of Technology.
- Hewitt, C.N. and Rashed, M.B. (1991). The deposition of selected pollutants adjacent to a major rural highway. *Atmospheric Environment*, 25A(5/6), 979–983.
- Hillman, T. and Ramaswami, A. (2010). Greenhouse gas emission footprints and energy use benchmarks for eight US cities. *Environmental Science and Technology*, 44, 1902–1910.
- HK-BEAM (2004). An Environmental Assessment Method for New Buildings, Hong Kong Building Environmental Assessment Method Society. Accessed 15 October 2011, at: [http://www.beamsociety.org.hk/fileLibrary/_404%20New%20Buildings%20\(Full%20Version\).pdf?PHPSESSID=627727059d8a83d20c77cfa162ae06f8](http://www.beamsociety.org.hk/fileLibrary/_404%20New%20Buildings%20(Full%20Version).pdf?PHPSESSID=627727059d8a83d20c77cfa162ae06f8).
- Hoekstra, A.Y. (2003). Virtual water: an introduction. In: Hoekstra A.Y. (ed.), *Virtual Water Trade*. Proceedings of the International

- Expert Meeting on Virtual Water Trade Held in Delft on 12–13 December 2002, Delft, pp. 13–23.
- Hoffman, E.J., Latimer, J.S. Hunt, C.D., Mills, G.L. and Quinn, J.G. (1985). Stormwater runoff from highways. *Water, Air and Soil Pollution*, 25, 349–364.
- Hoffman, E.J., Mills, G.L., Latimer, J.S. and Quinn, J.G. (1984). Urban runoff as a source of polycyclic aromatic hydrocarbons to coastal waters. *Environmental Science and Technology*, 18, 580–587.
- Holden, E. (2004). Ecological footprints and sustainable urban form. *Journal of Housing and the Built Environment*, 19, 91–109.
- Hong, E.Y., Seagren, E.A. and Davis, A.P. (2006). Sustainable oil and grease removal from synthetic stormwater runoff using bench-scale bioretention studies. *Water Environment Research*, 78, 141–155.
- Hook, J.E. (1994). Using crop models to plan water withdrawals for irrigation in drought years. *Agricultural Systems*, 45, 271–289.
- Hopke, P.K. (2009). Theory and application of atmospheric source apportionment. In: Legge, A.H. (ed.), *Development in Environmental Science, Volume 9.*, Burlington: Elsevier Science, pp. 1–33.
- Hopke, P.K. (2003). Recent developments in receptor modeling. *Journal of Chemometrics*, 17, 255–265.
- House, M.A., Ellis, J.B., Herricks, E.E., Hvitved-Jacobsen, T., Seager, J., Lijklema, L., Aalerink, H. and Clifforde, I.T. (1993). Urban drainage – impacts on receiving water quality. *Water Science and Technology*, 27, 117–158.
- Hsieh, C. and Davis, A. (2005). Evaluation and optimization of bio-retention media for treatment of urban storm water runoff. *Journal of Environmental Engineering*, 131, 1521–1531.
- Huang, F., Wang, X., Lou, L., Zhou, Z. and Wu, J. (2010). Spatial variation and source apportionment of water pollution in Qiantang River (China) using statistical techniques. *Water Research*, 44, 1562–1572.
- Huang, H.J., Cheng, S.J., Wen, J.C. and Lee, J.H. (2008). Effect of growing watershed imperviousness of hydrograph parameters and peak discharge. *Hydrological Processes*, 22, 2075–2085.
- Huber, W.C. and Dickinson, R.E. (1988). Stormwater Management Model (SWMM), Version 4, User's Manual (No. EPA/600/3–88/001a). Athens, GA: US Environmental Protection Agency.
- Hughes, L. (2003). Climate change and Australia: Trends, projections and impacts. *Austral Ecology*, 28, 423–443.
- Humes (2007). Humes water solutions: Stormwater Treatment [online]. Product Broachers. Accessed 11 October 2012, at: www.humes.com.au.
- Hung, C., Gong, G., Chen, H., Hsieh, H., Santschi, P.H., Wade, T.L. and Sericano, J.L. (2007). Relationships between pesticides and organic

- carbon fractions in sediments of Danshui River estuary and adjacent coastal areas of Taiwan. *Environmental Pollution*, 148, 546–554.
- Hunt, W.F., Smith, A.R. and Sharkey, J.T. (2006). Evaluating bioretention hydrology and nutrient removal at three field sites in North Carolina. *Journal of Irrigation and Drainage Engineering*, 132, 600–608.
- Hurley, J. and Horne, R. (2006). Review and Analysis of Tools for the Implementation and Assessment of Sustainable Urban Development, EIANZ 2006, Adelaide, Environmental Institute of Australian and New Zealand.
- Huston, R., Chan, Y.C., Chapman, H., Gardner, T. and Shaw, G. (2012). Source apportionment of heavy metals and ionic contaminants in rain-water tanks in a subtropical urban area in Australia. *Water Research*, 46, 1121–1132.
- Imhoff, M.L., Bounoua, L., DeFries, R., Lawrence, W.T., Stutzer, D., Tucker, C.J. and Ricketts, T. (2004). The consequences of urban land transformation on net primary productivity in the United States. *Remote Sensing of Environment*, 89 434–443.
- IPCC (2008). Climate Change and Water. Bates, B.C., Kundzewicz, Z.W., Wu, S. and Palutikof, J.P. (eds). Geneva: Intergovernmental Panel on Climate Change.
- IPCC (2007a). Climate Change: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the 4th Assessment Report of the IPCC. Cambridge: Intergovernmental Panel on Climate Change.
- IPCC (2007b). Climate Change 2007: The Physical Science Basis. Solomon, S., Qin, D., Manning, M., Chen, Z., Marquis, M., Averyt, K.B., Tignor, M. and Miller, H.L (eds). Cambridge, UK and New York, USA: Cambridge University Press, 996 pp.
- IPCC (2001). Climate Change 2001: The Scientific Basis. Intergovernmental Panel on Climate Change.
- Jabareen, Y. (2006). Sustainable urban forms: their typologies, models, and concepts. *Journal of Planning Education and Research*, 26, 38–52.
- Jacobson, C.R. (2011). Identification and quantification of the hydrological impacts of imperviousness in urban catchment: a review. *Journal of Environmental Management*, 92, 1438–1448.
- James, L.D. (1965). Using a digital computer to estimate the effects of urban development on flood peaks. *Water Resources Research*, 1(2), 223–234.
- Japan Sustainable Building Consortium (2007). CASBEE (Comprehensive Assessment System for Building Environmental Efficiency) for Home and Urban Development Technical Manual. Accessed 17 August 2010, at: <http://www.ibec.or.jp/CASBEE/english/>.
- Jeannot, R. (1994). Preservation techniques for analysis of organic

- compounds in water samples – a review. *Journal of Environmental Analytical Chemistry*, 57, 231–236.
- Jenerette, G.D. and Larsen, L. (2006). A global perspective on changing sustainable urban water supplies. *Global and Planetary Change*, 50, 202–211.
- Johnson, M.P. (2001). Environmental impacts of urban sprawl: a survey of the literature and proposed research agenda. *Environment and Planning A*, 33, 717–735.
- Jolliet, O. and Hauschild, M. (2005). Modelling the influence of intermittent rain event on the long-term fate and the transport of organic air pollutant. *Environment Science Technology*, 39, 4513–4522.
- Jones, P. and Macdonald, N. (2007). Making space for unruly water: sustainable drainage systems and the disciplining of surface runoff. *Geoforum*, 38, 534–544.
- Joshi, S. (1999). Product environmental life-cycle assessment using input-output techniques. *Journal of Industrial Ecology*, 3(2–3), 95–120.
- Josza, A. and Brown, D. (2005). Neighborhood Sustainability Indicators Report On A Best Practice Workshop. Montreal: School of Urban Planning, McGill University and the Urban Ecology Center.
- Kahrl, W. (1982). *Water and Power: The Conflict over Los Angeles' Water Supply in the Owens Valley*. Berkeley: University of California Press.
- Kaiser, H.F. and Hunka, S. (1973). Some empirical results with Guttman's stronger lower bound for the number of common factors. *Educational and Psychological Measurement*, 33, 99–102.
- Kajewski, S. (2010). Towards sustainable urban futures: planning, designing, engineering and managing. In: Yigitcanlar, T. (ed.), *Rethinking Sustainable Development: Urban Management, Engineering and Design*. Hersey, PA: Engineering Science Reference, pp. iv–xi.
- Kalnay, E. and Cai, M. (2003). Impact of urbanization and land-use change on climate. *Nature*, 423, 528–531.
- Kang, I.S., Park, J.I. and Singh, V.P. (1998). Effect of urbanisation on runoff characteristics of the On-Cheon Stream watershed in Pusan, Korea. *Hydrological Processes*, 12, 351–363.
- Kannel, P.R., Lee, S., Kenel, S.R. and Khan, S.P. (2007). Chemometric application in classification and assessment of monitoring locations of an urban river system. *Analytica Chimica Acta*, 582, 390–399.
- Kenworthy, J.R. and Laube, F.B. (1996). Automobile dependence in cities: an international comparison of urban transport and land use patterns with implications for sustainability. *Environmental Impact Assessment Review*, 16, 279–308.
- Kistemann, T., Claben, T., Koch, C., Dangendorf, F., Fischeder, R., Gebel, J., Vacata, V. and Exner, M. (2002). Microbial load of drinking

- water reservoir tributaries during extreme rainfall and runoff. *Applied and Environmental Microbiology*, 68, 2188–2197.
- Kozlowski, J.M. (1990). Sustainable development in professional planning: a potential contribution of the EIA and UET concepts. *Landscape and Urban Planning*, 19, 307–332.
- Krizek, K.J. and Levinson, D. (2005). Teaching integrated land use-transportation planning: topics, readings, and strategies. *Journal of Planning Education and Research*, 24, 304–316.
- Kundzewicz, Z.W., Mata, L.J., Arnell, N.W., Doll, P., Jimenez, B., Miller, K., Oki, T., Sen, Z. and Shiklomanov, I. (2008). The implications of projected climate change for freshwater resources and their management. *Hydrological Sciences Journal*, 53, 3–10.
- Labat, D., Godderis, Y., Probst, J.L. and Guyot, J.L. (2004). Evidence for global runoff increase related to climate warming. *Advances in Water Resources*, 27, 631–642.
- Lambin, E.F. and Geist, H.J. (2006). *Land Use and Land Cover Change: Local Processes and Global Impacts*. London: Springer.
- Lee, K.N. (2006). Urban sustainability and the limits of classical environmentalism. *Environment and Urbanization*, 18, 9–22.
- Lee, S., Yigitcanlar, T., Dawes, L.A. and Goonetilleke, A. (2010). Investigating Challenges and Opportunities of Water Sensitive Urban Design for Knowledge Based Development of Australian Cities. In: *Proceedings from the 3rd Knowledge Cities World Summit: From Theory to Practice*. World Capital Institute, City of Melbourne and Office of Knowledge Capital, Melbourne, Victoria, pp. 676–686.
- Lee, S. and Yigitcanlar, T. (2010). Sustainable urban stormwater management: water sensitive urban design perceptions, drivers and barriers. In: Yigitcanlar, T. (ed.), *Rethinking Sustainable Development: Urban Management, Engineering, and Design*. USA: IGI Global, Engineering Science Reference.
- Leicestershire County Council (2008). Leicestershire Sustainable Community Strategy, Accessed 30 March 2012, at: http://www.leicestershiretogether.org/final_scs_2008-2013.pdf.
- Leinster, S. (2006). Delivering the final product – establishing vegetated water sensitive urban design systems. *Australian Journal of Water Resources*, 10(3) 321–329.
- Lemperiere, F. (2006). The role of dams in the XXI century to achieve a sustainable development target. *Hydropower and Dams*, Issue 3, 99–108.
- Letnic, M. and Dickman, C.R. (2006). Boom means bust: interactions between the El Niño Southern Oscillation (ENSO), rainfall and the process threatening mammal species in arid Australia. *Biodiversity and Conservation*, 15, 3847–3880.

- Levin, S. (1992). The problem of pattern and scale in ecology. *Ecology*, 73, 1943–1967.
- Lewitus, A.J., Brock, L.M., Burke, M., DeMattio, K.A. and Wilde, S.B. (2008). Lagoonal stormwater detention ponds as promoters of harmful algal blooms and eutrophication along the South Carolina coast. *Harmful Algae*, 8, 60–65.
- Li, F., Liu, X., Hu, D., Wang, R., Yang, W. and Li, D. (2009). Measurement indicators and an evaluation approach for assessing urban sustainable development: a case study for China's Jining City. *Landscape and Urban Planning*, 90, 134–142.
- Li, H. and Davis, A.P. (2008). Heavy metal capture and accumulation in bioretention media. *Environmental Science and Technology*, 42, 5247–5253.
- Li, M.H., Barrett, M.E., Rammohan, P., Olivera, F. and Landphair, H.C. (2008). Documenting stormwater quality on Texas highways and adjacent vegetated roadsides. *Journal of Environmental Engineering*, 134, 48–59.
- Li, S. and Zhang, Q. (2011). Response of dissolved trace metals to land use/land cover and their source apportionment using a receptor model in a subtropic river, China. *Journal of Hazardous Materials*, 190, 205–213.
- Lim, S., Suh, S., Kim, J. and Park, H. (2010). Urban water infrastructure optimization to reduce environmental impacts and costs. *Journal of Environmental Management*, 91, 630–637.
- Lind, B.B. and Karro, E. (1995). Stormwater infiltration and accumulation of heavy metals in roadside green areas in Goteborg, Sweden. *Ecological Engineering*, 5, 533–539.
- Line, D.E., White, N.M., Osmond, D.L., Jennings, G.D. and Mojonnier, C.B. (2002). Pollutant export from various land uses in the Upper Neuse River basin. *Water Environment Research*, 74, 100–108.
- Litman, T. and Burwell, D. (2006). Issues in sustainable transportation. *International Journal of Global Environmental Issues*, 6, 331–347.
- Liu, A., Egodawatta, P., Guan, Y. and Goonetilleke, A. (2013). Influence of rainfall and catchment characteristics on urban stormwater quality. *Science of the Total Environment*, 444, 255–262.
- Liu, A., Goonetilleke, A. and Egodawatta, P. (2012a). Inadequacy of land use and impervious area fraction for determining urban stormwater quality. *Water Resources Management*, 26, 2259–2265.
- Liu, A., Goonetilleke, A. and Egodawatta, P. (2012b). Inherent errors in pollutant build-up estimation in considering urban land use as a lumped parameter. *Journal of Environmental Quality*, 41, 1690–1694.
- Liu, A., Goonetilleke, A. and Egodawatta, P. (2012c). Taxonomy for

- rainfall events based on pollutant wash-off potential in urban areas. *Ecological Engineering*, 47, 110–114.
- Liu, D. and Qin, C. (2009). Influence on rainfall runoff due to urbanisation in Wuhan city of China. *2009 International Conference on Environmental Science and Information Application Technology*. Wuhan, China.
- Lloyd, S.D., Wong, T.H.F. and Chesterfield, C.J. (2002). *Water Sensitive Urban Design – A Stormwater Management Perspective*. Cooperative Research Centre for Catchment Hydrology.
- Lloyd, S.D., Wong, H.F. and Chesterfield, C.J. (2002). Opportunities and Impediments to Water Sensitive Urban Design in Australia. In: *Proceedings of the 2nd South Pacific Stormwater Conference*, 27–29 June 2001, Auckland, New Zealand, pp. 302–309.
- Lloyd, S.D. (2004). Exploring the Opportunities and Barriers to Sustainable Stormwater Management Practices in Residential Catchments. Ph.D. Thesis, Department of Civil Engineering, Monash University, Victoria, Australia.
- Lloyd, S.D. (2001). Water Sensitive Design in the Australian Context. Synthesis of a Conference held 30–31 August 2000 Melbourne, Australia. Cooperative Research Centre for Catchment Hydrology Technical Report 01/7. Accessed 18 May 2011, at: <http://www.catchment.crc.org.au/pdfs/technical200107.pdf>.
- Lloyd, S. (2000). Water Sensitive Urban Design in the Australia Context. *Synthesis of a Conference*. Melbourne, Australia.
- London Sustainable Development Commission (2009). London's Quality of Life Indicators 2008–09 Report. Accessed 30 March 2012, at: http://www.londonsdc.org/documents/qol_reports/QoL_indicators.pdf.
- Lopes, T.J., Fossum, K.D., Phillips, J.V. and Monical, J.E. (1995). Statistical Summary of Selected Physical, Chemical, and Microbial Characteristics and Estimates of Constituent Loads in Urban Stormwater, Maricopa County, Arizona. US Geological Survey, Water-Resources Investigations Report 94–4240, Tucson, Arizona.
- Lopes, T.J. and Fossum, K.D. (1995). Selected Chemical Characteristics and Acute Toxicity of Urban Stormwater, Streamflow, and Bed Material, Maricopa County, Arizona. US Geological Survey, Water-Resources Investigations Report 95–4074, Tucson, Arizona.
- Low, N. and Gleeson, B. (2003). *Making Urban Transport Sustainable*. New York: Palgrave Macmillan.
- Luo, W. (2001). Wet-deposition fluxes of soluble chemical species and the elements in insoluble materials. *Atmospheric Environment*, 35, 2963–2967.
- Mackay, S. (1999). Sediment, Nutrient and Heavy Metal Characteristics

- of Urban Stormwater Runoff. Report No. 139, Urban Water Research Association of Australia.
- Maclaren, V.W. (1996). Urban sustainability reporting. *Journal of the American Planning Association*, 62, 184–202.
- Madyiwa, S., Chimbari, M.J., Schutte, C.F. and Nyamangara, N. (2003). Greenhouse studies on the phyto-extraction capacity of cynodon nlemfuensis for lead and cadmium under irrigation with treated wastewater. *Physics and Chemistry of the Earth*, 28, 859–867.
- Mahbub, P., Goonetilleke, A., Ayoko, G.A., Egodawatta, P. and Yigitcanlar, T. (2011a). Analysis of build-up of heavy metals and volatile organics on urban roads in Gold Coast, Australia. *Water Science and Technology*, 63, 2077–2085.
- Mahbub, P., Ayoko, G.A., Goonetilleke, A., Egodawatta, P. and Kokot, S. (2010). Impacts of traffic and rainfall characteristics on heavy metals build-up and wash-off from urban roads. *Environmental Science and Technology*, 44, 8904–8910.
- Mahbub, P., Goonetilleke, A., Ayoko, G.A. and Egodawatta, P. (2011b). Effects of climate change on the wash-off of volatile organic compounds from urban roads. *Science of the Total Environment*, 409, 3934–3942.
- Mahbub, P., Goonetilleke, A. and Ayoko, G.A. (2012). Prediction of the wash-off of traffic related semi- and non-volatile organic compounds from urban roads under climate change influenced rainfall characteristics. *Journal of Hazardous Materials*, 213–214, 83–92.
- Mahbub, P. (2011). Impact of Urban Traffic and Climate Change on Water Quality from Road Runoff. Ph.D. Thesis, Queensland University of Technology.
- Mahoney, M., Bennett, D. and Grushack, S. (2010). City of Atlanta Sustainability Plan. City of Atlanta: Mayor's Office of Sustainability.
- Malvern (1994). Mastersizer S Long Bed Version 2.19 (C) Malvern Instruments Ltd.
- Marsalek, J. and Kok, S. (1997). Stormwater management and abatement of combined sewer overflow pollution. *Water Quality Research Journal of Canada*, 32, 1–5.
- Mas, S., De Juan, A., Tauler, R., Olivieri, A.C., Escandar, G.M. (2010). Application of chemometric methods to environmental analysis of organic pollutants: a review. *Talanta*, 80, 1052–1067.
- Masamba, W.R.L. and Mazvimavi, D. (2008). Impact on water quality of land uses along Thamalakane-Boteti River: an outlet of the Okavango Delta. *Physics and Chemistry of the Earth, Parts A/B/C*, 33, 687–694.
- Mayer, A. (2008). Strengths and weaknesses of common sustainability indices for multidimensional systems. *Environment International*, 34, 277–291.

- McDonald, R. (2008). Global urbanization: can ecologists identify a sustainable way forward. *Frontiers in Ecology and the Environment*, 6, 99–104.
- McFarlane, D., Stone, R., Martens, S., Thomas, J., Silberstein, R., Ali, R. and Hodgson, G. (2012). Climate change impacts on water yields and demands in south-western Australia. *Journal of Hydrology*, 475, 488–498.
- McInnes, K.L., Walsh, K.J.E. and Pittock, A.B. (2000). Impact of Sea-Level Rise and Storm Surges on Coastal Resorts. Victoria: CSIRO Atmospheric Research.
- McManus, R. (2009). Water Sensitive Urban Design Barriers and Opportunities in Darwin – Discussion Paper. Prepared for the Department of Planning and Infrastructure, Northern Territory Government, Darwin.
- McMichael, A.J., Woodruff, R.E. and Hales, S. (2006). Climate change and human health: present and future risks. *The Lancet*, 367, 859–869.
- Meijer, M., Adriaens, F., van der Linden, O. and Schik, W. (2011). A next step for sustainable urban design in the Netherlands. *Cities*, 28, 536–544.
- Mein, R.G. and Goyen, A.G. (1988). Urban Runoff. Civil Engineering Transactions, Vol. CE30, No. 4, Institution of Engineers Australia, pp. 225–238.
- Meister, J.F. and Kefer, S. (1981). Stormwater Quality from an Urbanizing Watershed. Proceedings of the Second International Conference on Urban Storm Drainage, Urbana, Illinois, USA, pp. 69–78.
- Metaxiotis, K., Carrillo, J. and Yigitcanlar, T. (eds) (2010). *Knowledge-Based Development for Cities and Societies: an Integrated Multi-Level Approach*. Hersey, PA, USA: IGI Global.
- Miguntanna, N.P., Liu, A., Egodawatta, P. and Goonetilleke, A. (2013). Characterising nutrients wash-off for effective urban stormwater treatment design. *Journal of Environmental Management*, 120, 61–67.
- Miguntanna, N., Goonetilleke, A., Egodawatta, P. and Kokot, S. (2010). Understanding nutrient build-up on urban road surfaces. *Journal of Environmental Sciences*, 22, 806–812.
- Miguntanna, N. (2009). Nutrients Build-Up and Wash-Off Processes in Urban Land Uses. Ph.D. Thesis, Queensland University of Technology.
- Millennium Ecosystem Assessment (2003). *Ecosystems and Human Well-Being: A Framework for Assessment*. Washington, DC: Island Press.
- Milly, P.C.D., Wetherald, R.T., Dunne, K.A. and Delworth, T. L. (2002). Increasing risk of great floods in a changing climate. *Nature*, 415, 514–517.

- Milly, P.C.D., Dunne, K.A. and Vecchia, A.V. (2005). Global pattern of trends in streamflow and water availability in a changing climate. *Nature*, 438, 347–350.
- Mitchell, G., May, A. and McDonald, A. (1995). PICABUE: a methodological framework for the development of indicators of sustainable development. *International Journal of Sustainable Development and World Ecology*, 2, 104–123.
- Moreton Bay Waterways and Catchments Partnership (2008). Water Sensitive Urban Design Training Supplement for South East Queensland. Moreton Bay Waterways and Catchments Partnership, Brisbane, Australia.
- Mori, K. and Christodoulou, A. (2011). Review of sustainability indices and indicators: towards a new City Sustainability Index (CSI). *Environmental Impact Assessment Review*, 32(1), 94–106.
- Morselli, L., Olivieri, P., Brusori, B. and Passarini, F. (2003). Soluble and insoluble fractions of heavy metals in wet and dry atmospheric depositions in Bologna, Italy. *Environmental Pollution*, 124(3), 457–469.
- MSMA (2012). Urban Storm Water Management. Ministry of Natural Resources and Environment, Malaysia.
- Mumford, L. (1961). *The City in History: Its Origins, its Transformations and its Prospects*. London: Penguin Books.
- MUSIC (2009). *User Manual Version 4.0*. MUSIC Development Team, Cooperative Research Centre (CRC) for Catchment Hydrology, Australia.
- Næss, P. (2001). Urban planning and sustainable development. *European Planning Studies*, 9(4), 503–524.
- Namdeo, A.K., Colls, J.J. and Baker, C.J. (1999). Dispersion and re-suspension of fine and coarse particulates in an urban street canyon. *The Science of the Total Environment*, 235(1–3), 3–13.
- Nandy, S. and Gordon, D. (2009). Children living in squalor: shelter, water and sanitation deprivation in developing countries. *Children, Youth and Environment*, 19(2), 202–228.
- Nardo, M., Saisana, M., Saltelli, A., Tarantola, S., Hoffmann, A. and Giovannini, E. (2005a). Handbook on Constructing Composite Indicators: Methodology and User Guide, OECD Statistics Working Paper Series.
- Nardo, M., Saisana, M., Saltelli, A. and Tarantola, S. (2005b). Tools for Composite Indicators Building, EUR 21682 EN, European Commission, JRC-IPSC, Italy.
- Nelson, E.J. and Booth, D.B. (2002). Sediment sources in an urbanizing, mixed land-use watershed. *Journal of Hydrology*, 264, 51–68.
- Ness, B., Urbel-Piirsalu, E., Anderberg, S. and Olsson, L. (2007).

- Categorising tools for sustainability assessment. *Ecological Economics*, 60(3), 498–508.
- Newman, P. and Jennings, I. (2008). *Cities as Sustainable Ecosystems: Principles and Practices*. Washington, DC: Island Press.
- Ngabe, B., Bidleman, T.F. and Scott, G.I. (2000). Polycyclic aromatic hydrocarbons in storm runoff from urban and coastal South Carolina. *The Science of the Total Environment*, 255(1–3), 1–9.
- Nguyen, L. (2004). Environmental Indicators for ASEAN: Developing an Integrated Framework. UNU-IAS Working Paper No. 109.
- Nicholls, N., Lavery, B., Frederiksen, C., Drosowsky, W. and Torok, S. (1996). Recent apparent changes in relationships between the El Niño Southern Oscillation and Australian rainfall and temperature. *Geophysical Research Letters*, 23, 3357–3360.
- Nilsson, C. and Malm Renofalt, B. (2008). Linking flow regime and water quality in rivers: a challenge to adaptive catchment management. *Ecology and Society*, 13, 18–37.
- Nilsson, G.E., Crawley, N., Lunde, I.G. and Munday, P.L. (2009). Elevated temperature reduces the respiratory scope of coral reef fishes. *Global Change Biology*, 15, 1405–1412.
- Nives, S-G. (1999). Water quality evaluation by index in Dalmatia. *Water Research*, 33, 3423–3440.
- Nixon, J. (2009). Sustainable Economic Development: Initiatives, Programs, and Strategies for Cities and Regions. USA: Urban Sustainability Associates.
- Nizeyaimana, E., Perersen, G.W., Imhoff, M.L., Sinclair, H., Waltman, S., Reed-Margetan, D.S., Levine, E.R. and Russo, P. (2001). Assessing the impact of land conversion to urban use on soils with different productivity levels in the USA. *Soil Science Society of America Journal*, 65, 391–402.
- Norris, G., Vedentham, R., Duvall, R. and Henry, R.C. (2007). EPA Unmix 6.0 Fundamentals and User Guide. US Environmental Protection Agency. Accessed 2 October 2013, at: <http://www.epa.gov/head/documents/unmix-6-user-manual.pdf>.
- Novotny, V., Sung, H.M., Bannerman, R. and Baum, K. (1985). Estimating nonpoint pollution from small urban watersheds. *Journal Water Pollution Control Federation*, 57, 744–748.
- Novotny, V. and Olem, H. (1994). *Water Quality Prevention, Identification, and Management of Diffuse Pollution*. New York: Van Nostrand Reinhold.
- Nriagu, J.O., Wong, H.K.T., Lawson, G. and Daniel, P. (1998). Saturation of ecosystems with toxic metals in Sudbury basin, Ontario. *The Science of the Total Environment*, 223, 99–118.

- O'Connor, K. (2010). Infrastructure and urban sustainability: looking back and looking forward. In: Yigitcanlar, T., (ed.), *Sustainable Urban and Regional Infrastructure Development: Technologies, Applications and Management*. Hersey, PA: Engineering Science Reference.
- OECD (2008). Handbook on Constructing Composite Indicators: Methodology and User Guide, Paris.
- OECD (2003). Environmental Indicators: Development, Measurement and Use, Reference Paper, OECD, Paris.
- Oki, T. and Kanae, S., (2006). Global hydrological cycles and world water resources. *Science*, 313, 1068–1072.
- Oppenheimer, C. (2003). Climatic, environmental and human consequences of the largest known historic eruption: Tambora volcano (Indonesia) 1815. *Progress in Physical Geography*, 27, 230–259.
- Othman, F., Alaa Eldia, M.E., and Mohamed, I. (2012). Trend analysis of a tropical urban water quality in Malaysia. *Journal of Environmental Monitoring*, 14, 3164–3173.
- Overton, D.E. and Meadows, M.E. (1976). *Stormwater Modelling*. New York: Academic Press.
- Owens, P.N. and Walling, D.E. (2002). The phosphorus content of fluvial sediment in rural and industrialized river basins. *Water Research*, 36, 685–701.
- Paatero, P., and Tapper, U. (1993). Analysis of different modes of factor-analysis as least-squares fit problems. *Chemometrics and Intelligent Laboratory Systems*, 18, 183–194.
- Paeri, H.W. and Huisman, J. (2009). Climate change: a catalyst for global expansion of harmful cyanobacterial blooms. *Environmental Microbiology Reports*, 1, 27–37.
- Paillard, D. (2010). Climate and the orbital parameters of the Earth. *Comptes Rendus Geoscience*, 342, 273–285.
- Parker, N., Gardner, T., Goonetilleke, A., Egodawatta, P. and Giglio, D. (2009). Effectiveness of WSUD in the 'Real World'. The 6th International Water Sensitive Urban Design Conference and the 3rd Hydropolis: Towards Water Sensitive Cities and Citizens, 2009 Perth, Australia. Accessed 7 October 2013, at: <http://eprints.qut.edu.au/26520/>.
- Parker, N. (2010). Assessing the Effectiveness of Water Sensitive Urban Design in SE Queensland. Master's Thesis, Queensland University of Technology.
- Pearce, D. and Barbier, E. (2004). The economic system and natural environments. In: Wheeler, S.M. and Beatley, T. (eds), *The Sustainable Urban Development Reader*, New York: Routledge, pp. 159–161.
- Pearson, S., Walters, S. and Hamel, N. (2011). Introduction. In: Puget

- Sound Science Update, April 2011 version. Accessed 5 June 2010, at: <http://www.psp.wa.gov/>.
- Pekey, H., Karakas, D. and Bakoglu, M. (2004). Source apportionment of trace metals in surface water of polluted stream using multivariate statistical analyses. *Marine Pollution Bulletin*, 49, 809–818.
- Petit, J.R., Humberto Ruiloba, M., Bressani, R.J.M., Barnola, I., Basile, M., Bender, J. and Chappellaz, M. (1999). Climate and atmospheric history of the past 420000 years from the Vostok ice core, Antarctica. *Nature*, 399, 429–436.
- Pigram, J.J. (2007). *Australia's Water Resources: From Use to Management*. Collingwood, Victoria: CSIRO Publishing.
- Pincetl, S., Bunje, P. and Holmes, T. (2012). An expanded urban metabolism method: toward a systems approach for assessing urban energy processes and causes. *Landscape and Urban Planning*, 107(1), 193–202.
- Pinho, O. and Orgaz, M. (2000). The Urban Head Island in a small city in Coastal Portugal. *International Journal of Biometeorology*, 44, 198–203.
- Pitt, R., Field, R., Lalor, M. and Brown, M. (1995). Urban storm-water toxic pollutants: assessment, sources, and treatability. *Water Environment Research*, 67(3), 260–275.
- Pitt, R. (1979). Demonstration of Nonpoint Pollution Abatement Through Improved Street Cleaning Practices. US Environmental Protection Agency, Report No. EPA/600/2–79–161.
- PMSEIC (2007). Climate Change in Australia: Regional Impacts and Adaptation – Managing the Risk for Australia. Canberra, Australia: Independent Working Group.
- Pope, C.A., Burnett, R.T., Thun, M.J., Calle, E.E., Krewski, D. and Ito, K. (2002). Lung cancer, cardiopulmonary mortality and long-term exposure to fine particulate air pollution. *Journal of the American Medical Association*, 287(9), 1132–1141.
- Pope, C.A. (2000). Epidemiology of fine particulate air pollution and human health: biologic mechanisms and who's at risk. *Environmental Health Perspectives*, 108, 713–723.
- Pope, J., Annandale, D. and Morrison-Saunders, A. (2004). Conceptualising sustainability assessment. *Environmental Impact Assessment Review*, 24, 595–616.
- Powell, M. (2009). Selecting sites and selecting devices for primary stormwater treatment and stormwater harvesting. *Stormwater Industry Association: Stormwater 09 – July 2009*. CD-ROM publication.
- Power, E.A. and Chapman, P.M. (1992). Assessing sediment quality. In: Burton Jr, G.A. (ed.), *Sediment Quality Assessment*, Boca Raton, FL: Lewis Press, pp. 1–18.

- Preston, B.L. and Jones, R.N. (2006). Climate Change Impacts on Australia and the Benefits of Early Action to Reduce Global Greenhouse Gas Emissions. Victoria: CSIRO Marine and Atmospheric Research.
- Prospero, J.M. and Lamb, P.J. (2003). African droughts and dust transport to the Caribbean: climate change implications. *Science*, 302, 1024–1027.
- Prudhomme, C., Jakob, D. and Svensson, C. (2003). Uncertainty and climate change impact on the flood regime of small UK catchments. *Journal of Hydrology*, 277, 1–23.
- Raju, K., Lucien, D. and Arondel, C. (2000). Multicriterion analysis for sustainable water resources planning: a case study in Spain. *Water Resources Management*, 14, 435–456.
- Randall, L., Han, J.S. and Weber, J.H. (1986). Determination of inorganic tin, methyltin and butyltin compounds in sediments. *Environmental Technology Letter*, 7, 571–576.
- Rao, R.A. and Delleur, J.W. (1974). Instantaneous unit hydrographs, peak discharges and time lags in urban basins. *Hydrological Sciences Bulletin*, 19, 185–198.
- Rava-Adkonis, M., Wolska, L. and Namiesnik, J. (2006). Analytical procedures for PAH and PCB determination in water samples – error sources, critical review. *Analytical Chemistry*, 36, 63–72.
- Ravindra, K., Mor, S., Ameen, Kamyotra, J.S. and Kaushik, C.P. (2003). Variation in spatial pattern of criteria air pollutants before and during initial rain of monsoon. *Environmental Monitoring and Assessment*, 87(2), 145–153.
- Ray, B. (2008). *Water: The Looming Crisis in India*. Lanham, MD: Lexington Books.
- RCEP (2002). Twenty-Third Report Environmental Planning prepared by Royal Commission on Environmental Pollution presented to Parliament by Command of Her Majesty.
- Rebitzer, G., Ekvall, T., Frischknecht, R., Hunkeler, D., Norris, G., and Rydberg, T. (2004). Life cycle assessment: part 1: framework, goal and scope definition, inventory analysis, and applications. *Environment International*, 30, 701–720.
- Rial, J.A. and Anaclerio, C.A. (2000). Understanding nonlinear responses of the climate system to orbital forcing. *Quaternary Science Reviews*, 19, 1709–1722.
- Richardson, S.D. and Ternes, T.A. (2011). Water analysis: emerging contaminants and current issues. *Analytical Chemistry*, 83, 4614–4648.
- Richardson, S.D. (2001). Water analysis. *Analytical Chemistry*, 73, 2719–2734.
- Ridd, M. (1995). Exploring a V-I-S (vegetation-impervious surface-soil)

- model for urban ecosystem analysis through remote sensing: comparative anatomy for cities. *Remote Sensing*, 16(12), 2165–2186.
- Rijnders, E., Janssen, N.A.H., van Vliet, P.H.N. and Brunekreef, B. (2001). Personal and outdoor nitrogen dioxide concentrations in relation to degree of urbanisation and traffic density. *Environmental Health Perspectives*, 109, 411–417.
- Rijsberman, M. and Van de Ven, Frans H.M. (2000). Different approaches to assessment of design and management of sustainable urban water systems. *Environmental Impact Assessment Review*, 20(1), 333–345.
- Rinner, C. and Hussain, M. (2011). Toronto's urban heat island – exploring the relationship between land use and surface temperature. *Remote Sensing*, 3, 1251–1265.
- Ritter, L., Solomon, K., Sibley, P., Hall, K., Keen, P., Mattu, P. and Linton, B. (2002). Sources, pathways, and relative risks of pollutants in surface water and groundwater: a perspective prepared for the Walkerton inquiry. *Journal of Toxicology and Environmental Health, Part A*, 65, 1–142.
- Rizwan, A.M., Dennis, Y.C.L. and Liu, C. (2008). A review on the generation, determination and mitigation of urban heat island. *Journal of Environmental Sciences*, 20, 120–128.
- Roberts, G. (2012). Jakarta sinking as water supplies dry up. ABC News website. Accessed 30 December 2012, at: <http://www.abc.net.au/news/2012-12-29/jakarta-sinks-as-water-supplies-dry-up/4447022>.
- Roesner, L.A. (1982). Quality of Urban Runoff. Urban Stormwater Hydrology, American Geophysical Union. Washington, DC.
- Roger, S., Montrejaud-Vignoles, M., Andral, M.C., Herremans, L. and Fortune, J.P. (1998). Mineral, physical and chemical analysis of the solid matter carried by motorway runoff water. *Water Research*, 32(4), 1119–25.
- Root, T.L. and Schneider, S.H. (2002). *Climate Change: Overview and Implications for Wildlife*. Washington, DC: Island Press.
- Rousseau, D.P.L., Lesageb, E., Storyc, A., Vanrollegheme, P.A. and De Pauwe, N. (2008). Constructed wetlands for water reclamation. *Desalination*, 218, 181–189.
- Roy, A.H., Wenger, S.J., Fletcher, T.D., Walsh, C.J., Ladson, A.R., Shuster, W.D., Thurston, H.W. and Brown, R.R. (2008). Impediments and solutions to sustainable, watershed-scale urban stormwater management: lessons from Australia and the United States. *Environmental Management*, 42, 344–359.
- Roy-Poirier, A., Champagne, P. and Eilion, Y. (2010). Review of bio-retention system research and design: past, present, and future. *Journal of Environmental Engineering*, 136, 878–889.

- Saaksjarvi, E., Khalighi, M. and Minkkinen, P. (1989). Waste water pollution modelling in the southern area of Lake Saimaa, Finland, by the SIMCA pattern recognition method. *Chemometrics and Intelligent Laboratory Systems*, 7, 171–180.
- Sabin, L.D., Lim, J.H., Stolzenbach, K.D., and Schiff, K.C. (2005). Contribution of trace metals from atmospheric deposition to stormwater runoff in a small impervious urban catchment. *Water Research*, 39, 3929–3937.
- Sahney, S., Benton, M.J. and Falcon-Lang, H.J. (2010). Rainforest collapse triggered Pennsylvanian tetrapod diversification in Euramerica. *Geology*, 38, 1079–1082.
- Saisana, M. (2008). The 2007 Composite Learning Index: Robustness Issues and Critical Assessment, EUR 23274 EN. European Commission, JRC-IPSC, Italy.
- Saltelli, A., Nardo, M., Saisana, M. and Tarantola, S. (2004). Composite Indicators – the Controversy and the Way Forward, Statistics, Knowledge and Policy. OECD World Forum on Key Indicators, 10–13 November, Palermo, Italy.
- Sansalone, J.J., Buchberger, S.G. and Al-Abed, S.R. (1996). Fractionation of heavy metals in pavement runoff. *The Science of the Total Environment*, 189/190, 371–378.
- Sansalone, J.J. and Cristina, C.M. (2004). First flush concepts for suspended and dissolved solids in small impervious watersheds. *Journal of Environmental Engineering*, 130, 1301–1314.
- Sansalone, J.J. and Buchberger, S.G. (1997). Partitioning and first-flush of metals and solids in highway runoff. *Journal of Environmental Engineering*, 123, 134–143.
- Sartor, J.D. and Boyd, G.B. (1972). *Water Pollution Aspects of Street Surface Pollutants*. Washington, DC: US Environmental Protection Agency. 170 pp.
- Saunders, D. (2010) *Arrival City: How the Largest Migration in History is Shaping our World*. London: William Heinemann.
- Sawyer, C.N., McCarty, P.L. and Parkin, G.F. (1994). *Chemistry for Environmental Engineering*. New York: McGraw-Hill, 4th edn.
- Schafer, A. and Victor, D.G. (2000). The future mobility of the world population. *Transportation Research Part A: Policy and Practice*, 34, 171–205.
- Schnoor, J. (ed.) (1996). *Environmental Modelling: Fate and Transport of Pollutants in Water, Air and Soil*. A Wiley-Interscience publication. New York: Wiley.
- Scholes, L.R., Ellis, M.D. and Bryan, J. (2008). A systematic approach for the comparative assessment of stormwater pollutant removal potentials. *Journal of Environmental Management*, 88, 467–478.

- Schreider, S.Y., Smith, D.I. and Jakeman, A.J. (2000). Climate change impacts on urban flooding. *Climatic Change*, 47, 91–115.
- Schulman, A. and Peters, C. (2008). GIS analysis of urban schoolyard landcover in three U.S. cities. *Urban Ecosystems*, 11(1), 65–80.
- Searle, G. (2010). Sustainability of infrastructure: achieving sustainable cities with sustainable infrastructures. In: Yigitcanlar, T. (ed.), *Sustainable Urban and Regional Infrastructure Development: Technologies, Applications and Management*. Hersey, PA: Engineering Science Reference, pp. 323–328.
- SEDAC (2007). Compendium of Environmental Sustainability Indicators. The Socioeconomic Data and Applications Center (SEDAC), Center for International Earth Science Information Network (CIESIN), Columbia University, USA. Accessed 6 October 2009, at: <http://sedac.ciesin.columbia.edu/es/compendium.html>.
- Seinfeld, J.H. and Pandis, S.N. (1998). *Atmospheric Chemistry and Physics: From Air Pollution to Climate Change 1998*. New York: Wiley.
- Senhorst, H.A. and Zwolsman, J.J. (2005). Climate change and effects on water quality: a first impression. *Water Science and Technology*, 51(5), 53–59.
- Seo, S. (2002). *International Review of Environmental Assessment Tools and Databases*. CRC for Construction Innovation, Brisbane.
- Settle, S., Goonetilleke, A. and Ayoko, G.A. (2007). Determination of surrogate indicators for phosphorus and solids in urban stormwater: application of multivariate data analysis techniques. *Water Air Soil Pollution*, 182, 149–161.
- Shaheen, D.G. (1975). Contribution of Urban Roadway Usage to Water Pollution. EPA-600/2-75-004. US Environmental Protection Agency, Washington, DC, USA.
- Shannon, J.D. and Voldner, E.C. (1982). Estimation of wet and dry deposition of pollutant sulfur in eastern Canada as a function of major source regions. *Water, Air and Soil Pollution*, 18, 101–104.
- Sharkey, L.J. (2006). *The Performance of Bioretention Areas in North Carolina: A Study of Water Quality, Water Quantity, and Soil Media*. Master's Thesis, North Carolina State University.
- Sharma, M. (2002). Variations in solar magnetic activity during the last 200 000 years: is there a Sun-climate connection? *Earth and Planetary Science Letters*, 199, 459–472.
- Shepherd, A. and Ortolano, L. (1996). Strategic environmental assessment for sustainable urban development. *Environmental Impact Assessment Review*, 16(4–6), 321–335.
- Shi, P.J., Yuan, Y., Zhang, J., Wang, J.A., Ge, Y. and Qiu, G.Y. (2007).

- The effect of land use/cover change on surface runoff in Shenzhen region, China. *CATENA*, 69, 31–35.
- Shinya, M., Tsuchinaga, T., Kitano, M., Yamada, Y. and Ishikawa, M. (2000). Characterization of heavy metals and polycyclic aromatic hydrocarbons in urban highway runoff. *Water Science and Technology*, 42, 201–208.
- Shore, W.B. (2006). Land-use, transportation and sustainability. *Technology in Society*, 28, 27–43.
- Sieker, H. and Klein, M. (1998). Best management practices for stormwater-runoff with alternative methods in a large urban catchment in Berlin, Germany. *Water Science and Technology*, 38(10), 91–97.
- Simeonov, V., Simeonova, P., Tsakovski, S. and Lovochinov, V. (2010). Lake water monitoring data assessment by multivariate statistics. *Journal of Water Resources and Protection*, 2, 353–361.
- Singh, K.P., Malik, A. and Sinha, S. (2005). Water quality assessment and apportionment of pollution sources of Gomti river (India) using multivariate statistical techniques – a case study. *Analytical Chimica Acta*, 538, 355–374.
- Singh, R., Murty, H., Gupta, S. and Dikshit, A. (2009). An overview of sustainability assessment methodologies. *Ecological Indicators*, 9, 189–212.
- SMCMA (2007). Barriers and Opportunities to WUSD Adoption in the Botany Bay Catchment. Sydney: Sydney Metropolitan Catchment Management Authority.
- Snyder, C. (2005). The dirty work of promoting ‘recycling’ of America’s sewage sludge. *International Journal of Occupational and Environmental Health*, 11, 415–427.
- Socioeconomic Data and Applications Center (SEDAC) (2007). Environmental Performance Index. Accessed 14 August 2013, at: <http://sedac.ciesin.columbia.edu/data/set/epi-environmental-performance-index-2008>.
- Solomon, S., Plattner, G.K., Knutti, R. and Friedlingstein, P. (2009). Irreversible climate change due to carbon dioxide emissions. *Proceedings of the National Academy of Sciences of the United States of America (PNAS)*, 106, 1704–1709.
- Sonzogni, W.C., Chester, G., Coote, D.R., Jeffs, D.N., Konrad, J.C., Ostry, R.C. and Robinson, J.B. (1980). Pollution from land runoff. *Environmental Science and Technology*, 14, 148–153.
- Soonthornnonda, P. and Christensen, E.R. (2008). Source apportionment of pollutants and flows of combined sewer wastewater. *Water Research*, 42, 1989–1998.
- Sternbeck, J., Sjodin, A. and Andreasson, K. (2002). Metal emissions

- from road traffic and the influence of resuspension – results from two tunnel studies. *Atmospheric Environment*, 36, 4735–4744.
- Stigter, T.Y., Ribeiro, L. and Carvalho Dill, A.M.M. (2008). Building factorial regression models to explain and predict nitrate concentrations in groundwater under agricultural land. *Journal of Hydrology*, 357, 42–56.
- Stoeglehner, G., Edwards, P., Daniels, P. and Narodoslawsky, M. (2011). The water supply footprint (WSF): a strategic planning tool for sustainable regional and local water supplies. *Journal of Cleaner Production*, 19, 1677–1686.
- Strong, S. (1999). Introduction to Renewable Energy Technologies. In: Kilbert, C.J. (ed.), *Reshaping the Built Environment: Ecology, Ethics and Economics*. Washington, DC: Island Press, pp. 89–116.
- Su, M., Fath, B.D. and Yang, Z. (2010). Urban ecosystem health assessment: a review. *Science of the Total Environment*, 408, 2425–2434.
- Su, S., Li, D., Zhang, Q., Xiao, R., Huang, F. and Wu, J. (2011). Temporal trend and source apportionment of water pollution in different functional zones of Qiantang River, China. *Water Research*, 45, 1781–1795.
- Sullivan, J.B. and Krieger, G.R. (2001). *Clinical Environmental Health and Toxic Exposures*. Philadelphia: Lippincott Williams and Wilkins.
- Sustainable Measures (2012). Sustainability Indicator Projects. Accessed 30 March 2012, at: <http://www.sustainablemeasures.com/sustainability>.
- Svirejeva-Hopkins, A., Schellnhuber, H.J. and Pomaz, V.L. (2004). Urbanised territories as a specific component of the global carbon cycle. *Ecological Modelling*, 173, 295–312.
- Tan, L. (2006). ABGR and Green Star Rating Schemes Compliance Analysis for ATP-Seven. Bassett Applied Research, Sydney, Australia.
- Tauler, R., Barcelo, D. and Thurman, E.M. (2000). Multivariate correlation between concentrations of selected herbicides and derivatives in outflows from selected U.S. Midwestern reservoirs. *Environmental Science and Technology*, 34, 3307–3314.
- Tayanc, M. and Toros, H. (1997). Urbanisation effects on regional climate change in the case of four large cities of Turkey. *Climatic Change*, 35, 501–524.
- Taylor, A., Curnow, R., Fletcher, T. and Lewis, J. (2007). Education campaigns to reduce stormwater pollution in commercial areas: do they work? *Journal of Environmental Management*, 84, 323–335.
- Taylor, A. and Wong, T. (2002). Non-Structural Stormwater Quality Best Management Practices – An Overview Of Their Use, Value, Cost And Evaluation. Cooperative Research Centre (CRC) for Catchment Hydrology.
- Taylor, G.D., Fletcher, T.D., Wong, T.H.F., Breen, P.F. and Duncan,

- H.P. (2005). Nitrogen composition in urban runoff: implications for stormwater management. *Water Research*, 39, 1982–1989.
- Terrado, M., Borrell, E., de Campos, Barcelo, D., and Taule, R. (2010). Surface-water-quality indices for the analysis of data generated by automated sampling networks. *Trends in Analytical Chemistry*, 29, 40–52.
- Thomson, D. and Leinster, S. (2007). Life Cycle Costs of Water Sensitive Urban Design (WSUD) Treatment Systems: Summary Report. Brisbane: Brisbane City Council.
- Troy, P. (ed.) (2008). *Troubled Waters: Confronting the Water Crisis in Australia's Cities*, Canberra: ANU E-Press.
- Tuladhar, A. (1996). Spatial cadastral boundary concepts and uncertainty in parcel based information systems. *International Archives of Photogrammetry and Remote Sensing*, XXXI, Part B3, 890–893.
- Turkkan, N., El-Jabi, N. and Caissie, D. (2011). Floods and droughts under different climate change scenarios in New Brunswick. Canadian Technical Report of Fisheries and Aquatic Sciences 2928. Moncton: Université de Moncton.
- Tzedakis, P.C., McManus, J.F., Hooghiemstra, H., Oppo, D.W. and Wijmstra, T.A. (2003). Comparison of changes in vegetation in north-east Greece with records of climate variability on orbital and suborbital frequencies over the last 450 000 years. *Earth Planetary Science Letters*, 212, 197–212.
- Ultrameter II™ (2012). Accessed 2 December 2012, at: <http://ww.process-controls.com/metex/Myron/index.htm>.
- UN (2013). United Nations Millennium Development Goals. Accessed 7 October 2013, at: <http://www.un.org/millenniumgoals/>.
- UN (2011). World Urbanization Prospects. New York: UN.
- UN (2005). World Urbanization Prospects: The 2005 Revision. New York: UN.
- UN (2004). World Population Prospects: The 2004 Revision. New York: UN.
- UN (2003). World Population Prospects: The 2003 Revision. New York: UN.
- UN (2002). World Urbanization Prospects. New York: UN.
- UN (1992). Agenda 21: Report of the United Nations Conference on Environment and Development. New York: UN.
- UNCSD (2001). Indicators of Sustainable Development: Guidelines and Methodologies. New York: UN.
- UNESCO (2006). Urban Water Conflicts: An Analysis of the Origins and Nature of Water-Related Unrest and Conflicts in the Urban Context. *UNESCO Working Series SC-2006/WS/19*, Paris: International Hydrological Programme of UNESCO.

- UN-HABITAT (2009). The State of The World's Cities Report 2008/2009, Harmonious Cities. Nairobi, Kenya: United Nations Human Settlements Programme.
- US ACE (1977). Storage, Treatment, Overflow, Runoff Model (STORM). User's Manual. Report No. NTIS AD-A955-817. Hydrologic Engineers Centre, Davis, CA.
- US EIA (2002). *Emission of Greenhouse Gases in the United States 2001*. US Energy Information Administration, Washington, DC. Accessed 11 October 2012, at: <ftp://ftp.eia.doe.gov/pub/oiaf/1605/cdrom/pdf/ggrpt/057301.pdf>.
- US EPA (2008). Test Methods for Evaluating Solid Waste, Physical/Chemical Methods: SW-846. US Environmental Protection Agency, 5035, Methods, 3rd edn.
- US EPA (1999). Compendium Method TO-17: Determination of Volatile Organic Compounds in Ambient Air Using Active Sampling Onto Sorbent Tubes. Cincinnati: US Environmental Protection Agency.
- US EPA (1994a). Determination of Trace Elements in Waters and Wastes by Inductively Coupled Plasma-Mass Spectrometry. US Environmental Protection Agency, Method 200.8.
- US EPA (1994b). A Handbook of Constructed Wetlands: Volume 5 Stormwater. US Environmental Protection Agency.
- US Green Building Council (2009). LEED (Leadership in Environmental and Energy Design) for Neighbourhood Development. Accessed 6 October 2009, at: <http://www.usgbc.org/>.
- US Green Building Council (2008). LEED (Leadership in Environmental and Energy Design) for Homes Rating System. Accessed 6 October 2009, at: <http://www.usgbc.org/>.
- US Green Building Council (2005). LEED for Neighbourhood Developments Rating System Preliminary Draft, US Green Building Council. Accessed 15 October 2011, at: <https://www.usgbc.org/ShowFile.aspx?DocumentID=959>.
- Van Bohemen, H.D. and Van De Laak, W.H.J. (2003). The influence of road infrastructure and traffic on soil, water and air quality. *Environmental Management*, 31, 50–68.
- Vancouver City Council (2009). Creating a More Sustainable Vancouver, Accessed 30 March 2012, at: http://www.cityofvancouver.us/upload/images/PublicWorks/VancouverSustainabilityPlanFINALWeb_090109.pdf.
- Van de Meene, S., Brown, R. and Farrelly, M. (2011). Towards understanding governance for sustainable urban water management. *Global Environmental Change*, 21, 1117–1127.
- Van Vliet, M.T.H. and Zwolsman, J.J.G. (2008). Impact of summer

- drought on the water quality of the Meuse river. *Journal of Hydrology*, 353, 1–17.
- Vaze, J. and Chiew, F.H.S. (2002). Experimental study of pollutant accumulation on an urban road surface. *Urban Water*, 4, 379–389.
- Viana, M., Kuhlbusch, T.A.J., Querol, X., Alastuey, A., Harrison, R.M., Hopke, P.K., Winiwarter, W., Vallius, M., Szidat, S.A., Prevot, S.H., Hueglin, C., Bloemen, H., Wahlin, P., Vecchi, R., Miranda, A.I., Kasper-Giebl, A., Maenhaut, W. and Hitzenberger, R. (2008). Source apportionment of particulate matter in Europe: a review of methods and results. *Journal of Aerosol Science*, 39, 827.
- Victorian Stormwater Committee (1999). *Urban Stormwater: Best Practice Environmental Management Guidelines*. Melbourne: CSIRO Publishing.
- Vlahov, D. and Galea, S. (2002). Urbanization, urbanicity, and health. *Journal of Urban Health: Bulletin of the New York Academy of Medicine*, 79, S1–S12.
- Vörösmarty, C.J., McIntyre, P.B., Gessner, M.O., Dudgeon, D., Prusevich, A., Green, P., Glidden, S., Bunn, S.E., Sullivan, C.A., Liermann, C.R. and Davies, P.M. (2010). Global threats to human water security and river biodiversity. *Nature*, 468, 555–561.
- Vrana, B., Mills, G.A., Allan, I.J., Dominiak, E., Svesson, K., Knutsson, J., Morrison, G., and Greenwood, R. (2005). Passive sampling techniques for monitoring pollutants in water. *Trends in Analytical Chemistry*, 24, 845–868.
- Wahl, M.H., McKellar, H.N. and Williams, T.M. (1997). Patterns of nutrient loading in forested and urbanized coastal streams. *Journal of Experimental Marine Biology and Ecology*, 213(1), 111–131.
- Walsh, K J.E. and Ryan, B.F. (2000). Tropical cyclone intensity increase near Australia as a result of climate change. *Climate*, 13, 3029–3036.
- Wanielista, M.P., Yousef, Y.A. and McLellon, W.M. (1977). Non-point source effects on water quality. *Journal of Water Pollution Control Federation*, 49, 441–451.
- Warhurst, A. (2003). *Sustainability Indicators and Sustainability Performance Management*. Warwick, UK: International Institute for Environment and Development.
- Warren, N., Allan, I.J., Carter, J.E., House, W.A. and Parker, A. (2003). Pesticides and other micro-organic contaminants in freshwater sedimentary environments – a review. *Applied Geochemistry*, 18, 159–194.
- Water by Design (2005). *Water Sensitive Urban Design: Barriers to Adoption and Opportunities in SEQ*. Water by Design, Healthy Waterways Partnership, Brisbane.
- Water Pollution Guide (2013). Denitrification. Accessed 30 September 2013, at: www.waterpollution.org.uk/denitrification.html.

- Watson, J.G., Robinson, N. F., Chow, J.C., Henry, R.C., Kim, B.M., Pace, T.G., Meyer, E. L. and Nguyen, Q. (1990). The USEPA/ DRI chemical mass balance receptor model, CMB 7.0. *Environmental Software*, 5, 38–49.
- Watson, J.G., Chen, L.W.A., Chow, J.C., Doraiswamy, P. and Lowenthal, D.H. (2008). Source apportionment: findings from the US Supersites program. *Journal of the Air and Waste Management Association*, 58, 265–288.
- Weiland, U. (2006). Zukunftsfähige und dauerhaft-umweltgerechte Entwicklung von Stadtregionen – Handlungs und Forschungsfelder, Herausforderungen für die Umweltplanung. Habilitation Thesis, Technical University Berlin, Department Environment and Society: Manuscript.
- Weins, J. (1989). Spatial scaling in ecology. *Functional Ecology*, 3, 385–397.
- WG-CPI (2006). Role of the Cadastral Parcel in INSPIRE and National SDIs with Impacts on Cadastre and Land Registry Operations, Joint Working Group of EuroGeographics and the PCC (WG-CPI), Inventory document.
- Wheeler, S. (2004). *Planning for Sustainability: Creating Livable, Equitable, and Ecological Communities*. New York: Routledge.
- Whelans, C., Maunsell, H.G. and Thompson, P. (1994). Planning and management guidelines for water sensitive urban (residential) design. Prepared for the Water Authority of Western Australia.
- Wilber, D.H. and Clarke, D.G. (2001). Biological effects of suspended sediments: a review of suspended sediment impacts on fish and shellfish with relation to dredging activities in estuaries. *North American Journal of Fisheries Management*, 21, 855–875.
- Williams, K., Burton, E. and Jenks, M. (2000). *Achieving Sustainable Urban Form*. London: Routledge.
- Wirth, L. (1938). Urbanism as a way of life. *The American Journal of Sociology*, 44, 1–24.
- Wong, T., Breen, P. and Lloyd, S. (2000). Water Sensitive Road Design – Design Options for Improving Stormwater Quality of Road Runoff. Technical Report, Report 00/1, Cooperative Research Centre (CRC) for Catchment Hydrology.
- Wood, R. and Lenzen, M. (2003). An application of a modified ecological footprint method and structural path analysis in a comparative institutional study. *Local Environment*, 8(1), 365–386.
- WSUD (2012). *Bio-Retention Systems: Maintenance* [online]. Melbourne Water. Accessed 14 October 2012, at: http://wsud.melbournewater.com.au/content/treatment_measures/bio-retention_systems/maintenance.asp.

- Yigitcanlar, T., Dodson, J., Gleeson, B. and Sipe, N. (2007a). Travel self-containment in master planned estates: analysis of recent Australian trends. *Urban Policy and Research*, 25, 133–153.
- Yigitcanlar, T., Sipe, N.G., Evans, R.J. and Pitot, M. (2007b). A GIS-based land use and public transport accessibility indexing model. *Australian Planner*, 44, 30–37.
- Yigitcanlar, T., Metaxiotis, K., and Carrillo, J. (eds) (2012). *Building Prosperous Knowledge Cities: Policies, Plans and Metrics*. Cheltenham, UK and Northampton, MA, USA: Edward Elgar Publishing.
- Yigitcanlar, T., Rashid, K. and Dur, F. (2010). Sustainable urban and transport development for transportation disadvantaged: a review. *The Open Transportation Journal*, 4, 78–86.
- Yigitcanlar, T., Fabian, L. and Coiacetto, E. (2008a). Challenges to urban transport sustainability and smart transport in a tourist city: the Gold Coast, Australia. *The Open Transportation Journal*, 2, 29–46.
- Yigitcanlar, T., Velibeyoglu, K. and Baum, S. (eds) (2008b). *Knowledge-Based Urban Development: Planning and Applications in the Information Era*. Hersey, PA, USA: IGI Global.
- Yigitcanlar, T., Velibeyoglu, K. and Baum, S. (eds) (2008c). *Creative Urban Regions: Harnessing Urban Technologies to Support Knowledge City Initiatives*. Hersey, PA, USA: IGI Global.
- Yigitcanlar, T. and Dur, F. (2010). Developing a sustainability assessment model: the sustainable infrastructure, land-use, environment and transport model. *Sustainability*, 2, 321–340.
- Yigitcanlar, T. (ed.) (2010a). *Sustainable Urban and Regional Infrastructure Development: Technologies, Applications and Management*. Hersey, PA: Information Science Reference.
- Yigitcanlar, T. (ed.) (2010b). *Rethinking Sustainable Development: Urban Management, Engineering and Design*. Hersey, PA: Engineering Science Reference.
- Yu, S.L. et al., (1975). Assessing unrecorded organic pollution from agricultural, urban and wooded lands. *Water Research*, 9, 849–852.
- Yuan, Z., Ramaswami, B., Casaletto, D., Falke, S., Angenent, L.T. and Giammar, D.E. (2007). Evaluation of chemical indicators for tracking and apportionment of phosphorus sources to Table Rock Lake in Southwest Missouri, USA. *Water Research*, 41, 1525–1533.
- Zhang, J., Pu, L., Peng, B. and Gao, Z. (2011). The impact of urban land expansion on soil quality in rapidly urbanizing regions in China: Kunshan as a case study. *Environmental Geochem Health*, 33, 125–135.
- Zhao, S., Da, L., Tang, Z., Fang, H., Song, K. and Fang, J. (2006). Ecological consequences of rapid urban expansion: Shanghai, China. *Frontiers in Ecology and the Environment*, 4, 341–346.

- Zhou, F., Guo, H., Liu, Y., and Jiang, Y. (2007). Chemometrics data analysis of marine water quality and source identification in Southern Hong Kong. *Marine Pollution Bulletin*, 54, 745–756.
- Zhu, Y., Hinds, W.C., Kim, S., Shen, S. and Sioutas, C. (2002). Study of ultrafine particles near a major highway with heavy-duty diesel traffic. *Atmospheric Environment*, 36(27), 4323–4335.
- Zhu, Z., Arp, P.A., Mazumder, A., Meng, F., Bourque, C.P.A. and Foster, N.W. (2005). Modelling stream water nutrient concentrations and loadings in response to weather condition and forest harvesting. *Ecological Modelling*, 185, 231–243.
- Zoppou, C. (2001). Review of urban storm water models. *Environmental Modelling and Software*, 16, 195–231.
- Zwolsman, J.J.G. and Van Bokhoven, A.J. (2007). Impact of summer droughts on water quality of the Rhine River – a preview of climate change? *Water Science and Technology*, 56, 44–55.