

Index

- AES Corporation 68
- Africa, North 44, 207
- Agency for the Cooperation of Energy Regulators (ACER) 13, 107, 118, 128
- Algeria 44
- Ample, Secure and Competitive Supply* 112
- aquifer storage 48
- Atlantic Basin LNG 56
- auctions
 - and hubs and market areas, relationship between 242–5
 - implicit auctions 113, 242–4
 - interconnection point auctions 212–15, 217–21
- back-pack principle 86–7
- balancing *see* network balancing
- Board of Regulators 127
- bundling *see also* unbundling
 - line-pack flexibility, and LNG re-gasification 101–2
- capacity
 - allocation 79–81, 155–6, 158–9
 - back-pack principle 86–7
 - capacity increments 153–4
 - challenges 209–14
 - first come first served 86–7
 - interconnection point auctions 212–15, 217–21
 - joint allocation 212–13
 - long-term contracts 209–20
 - and market connectedness 212–14
 - mechanisms 86–7, 155–6, 209
 - open subscription processes 215–16, 220–21, 253
 - pro rata 86–7, 105
 - reservation duration 212
 - solutions 214–20
 - time challenges in electricity gas demand 92–3
 - definitions 83–5, 96
 - entry/exit capacity 83–5
 - hoarding 212, 221
 - nomination 79–81, 105–6
 - point-to-point capacity 83–5, 105
 - postal capacity 83–5
 - reservation 79–80, 212
 - shipper costs to change 83
 - timing 85–6
- Capacity Allocation Mechanism (CAM) 86–7
- CCGT *see* combined cycle gas turbines
- Cheniere Energy 69
- China 61
- coal-fired power plants, flexibility 26–7
- combined cycle gas turbines
 - fuel switching costs 52
 - influence on gas network usage 8
 - inter-day cycle influences on 39–40
 - seasonal and daily cycle influences on 35–7
 - role in US 52
- commodity markets 6
 - compared, gas, oil and electricity 199–200, 232, 254
 - hubs and virtual hubs 232–4, 236–7
 - information technology role 232
 - and market area mergers 236–7
- competition
 - capacity, relationship with 235–6
 - free-riders 222
 - and gas storage flexibility 94–5
 - in gas target models 200–202, 222
 - gas-to-gas competition 2–3, 63
 - and gas transmission investment 201–2
 - and market area connections 236

- congestion
 - auctions, role of 242–5
 - contractual congestion 7, 88–9
 - hubs and market areas, relationship between 239–42
 - physical congestion 88–91, 106
 - pipeline capacity efficiency 96–7
 - seasonal influences 241–2
 - secondary capacity market 90–91
 - ‘use-it-or-lose-it’ principle 89–90
- contracts *see* gas contracts
- Council of European Energy Regulators (CEET) 114
- customers, supply information 10
- daily/inter-day influences on gas
 - demand 30, 35–7, 50
- demand *see* gas demand
- depleted field storage 48
- domestic gas consumption, seasonal influences 31–5
- Dominican Republic 68
- Dow 65–6
- Draft Framework Guidelines on Capacity Allocation (ERGEG) 180–89, 212, 248
- dual-fuel power plants 25–6
- earthquakes 61
- Egypt 56
- Electricité de France 65–6, 68–9
- electricity markets
 - demand
 - and consumer information 24
 - inelasticity, influences on 23–5, 27–8
 - influences on 22–3
 - inter-day and intra-day volatilities 30, 35–40
 - LNG, influences on 41–2
 - predictability of 37
 - and price increases 24–5
 - seasonal influences on 30–31
 - short-term inelasticity 23–5
 - short-term price response 25–6
 - trends and patterns 24
 - weather, influences on 35
 - electricity transportation, compared with gas and oil 91–4, 199–200, 232
 - gas demand, relationship between 22–3
 - cyclical variations 30–31, 35, 91
 - dependency, role of 27–8
 - seasonal variations 35, 91
 - entry/exit systems
 - capacity 83–5
 - hubs and market areas, relationship between 239–40
 - and implicit vs. explicit allocation 4–5, 11–12, 105, 259
 - integration, value of 11–12
 - regulation of 5–7, 11–12
 - tariff regulation, distance-based tariffs compared 223–6, 239–40
 - Equatorial Guinea 65
 - EU gas markets
 - centralization of 3–4
 - challenges 1, 257–8
 - cross-border cooperation/interconnectedness
 - under gas target models 115–16, 131–2, 138–44
 - need for 121–2, 257–8
 - development 19–20, 77
 - and electricity market, compared 3, 6
 - features 197–8, 257–8
 - hub-to-hub trading 116–17, 125–6, 158–9
 - infrastructure investment 126–7, 258
 - integration
 - assessment criteria 123–8
 - capacity load factors 126–7
 - challenges 120–22
 - effective use of existing capacity 127
 - infrastructure investments 126–7 and market share 126, 205–7
 - monitoring and implementation 128
 - price alignment 124–6, 241–2
 - supplies, ample and secure 123–4
 - liberalization
 - background 3–4, 120
 - characteristics 3–4, 257–8
 - interconnection, need for 121–2, 257–8

- and subsidiarity principle 248
 - US influences on 3–4, 196–8, 257
 - LNG market development trends 55
 - market areas, relationship with hubs
 - auctions, role of 242–5
 - congestion problems 239–42
 - market design
 - entry/exit regulation 5–7, 11–12
 - horizontal concentration 4–5
 - market share trends 126, 205–7
 - network planning model 221–2
 - network regulation
 - characteristics 8
 - Gas Supply Security Regulation [EC 994/2010] 123
 - Gas Transmission Regulation [EC 715/2009] 129–30, 142–3
 - importance of 4–5
 - limitations 77
 - network cost allocation 7
 - production decline trends 207
 - seasonal influences 30–35
 - tariff setting practices 223–5
 - unbundling 4, 201–8, 257
 - virtual hubs 4–5, 233–4
 - EU gas target models 14, 111 *see also*
 - EURAM; MECO-S
 - alternative proposals 111–12
 - differences between, generally 259–60
 - implementation challenges 119
 - integration
 - assessment criteria 123–8
 - capacity load factors 126–7
 - challenges 120–22
 - effective use of existing capacity 127
 - infrastructure investments 126–7
 - and market share 126
 - monitoring and implementation 128
 - price alignment 124–6, 241–2
 - supplies, ample and secure 123–4
 - long-term contracts 112–13, 134–5, 150–56, 208–10
 - network balancing 119
 - non-binding nature of 119–20
 - proposals, generally 14, 111
 - security of supply 112
 - US model for 196–8
- EU network regulation *see* network regulation
 - EU Third Energy Package 14, 104, 114
 - implementation challenges 119
 - importance 203–6, 258
 - investment exemptions 223
 - stakeholders 118
 - tariff regulation 224
 - EURAM gas target model
 - and competition 200–202, 222
 - and European Network Code
 - on congestion management 246
 - on efficient infrastructure, need for 247
 - key requirements 245–6
 - reform process, relevance and advantages 245–9
 - regime coordination, need for 247–8
 - on tariff structure 247
 - and free market 14–15, 220–22
 - gas transportation, compared with oil and electricity transportation 199–200
 - hubs, and relationship with market areas
 - auctions, role of 242–5
 - congestion problems 239–42
 - entry/exit systems 239–40
 - Independent Transmission Operators (ITO), advantages of 203–6
 - long-term capacity contracts 208–10
 - advantages 208–10
 - allocation challenges 209–14
 - allocation solutions 214–20
 - binding bids 217–20
 - capacity allocation auctions 214–15, 217–21
 - capacity supply assessment 217
 - early-bird discounts 222–3
 - open subscription processes 215–16, 220–21, 253
 - regulatory gap 211
 - technical capacity assessment 216–17
 - and market pressure *vs.* regulation 198–9
 - and MECO-S model, compared 249–50

- network congestion, absence of
 - 202–3, 240–42
 - auctions, role of 242–5
 - and market coupling 243–4, 254
- propositions 198–203
- purpose/aims, generally 111–13
- tariff regulation 221–31
 - advantages 223–4
 - entry/exit *vs.* distance-based tariffs 223–6, 239–40
 - in merged market areas 227–31
 - tariff harmonization 226–7
- total network planning model, compared 221–2
- European Commission Security of Supply Report (2009) 28–9
- European Gas Regulatory Forum 114
- European Network Code
 - EURAM gas target model, relevance and advantages 245–9
 - key requirements 245–6, 258
 - congestion management 246
 - efficient infrastructure 247
 - regime coordination 247–8
 - tariff structure 247
- European Network of Transmission Service Operators for Gas (ENTSO-G) 207
- European Regulators' Group for Electricity and Gas (ERGEG) 212
- Excelerate Energy 69
- exit systems *see* entry/exit systems
- Exxon Mobil 68
- Federal Energy Regulatory Commission (FERC) 2, 223
- first come first served capacity allocation 86–7
- flexibility services 13–14, 102–4 *see also*
 - network balancing
 - advantages 79, 82
 - alternative mechanisms 94–5
 - competition in 94–5
 - contract capacity 91, 93–4
 - timing 85–6
 - types 83–5
 - costs 81–2, 104
 - line-pack flexibility 95–8
 - case studies 98–102, 258
 - meaning 105
 - storage flexibility 79, 98–103
 - transportation flexibility 78–9, 94–5, 102–3
- France 50, 55
- free-riders 222
- fuel elasticity 26–8
- gas contracts
 - bilateral contracts 2–3
 - contract capacity flexibility 63, 83–5, 91, 93–4, 126
 - destination clauses, removal 63, 126
 - and electricity sector, needs mismatch 93–4
 - interruptible contracts, impact of 28–9, 52
 - in LNG sector 63
 - long-term contracts
 - advantages 208–10
 - allocation challenges 209–14
 - allocation mechanisms 155–6, 209
 - allocation solutions 214–20
 - capacity hoarding 212, 221
 - capacity increments 153–4
 - and capacity management 211–12
 - early-bird discounts 222–3
 - EU trends 208–10
 - flat capacity 154–5
 - in gas target models 112–13, 134–5, 150–56, 208–20
 - interconnection point auctions 214–15, 217–21
 - investment needs 210–11
 - lead-times 152–3, 211
 - limitations 209–10
 - in LNG sector 62–6, 208–9
 - political influences 211
 - regulatory gap 211
 - reservation duration 211–12
 - take-or-pay clauses 209–10
 - uncertainty of 93–4, 209
- gas demand
 - assessment
 - captive *vs.* non-captive segments 52
 - challenges 29
 - elasticity, influences on 22–3, 28–9
 - consumer demand profiles
 - developments 21–2

- economic policy influences 30
- fuel price responsiveness 26–8, 30, 34
- gas and electricity demand convergence 30
- LNG market influence 41–7, 51
- seasonal influences 30–35
- storage trends 41, 47–51
- variations 21, 23, 30–32
- cyclical influences
 - inter-day/daily cycles 30, 35–7, 50
 - intra-day/hourly cycles 30, 37–40
 - seasonal influences 19–21, 23, 30–35
- domestic, influences on 31–5
- drivers for 19–20
- electricity generation demand
 - consumer profile variations 30
 - cycles, variable influences on 30–31, 35, 91
 - elasticity 22–3
 - influences on 24–5
 - relationship between 22–3
 - seasonal variations 35, 91
- flat gas demand trends 32
- gas-fired power plant influences 51
 - elasticity 22–3, 28–9
 - and electricity generation 22–3, 92–3
 - flexibility 21, 28–9, 51, 92–3
 - gas capacity time challenges 92–3
 - and seasonal volatility 32–5
 - short-term price response 25–6
 - spark prices, importance of 32–3
 - substitutive role 22–3
- industrial/commercial influences 23, 30–35
- line-pack influences 35–6, 39–40
- seasonal influences 19–21, 23, 30–35
- short-term responsiveness 27–8
- trends 19, 21–2, 29–30, 40–41
- gas exchanges 178–9 *see also* commodity markets
- gas-fired power plants
 - congestion patterns 89
 - dual-fuel power plants, flexibility 25–6
 - and electricity demand 13
 - contract challenges 93–4
 - dependency, role of 27–8
 - fuel price responsiveness 26–8, 30, 34
 - gas transport capacity challenges 92–3
 - inelasticity, influences on 23–5, 27–8
 - influences on 24–5
 - operational flexibility 21, 23, 28–9
 - relationship between 22–3
 - short-term inelasticity 23–5
 - short-term price response 25–6
 - spark-prices, role of 32–3
 - fuel elasticity 26–8
 - and gas demand 51
 - daily/inter-day cycles 30, 35–7, 50
 - flexibility 21, 28–9, 51, 92–3
 - and gas storage, influences on 49
 - intra-day/hourly cycles 30, 37–40
 - operational flexibility 21, 51
 - production influences 23
 - seasonal influences on 31–5
 - short-term price response 25–6
 - interruptible contracts 28–9, 52
 - production patterns
 - fuel prices, responses to 26–8, 30, 34
 - start-up/shut-down flexibility 23, 26–8
 - transformation sector, influence on 33–4
- gas hubs
 - EU development 2, 232–3
 - extra-hubs 174–5, 194
 - and gas-to-gas competition 2–3, 63
 - inter-hubs and intra-hubs 174–5
 - and market areas
 - auctions, role of 242–5
 - congestion problems 239–42
 - mergers 236–7
 - meaning 173–5
 - political influences 233–4
 - role, under MECO-S gas target model 173–5
 - and subsidiarity principle 248
 - virtual hubs
 - in EU gas sector 4–5, 233–4
 - long term impact 8–10
- Gas Infrastructure Europe (GIE) 44
- gas storage *see also* line-pack
 - available technologies for 48

- EU development trends 41, 47–8
- flexibility 48
 - competition 94–5
 - flexibility services 79, 98–103
- investment incentives 49–51
- localization, influences on 48
- and market liquidity 50–51
- new roles for 47–8
- seasonal variations 48–9
- withdrawal rates 49
- working capacity 49
- gas supply *see also* security of supply
 - electricity power plants role in 19
 - LNG role in 19, 41–7, 51, 54
- Gas Supply Security Regulation [EC 994/2010] 123
- gas-to-gas competition 2–3, 63
- Gas Transmission Regulation [EC 715/2009] 129–30, 142–3
- gas transportation/transmission *see also* gas contracts
 - capacity
 - allocation 79–81, 86–7, 155–6, 158–9
 - calculations 7
 - definitions 83–5, 96
 - entry/exit capacity 83–5
 - first come first served allocation 86–7
 - hoarding 212, 221
 - line-pack flexibility 7, 95–8, 101–2
 - nomination 79–81, 105–6
 - point-to-point capacity 83–5, 105
 - postal capacity 83–5
 - pro rata allocation 86–7, 105
 - reservation 79–80
 - shipper costs to change 83
 - shippers' ordering mechanisms 86–7
 - timing 85–6
 - and electricity gas demand
 - allocation capacity failures 93–4
 - capacity time challenges 92–3
 - gas flexibility competition 94–5
 - short-term volatility 91–5
 - time mismatch 92–3
 - in EU
 - compared with oil and electricity transportation 199–200, 232
 - competition, importance in 200–202
 - demand trends 207–8
 - financial rights vs. capacity rights 207
 - historical development 19–20
 - limitations 201
 - unbundling 201–8
 - network congestion 5, 7, 106
 - auctions, role of 242–5
 - contractual congestion 7, 88–9
 - hubs and market areas, relationship between 239–42
 - physical congestion 88–91, 106
 - and pipeline capacity efficiency 96–7
 - seasonal influences 241–2
 - secondary capacity market 90–91
 - 'use-it-or-lose-it' principle 89–90
 - transmission costs 125
 - transport services
 - bundling 101–2
 - line-pack flexibility 95–8, 101–2
 - meaning 78
 - storage flexibility 79, 98–103
 - transportation flexibility 78–9, 94–5, 102–3
 - US model, advantages of 200–202
- gas velocity 96
- Gaz de France 68–9
- Germany 50, 86–7, 236
- Hartley, P. 26
- Hauteclouque, A.D. 93–4
- Hayes, M.H. 61–2
- Honoré, A. 34
- hubs *see* gas hubs
- hurricanes 61
- hydro generation 26
- Independent Transmission Operators (ITO) model 203–4, 227–8
- industry, gas demand patterns 23, 30–32
- infrastructure
 - efficient management, challenges of 7
 - investment
 - as assessment criteria 126–7
 - influences on 1–2

- and line-pack flexibility 95–8
- and third party access 6
- investment
 - and entry/exit market integration 12
- in gas transmission
 - capacity 166–70
 - competition in 200–202
 - exemptions 223
 - interconnection capacity 162–5
 - intraconnection capacity 165–6
- implementation 161
- on infrastructure
 - influences on 1–2
 - short-term gas storage 49–51
 - market forces, influences of 9
 - under MECO-S gas target model 166–70
- in security of supply 159–61
- trends 9
- Ireland 236
- Italy 50, 101
- Japan 61, 65, 68–9
- Japanese Customs Clearing 63
- Jensen, J.T. 46, 56
- joint ventures 66–7, 206–7
- Korea Gas Corporation 65
- Lapuerta, C. 82–3, 90
- 'law of one price' 124
- LDZ *see* local distribution zones
- Libya 44
- line-pack 7
 - bundled with re-gasification 101–2
 - flexibility 95–8
 - gas demand cycles, influences on supply 35–6, 39–40
 - loops 97–8, 107
 - pipeline optimization 96–7, 106–7
- link chain products 116–17, 135, 157–9, 195, 245
- liquefied natural gas (LNG)
 - arbitrage practices 46–7, 52–3, 61–2, 65–6
 - buyer/seller characteristics 62
 - contract developments 55
 - destination clauses 63, 126
 - flexibility 65
 - free-on-board contracts 63, 65
 - long-term contracts 62–6, 208–9
 - short-term market development 65–6
 - swap agreements 65–6
 - corporate strategy developments 62
 - cost implications 42
 - demand, seasonal influences on 61–2
 - flexibility advantages 41–6, 56, 58–9
 - gas-fire power plant demands, compatibility with 47
 - gas networks, influences on 8, 19, 41
 - gas transportation, share in 199
 - globalization 58–62
 - increasing role of 41–3, 51
 - infrastructure investments 55–6
 - institutional framework developments 56–7
 - integration trends 69–71
 - backward integration 68–9
 - forward integration 67–8
 - joint ventures 66–7
 - non-integration practices 69
 - self-contracting 67–8
 - tolling facilities 67
 - unbundling practices 67–8
 - vertical integration 70
 - liquefaction trends 56
 - market development trends 58–62, 69–71
 - market limitations 46–7, 66
 - peak shaving 48, 107
 - prices
 - influences on 63
 - schemes and structures for 63
 - spot market price trends 59–61
 - trade pattern relationships 61–2
 - re-gasification trends 41, 56
 - regulatory developments 55
 - sector development trends 42–6, 54–8
 - new market entrants 55–6
 - Noth American market 54–5
 - shipping capacity developments 58–9
 - supplier trends 42–4, 55–6
 - terminals
 - locations 45
 - usage patterns and trends 42–3
 - vertical integration, impact of 56, 58

- liquidity
 - assessment, and market integration 125, 232, 234–5, 238
- LNG *see* liquefied natural gas
- local distribution zones
 - inter-day cyclical influences on 39–40
 - seasonal and daily cyclical influences on 35–7
- long-term contracts *see under* gas contracts
- loops 97–8, 107
- market coupling 12, 113, 116, 147–50, 171, 190–91, 243–4, 254
- Market Design for Natural Gas: The Target Model for the Internal Market* 111–13
- market design, generally
 - entry/exit markets 5–7, 11–12
 - hubs
 - auctions, role of 242–5
 - congestion problems 239–42
 - EU development 232–3
 - and market area mergers 236–7
 - political influences 233–4
 - virtual hubs 8–10
 - information technology role 232
 - market area connections 234–5
 - and market competition 236
 - and market consolidation 236–7
 - and reinforced import infrastructure 235–6
 - and supply competition 235
 - market coupling/splitting 12, 190–91, 243–4, 254
 - and market liquidity 125, 232, 234–5, 238
 - and network characteristics 75
 - security of supply 10–11
- MECO-S gas target model
 - aims and principles 111–18, 137
 - operationalization of 128–37
 - political goals 129
 - assessment criteria 123, 129–34
 - balancing and nomination management, impact on 170–72
 - and EURAM gas target model, compared 249–50
 - gas exchanges role 178–9
- implementation
 - balancing and nomination 184–5
 - capacity allocation management 180–84
 - and capacity extension 188–9
 - and capacity products 181–2
 - and capacity selling processes 182–3
 - and commercial network structure 180–81
 - and cost recognition 188
 - and cross-border harmonization 188
 - in Framework Guideline Process 180–89
 - generally 179–80
 - interoperability 186
 - market areas 185, 187
 - and security of supply 189
 - short-term capacity management 184
 - tariffs 186–7
 - trading regions 185–7
 - and ‘use-it-or-lose-it’ principle 183
- implicit auctions 113
- investment
 - aims 117
 - in gas transmission capacity 166–70
 - implementation 161–70
 - in interconnection capacity 162–5
 - in intraconnection capacity 165–6
 - in pipeline capacity 136–7
 - results of 117–18
 - in security of supply 159–61
- market interconnectedness 14–15, 115–16, 123
 - balancing and nomination management 171
 - connection methods 144–6
 - cross-market trading 146–7
 - hub-to-hub trading 116–17, 158–9, 171
 - market coupling 116, 147–50, 171
 - and price alignment 145–7
 - and tariffs 177–8
 - supply patterns security 115–16, 123
 - balancing and nomination management 171

- and cross-market capacity 135
- fallback capacity contracts 117
- investments 159–61
- link chain products 116–17, 135, 157–9, 195
- long-distance transports 150, 156–9
- long-term capacity contracts 113, 115–16, 134–5, 150–56
- operationalization 134–5
- optimization procedures 116–17 and tariffs 178
- tariffs
 - impact on 175–8
 - implementation 186–7
- wholesale market functioning
 - 114–16, 123, 129–32
 - advantages 131
 - balancing and nomination management 115, 138–44, 170–71
 - cross-border cooperation 115–16, 131–2, 138–44
 - definitions 129–30
 - entry/exit networks 131, 138–40
 - entry/exit zones 131, 137–8, 140–44
 - market area model 115, 138–40, 144, 170
 - and market efficiency 133
 - multiple balancing systems 140–44
 - operationalization 129–32
 - policy options, national/regional 143–4
 - and price alignment 132–4, 147–8
 - single balancing system 115, 138–40
 - structural conditions for success 130–31
 - and tariffs 175–7
 - trading region model 115–16, 140–44, 170–71, 185–7, 254
 - within-day markets, role of 173–4, 193
- mergers, of market areas
 - advantages 236–7
 - challenges 237
- Moselle, B. 82–3, 90
- Netherlands 68–9
- network balancing
 - bundled line-pack and re-gasification 101–2
 - case studies 98–102
 - and EU Third Energy Package 119, 258
 - under gas target models 115, 138–41, 170–72, 248
 - responsibility for, changing emphasis 248–9
 - rules 95–8
 - storage withdrawal capacity 101
 - supply swing 99–101
 - and within-day markets 99–100, 148–9, 173–4, 183, 193
- network management *see also* network balancing
 - capacity
 - allocation processes 79–81, 155–6, 158–9
 - reservation and nomination 79–81, 105–6
 - congestion management
 - auctions, role of 242–5
 - contractual congestion 7, 88–9
 - hubs and market areas, relationship between 239–42
 - physical congestion 88–91, 106
 - pipeline capacity efficiency 96–7
 - seasonal influences 241–2
 - secondary capacity market 90–91
 - ‘use-it-or-lose-it’ principle 89–90
 - importance 6
 - transport infrastructure allocation 79–80
- network regulation *see also* network balancing
 - and congestion management 90–91
 - entry/exit market regulation 5–7, 11–12
 - flexibility 77
 - competition 94–5
 - costs 81–2, 104
 - line-pack flexibility 95–8, 101–2
 - restrictions on 104
 - of storage 77–9, 98–103
 - of transportation 78–9, 94–5, 102–3

- Gas Supply Security Regulation [EC 994/2010] 123
- Gas Transmission Regulation [EC 715/2009] 129–30, 142–3
 - limitations/constraints on 77
 - and security of supply 10–11
- networks, generally
 - adaptation choices 75
 - challenges 6
 - cost allocations 7
 - influence of CCGT on 8
 - infrastructure
 - flexibility 77–9, 102
 - influences on 75
 - limitations 75, 77
 - and market design, link between 75
 - national network rules 77–8
 - network congestion 5, 7, 106
 - auctions, role of 242–5
 - contractual congestion 7, 88–9
 - physical congestion 88–91
 - redundancy 135
 - third party access 6
 - virtual hubs, influence on 8–10
- Neumann, A. 70
- Nigeria 56
- Nissen, D. 55
- oil
 - embargo, influence on gas demand 32
 - transportation, compared with gas and electricity transportation 199–200, 232
- Oman 56
- Patrik, S 25
- peak shaving 48, 107
- pipelines *see also* congestion
 - erosion 106
 - investment in
 - and gas transmission competition 201–2
 - under MECO-S gas target model 136–7
- line-pack 7
 - bundled with re-gasification 101–2
 - flexibility 95–8
 - gas demand cycles, influences on supply 35–6, 39–40
 - loops 97–8, 107
 - pipeline optimization 96–7, 106–7
 - point-to-point capacity 83–5, 105
 - postal capacity 83–5
 - prices
 - ‘law of one price’ 124
 - and market liquidity 125
 - price alignment
 - advantages and limitations 133
 - as market integration assessment criteria 124–6, 241–2
 - under MECO-S gas target model 132–4
 - price elasticity of demand
 - gas-fired power plant influence on 22–3, 28–9
 - meaning 52
 - short-term inelasticity 23–5
 - spot prices
 - convergence, as assessment criteria 125
 - trends, in LNG sector 59–61
 - and transmission costs 125
 - pro rata capacity allocation 86–7, 105
- Qatar 44, 56, 68
- Qatar Petroleum 68
- regulation *see* network regulation
- ‘rucksack principle’ 240
- Ruester, S. 63–5, 70
- Russia 207
- salt cavern storage 48
- seasonal influences on gas supply and demand 19–21, 23, 31–5
 - additional daily influences 35–6
 - gas storage needs 49–51
 - gas storage patterns 48–50
- security of supply 10–11
 - Gas Supply Security Regulation [EC 994/2010] 123
 - and interruptible contracts 28–9, 52
 - market willingness to bear risk 10
 - under MECO-S gas target model 112, 115–16, 123, 134–5
 - balancing and nomination management 171
 - and cross-market capacity 135
 - fallback capacity contracts 117

- investments 159–61
 - link chain products 116–17, 135, 157–9, 195
 - long-distance transports 150, 156–9
 - long-term capacity contracts 113, 115–16, 134–5, 150–56
 - operationalization 134–5
 - optimization procedures 116–17 and tariffs 178
 - political influences 10
 - regulation, importance of 10
 - Shaw, D.C. 96
 - Shell 68
 - ‘shopping mall’ approach 236
 - shrinkage 229
 - Sisman, N. 236–7
 - Spain 37–8, 55, 61, 101–2
 - supply and demand *see* gas demand; gas supply; security of supply
 - take-or-pay clauses 209–10
 - Target Model for the European Natural Gas Market* 112
 - tariff regulation
 - challenges and solutions 223–4, 226–31
 - revenue cap tariffs 229
 - tariff transit reform 229–31
 - EU practices 223–7
 - under EURAM gas target model 221–31
 - advantages 223–4
 - entry/exit *vs.* distance-based tariffs 223–6
 - in merged market areas 227–31
 - role of ITO 227–8
 - tariff harmonization 226–7
 - under MECO-S gas target model 177–8, 186–7
 - reasons for 223–4
 - US model 223–5
- temperature, influence on gas/ electricity demand 31
 - temporal asset specificity 105
 - Ten Year Network Development Plan (TYNDP) 207, 221
 - Tokyo Electric Power 65
 - Tokyo Gas 65, 68
 - Total 68
 - transmission rights, generally
 - allocation
 - financial rights *vs.* capacity rights 207
 - implicit *vs.* explicit 4–5, 11–12, 105, 259
 - regulation
 - third party access 6
 - and virtual hubs 4–5, 8–10, 233–4
 - in US gas markets 2–3
 - Transmission System Operator (TSO) 3–4
 - capacity development activities 206–7
 - Independent Transmission Operators (ITO) model 203–6
 - network cost allocations 7
 - network management role 6–7
 - and network planning model 221–2
 - obligations 6–7
 - unbundling trends 203–6
 - Trinidad and Tobago 56
 - TSO *see* transmission system operator
 - UK
 - gas demand trends 34–6, 39–40
 - gas storage patterns 50
 - LNG market role 55
 - long-term capacity allocation 210
 - market-based capacity allocation 86–7
 - network balancing case study 99–101
 - short-notice nomination 105–6
 - unbundling
 - commercial influences on 204–6
 - EU gas market trends 4, 201–8, 257
 - Independent Transmission Operators (ITO) model 203–5
 - in LNG sector 67–8
 - regulatory influences on 205
 - and tariff regulation 226
 - Union Fenosa 68–9
 - US gas trade
 - bilateral contracts in 2–3
 - characteristics 1–2, 206
 - compared with oil and electricity transportation 199–200, 232–3
 - competition in 201
 - economic optimum capacity 240–41

- and EU market, as model for 3–4, 196–8, 257
- hubs 237–9
- liberalization 1–2, 198, 257
- LNG market development trends 54–5, 69
- long-term capacity contract trends 209, 211
- market characteristics 3, 6, 198
- non-regulated agents, role of 1–2
- shale gas developments 196
- tariff regulation 223–5
- trading developments 196
- transmission rights, generally 2–3
 - unbundling 206
 - upstream regime, advantages of 196
 - ‘use-it-or-lose-it’ principle 89–90
- virtual hubs *see under* gas hubs
- weather, influences of 19–20, 31, 61
- wind generation 26
- withdrawal rates 49
- within-day markets 99–100, 148–9, 173–4, 183, 193
- Zhuravleva, P. 62