

Index

- abatement cost curves (ACCs) 11–12, 19–20, 22–3, 500
- abater principle 98, 99
- Abbey, D.E. 43, 50–51, 52, 152
- accidents 383
- acid deposition 58, 59
 - impact and damage cost by
 - economic sector
 - crops 262–71
 - materials 271, 272–5
 - interaction between limestone, rain and 434
 - UK 135–6
 - materials 172, 221
- acid rain precursors 29, 30
- acute morbidity 476
- acute mortality 44, 49, 476
 - damage attribution by economic sector 233–6, 237–44
 - developments in valuation 70–74
 - Germany 143–4, 207
 - Netherlands 153–4, 158, 160
 - sensitivity analysis 193–6, 197, 223, 225
 - UK 166, 167, 169, 171, 217, 219, 220
- Adams, R.M. 295, 296, 299–300, 301, 310, 312
- adaptation 416, 418–19
- adapted products 461–2
- additivity of effects 48
- Adriaanse, A. 3
- age
 - age dependent mortality 68–9
 - independence of VOLY from 70–74
- aggregation 417, 424
- aggregation bias 312–13, 491
- agricultural land prices 353–4
- agricultural output 305, 307, 309, 310
- agriculture 475
 - damage attribution by economic sector 228, 229–83, 290
- defensive expenditure in the Netherlands 452
- effect of land contamination 382–3
 - see also* crop damages
- air pollution
 - approach using modelled emissions 226–92, 481–4, 497
 - analysis of linearity 286–7
 - emission scenarios 227–9
 - impacts and damage costs by country 228–9, 284–5, 290–91, 481–3, 497
 - impacts and damage costs by economic sector 229–83, 288–90, 481, 483–4, 497
 - methodology of impact and damage cost assessment 88–91, 226–7
 - comparison of approaches 479–80
 - comparison of modelled and measured concentration data 287–8, 289, 290
 - damage attribution 481–4
 - damage cost estimates using measured concentration data 113–225, 473–81, 497, 498
 - air quality data 114–36
 - background concentrations 136–8
 - impacts on health, crops and materials 142–75
 - methodology 87–8, 114–42
 - physical impacts 142, 205–25
 - sensitivity analysis 37, 175–96, 197, 198, 221–5, 483
 - stock at risk data 138–42
 - defensive expenditures 100, 441–2, 444
 - GARP approach 4–5, 6–9
 - methodology 87–92
 - policy conclusions and recommendations 497, 498, 499–500

- updating damage estimates 473–81
 - applications 477–80
 - consistency 476–7
 - future work 480–81
 - reliability 474–6
 - replicability 473–4, 475
- air quality modelling 38, 89, 123, 474, 475; *see also* modelled concentration data
- air quality monitoring data, *see* measured concentration data
- altruistic values 79–80
- amenity
 - impacts of land contamination 383
 - valuation of water quality 82–4, 374–5, 376–7, 377–8
- ammonia
 - analysis of linearity 286–7
 - damage attribution by country 284–5, 290–91
 - damage attribution by economic sector 229–32
- Anderson, H.R. 44, 49
- angling 82–3, 371–4, 375–6, 377, 379–80
- applications of methodology 499–500
 - air pollution damage estimates 477–80
 - land damages 488–9
 - water damages 486
- aquifer pollution 383
- arsenic 54
- as-built cost 399–400, 401
- Asam fresco 435
- asthma 80, 140
 - acute effects on asthmatics 43, 50
 - chronic cases of 78, 81
- Atkinson, G. 25
- avertive behaviour 77
- avoidance costs 11–12, 19–20, 22–3, 500

- background concentrations 12, 88, 136–8, 179, 188
- Baddeley, J.A. 347
- Balchin, S. 28
- Baldi, P. 434
- Bardos, B.P. 393
- Bartolomeo, M. 448
- Bates, D.V. 42, 50

- Bavaria 405
- Belgium 393, 394
- benzene 178, 180, 180–81, 221
- Berg, H.R.T. 160
- biodiversity 319–20, 336–54, 490–91
 - physical damage indicators 338–47
 - restoration costs 336, 350, 352–4, 355, 490–91
 - studies on 348–52
- birds 346
- BOD (biochemical oxygen demand) 366–70
- Boyer, J.G. 414–15, 419–20
- Bräuniger, W. 114, 115, 116
- Briblecombe, P. 433
- bronchitis, chronic 78, 81, 154, 175
- Brunet, J. 327
- Bruzzo, A. 445, 446, 447
- building soiling 184–5
- Bunce, R.G.H. 320, 345, 346
- Bunte, F.H.J. 297, 299, 302
- business sector, *see* private sector
- butadiene 178, 180–81, 221
- Butlin, R.N. 142
- butterflies 346

- cadmium 54, 143, 207
- calcium carbonate 434
- cancer 75–6, 183
 - benzene and butadiene 180–81, 184, 221
 - cadmium and in Germany 143, 207
 - effects and metals 53–6
 - lung cancer 55
 - Netherlands 214
 - non-fatal 78, 81
- capital expenditure, *see* investment expenditure
- CARACAS Research Programme 406, 487
- carbon dioxide
 - doubling of concentration 412, 413–19
 - marginal damage cost estimates 421–2, 422–4
- carbon monoxide
 - damage estimates for the Netherlands 153–66, 212–13, 214–15

- exposure–response functions 41, 46, 49
 sensitivity analysis 178, 179, 180, 183, 188, 189–90, 191, 192, 221, 223
 carcinogens 36
 cardiovascular hospital admissions (CVA) 44, 48, 49
 Carlucci, M. 448
 Cesaretti, C.M. 446, 447
 characteristic activities 97, 461–2
 chemical manufacturing sites 402, 403
 children
 bronchitis and coughs 80, 81
 chronic morbidity in 43, 51
 lead in air and lead in blood 56
 lead in blood and childhood IQ 56, 181, 184
 chromium 54–5
 chronic morbidity 78, 81, 154, 175, 476
 adults 43, 50–51
 children 43, 51
 chronic mortality 13, 41, 175, 476
 damage attribution by economic sector 233–6, 237–44
 developments in valuation 74–6
 Germany 143–4, 208
 Netherlands 153–4, 159, 160
 and particles 44, 51–3
 sensitivity analysis 190–92, 193, 193–6, 197, 225
 UK 167, 169, 219
 classical pollutants 41, 42–53; *see also under individual names*
 Classification of Consumption per Purpose (COICOP) 461–2
 Classification of Environmental Protection Activities (CEPA) 97, 98
 climate change, *see* global warming;
 greenhouse gas emissions
 coarse fishing 83, 373–4, 375–6, 380
 Cody, R.P. 50
 cohort studies 51–2
 Colglazier, E.W. 399
 collective demand curve 19
 commercial, institutional and residential combustion plants 228, 229–83
 Common Agricultural Policy 302
 comparative methodology for land 406, 489
 Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) 399
 concentration data 477, 478; *see also* measured concentration data; modelled concentration data
 Concerted Action for Risk Assessment for Contaminated Sites (CARACAS) programme 406, 487
 confidence bands 37
 connected products 461–2
 consistency
 air pollution damage estimates 476–7
 land damages 488
 water damages 486
 construction industry 453
 consumer surplus 294–5
 DRAM 305–6, 308, 313
 compared with single multiplication method 312
 consumerism, green 462
 contaminated land registers 388, 391, 393, 487–8, 488–9
 contaminated land remediation strategies 393, 394–6
 contingent valuation method (CVM) 66–7, 77
 Convention on Biodiversity 339
 Convention on Long-range Transboundary Air Pollution – ICP Forests 320, 324
 CORINAIR 1990 emission database 89, 226, 481, 484
 economic sectors 228
 Corn Belt region 300
 cost-effectiveness analysis 19–20, 22–3
 ‘cost-effectiveness’ curve for soil remediation 403–4
 cost function 297–8
 cost internalisation 406, 489
 costs of illness (COI) 76
 ‘costs of own environmental activities’ of a sector 451–6
 countries, damage attribution to 88–91, 228–9, 284–5, 290–91, 481–3, 497

- Countryside Surveys 344–7
 Coyle, R.N. 133, 135
 critical load approach 7, 8
 Crocker, T.D. 295, 296
 crop damages 173–5, 293–318, 476, 491–2, 498
 damage attribution by economic sector 227, 262–71, 276–7, 279
 developments in valuation 65–6
 DRAM 301–9, 317–18, 491–2
 comparison with simple multiplication method 309–12, 313, 491–2
 exposure–response functions 58–60
 GARP approach 4, 7, 8
 Germany 144, 144–8, 208
 Italy 151–2, 152–3, 211
 Netherlands 154–5, 161–6, 215–16
 UK 170–72, 172–3
 valuing changes in crop yields 294–301
 examples 299–301
 practical methodologies 296–9
 theory 294–6
 crop data 138–9, 139, 140, 141, 142
 crop prices 155, 161, 162–3
 cropping plans 305, 308
 cross-sectional studies 51
 CSERGE 67–8
 Cullino, R. 448, 449
 cultural buildings 433–9
 current expenditure 99, 493–5
 Germany 430–33
 Italy 445, 447–9
 UK 457, 458, 459
- Dab, W. 43, 49
 Daly, H.E. 17
 damage attribution 5, 226–92, 497
 air pollution 481–4
 analysis of linearity 286–7
 to anthropogenic sectors 88
 countries 88–91, 228–9, 284–5, 290–91, 481–3, 497
 economic sectors 38–9, 88–91, 228, 229–83, 288–90, 481, 483–4, 497
 crops 227, 262–71, 276–7, 279
 emissions of substances 229–32
 materials 227, 271, 272–7, 279
 morbidity 227, 236–62, 276–7, 279
 mortality 227, 233–6, 237–44, 276–7, 279
 emission scenarios 227–9
 GARP approach 5, 6, 7, 8
 methodology 88–91, 226–7
 damage avoidance from environmental deterioration 94, 429
 damage calculation 7, 8, 87–8, 113–225, 473–81, 497, 498
 air quality data 114–36
 background concentrations 136–8
 methodology 87–8, 114–42
 physical impacts 205–25
 results of impacts on health, crops and materials 142–75
 Germany 143–8, 173–5, 198, 205–9, 498
 Italy 148–53, 173–5, 198, 209–11, 498
 Netherlands 153–66, 173–5, 198, 212–17, 498
 UK 166–73, 173–5, 198, 217–21, 498
 sensitivity analysis 37, 175–96, 197, 198, 221–5, 483
 stock at risk data 138–42
 damage estimation procedure 89–90
 damage export 276–7, 278, 280–83
 data availability 23, 477, 499
 air quality data in Italy 123–5
 contaminated land 405–6, 407
 across the EU 393, 394–6
 legislation and 385–93
 water damage 368–70
 defensive expenditures 3–4, 17, 93–109, 429–69, 492–7, 497
 EU countries 463–5
 for forest areas 336–8
 GARP approach 6, 7, 9
 Germany 430–39, 440, 493–6
 expenditures for environmental protection 430–33
 materials in historic and cultural buildings 433–9
 Italy 439–50, 493–6
 private sector 447–50
 public sector 439–47
 Netherlands 451–7, 493–6
 breakdown by sector and by environmental theme 452–6

- methodology 451–2
- nature and landscape management 456
- OECD and Eurostat approaches 95–100
- scope and content 94
- SEEA approach 101–7
- subtraction from national income 24–6
- types of expenditure 98–9
 - UK 457–63, 493–6
 - government expenditure 463, 464
 - household expenditure 458–63
 - industry expenditure 457–8, 459, 460
- defoliation 324–5
- Dellink, R. 403–4
- demand curve shift 295–6
- demand and supply of environmental functions 18–19
- Denmark 393, 394, 488
- Department of the Environment (DOE) 28
- derelict land 384; *see also* land contamination
- Deutsche Bundesstiftung Umwelt* 438
- Deutsche Stiftung Denkmalschutz* 438–9
- development 415–16, 416–17, 424
- Diamond, J.M. 320
- discoloration 324–5
- discount rates 76
 - acute mortality 70, 72, 73–4, 236, 237–44
 - chronic mortality 74–5
 - marginal costs of greenhouse gas emissions 417, 421–2, 423
- Dockery, D.W. 43, 47, 50, 51, 52
- domestic crop prices 155, 161, 162–3
- Donnan, P. 42
- doubling of greenhouse gas concentrations 412, 413–19
- Dowlatabadi, H. 419
- Downing, T.E. 416, 422, 423
- DSD (Duales System Deutschland) 431
- duality theory 297–8, 300–301
- Dusseldorp, A. 43, 50
- Dutch Regional Agricultural Model (DRAM) 301–9, 312–13, 491–2
 - comparison with simple multiplication method 309–12, 313, 491–2
 - mathematical representation 317–18
 - model application 303–9
 - structure 301–3
- Eastern Europe 46
- Echter, C.-P. 434
- Ecological Main Network (EHS) 336, 353–4, 355
- ecological spot check of sites 338–41
- econometric methods 297–8, 298–9, 300–301
- economic sectors
 - classification of contaminated land 385, 386
 - CORINAIR 228
 - damage attribution 38–9, 88–91, 228, 229–83, 288–90, 481, 483–4, 497
 - crops 227, 262–71, 276–7, 279
 - emissions 229–32
 - materials 227, 271, 272–7, 279
 - morbidity 227, 236–62, 276–7, 279
 - mortality 227, 233–6, 237–44, 276–7, 279
- defensive expenditures 100
 - Netherlands 451–3
 - UK 457–8, 459, 460
 - water damage valuation 366–70, 377
- ECOSENSE model 6, 7, 8, 38, 88
- ecosystems 4–5, 7, 8, 146–7, 336–54, 475, 490–91
 - effect of land contamination 382–3
 - physical damage indicators 338–47
 - restoration costs of biodiversity 336, 350, 352–4, 355, 490–91
 - valuation studies 348–52
- Eerden, L.J. van der 297, 299
- effective pollutant loads 363, 364
- Elsasser, P. 329–31, 332
- emergency room visits (ERVs) 49–50, 80, 81
- emission database 89, 226, 228, 481, 484
- emission inventories 475
- emission scenarios 89–90, 91, 227–9
- emissions data 477, 478
- end-use approach 387–8, 396

- endangered species 339, 341, 342–3, 344, 345
- energy efficiency 462
- English Nature 345–6, 347
- environmental accounting 15–33
 - GREENSTAMP 11–12, 16–24
 - NAMEA system 26–8, 103
 - SNI 16–24, 354
 - subtraction of defensive expenditures from national income 24–6
 - UKENA 28–31, 31–2
- environmental associations, membership in 462
- environmental media 100, 493, 494
 - defensive expenditures in Germany 430–33
 - defensive expenditures in Italy 441–2, 443–4
 - defensive expenditures in UK 457, 458
- environmental protection activities 94, 429
- environmental protection expenditure accounts (EPEAs) 96–7, 104
- environmental protection expenditures, *see* defensive expenditures
- environmental restoration 94, 429
- environmental standards 11–12, 25–6
- environmental stocks 25–6
- environmental themes
 - Netherlands 26–7, 455–6
 - UK 29–31, 463, 464
- equity weighting 421
- estimates per site type 406, 489
- European Commission 10, 15
- European Union (EU) 4, 5, 484
 - contaminated land data availability 393, 394–6
 - damage attribution to countries 228–9, 284–5, 290–91, 481–3
 - defensive expenditures 463–5
- Eurostat 96–7, 98–100, 108, 492, 497
- existence value 319
- exposure indices 477, 478
- exposure–response (E-R) functions
 - 36–7, 41–64, 480, 483
 - alternative in sensitivity analysis 186–96
 - croplands 58–60
 - health 41–56
 - chronic mortality and particles 51–3
 - classical pollutants 42–8
 - comments on some E-R relationships 48–51
 - metals and cancer effects 53–6
 - materials 56–8, 60
 - replicability 474, 475
 - external satellite account 28–9
 - ExternE project 34–5, 37, 41–2, 79, 141, 412
 - National Implementation Programme 38–9
 - VOSL 66, 67
 - extraction and distribution of fossil fuels 228, 229–83
- Falcitelli, F. 448
- fees 99
- fertiliser 262, 263, 265, 267, 269
- FINABO system 389
- financial costs 353–4
- financing principle 98, 99
- fish stocks 372–3
- flow of land damage 406, 489
- Foekema, H. 350
- Forest Condition in Europe* reports 320
- forest damage 4–5, 319–38, 475, 490–91
 - causes 319–21
 - commercial value of forests 327–8
 - defensive expenditures 336–8
 - GARP approach 7, 8
 - physical damage indicators 321–7
 - valuation studies 328–36, 337–8
- Foundation for Water Research 373
- foundations 437–9, 440
- Framework Directive on Ambient Air Quality (FDAAQ) 474, 477
- France 284–5, 291, 393, 394, 482, 483
- Frankel, M. 67
- Freeman, A.M. 294
- future research
 - air pollution 480–81
 - land damages 489
 - water damages 486–7
- game fishing 83, 373–4, 375–6, 379
- GARP 3–14, 21–2, 23, 412

- acceptance of the methodology 34–5
- GARP I 4–5, 6, 8, 13, 38
- GARP II 6, 6–10, 12, 13, 31
- methodological issues 10–12
- overview of approach 6–10
- project objectives 5–6
- specific issues for 12–13
- Geisendorf, S. 348, 349, 350, 490
- Germany 479
 - adjusted health damages 480
 - air pollution 498
 - analysis of linearity 286–7
 - comparison of modelled and measured concentration data 288, 289
 - damage attribution by country 284–5, 291, 481, 482, 483
 - damage attribution by economic sector 229–83, 288–90
 - damage cost estimates 143–8, 173–5, 198, 498
 - physical impacts 205–9
 - sulphur dioxide emissions 91, 114–15
 - air quality data 114–18, 120–21
 - biodiversity
 - physical damage indicators 338–41, 342
 - restoration costs 336, 350
 - valuation studies 348–50
 - contaminated land 407
 - land remediation costs 404–5
 - legislation and data availability 390, 391, 393, 394, 488
 - defensive expenditures 430–39, 440, 493–6
 - environmental protection 430–33
 - historical and cultural buildings 433–9
 - forests 327
 - physical damage indicators 321–3
 - valuation studies 329–33
 - stock at risk data 138–9
 - water damage 368–70
- global warming 5, 36, 411
 - GARP approach 7, 9
 - UKENA 29, 30
 - see also* greenhouse gas emissions
- Gosseling, H.J. 141
- government expenditure, *see* public sector
- grassland 307, 345–7
- gravimetric units 47
- Greece 284–5, 291, 393, 394, 482, 483
- green consumerism 462
- greenhouse gas emissions 411–28
 - assessment of marginal damages 421–4
 - doubling of carbon dioxide 412, 413–19
 - future developments 419–20
 - UKENA 29, 30
- GREENSENSE 479
- GREENSTAMP project 11–12, 16–24
 - prevention cost curve and cost-effectiveness approach 22–3
 - sustainability norm 20–22
- Gren, I.-M. 490
- groundwater pollution 383
- Haardt forest 331, 332–3
- Habitat Directive 341
- Hamburg forest areas 329–31, 332–3
- Hamilton, K. 25
- Hampicke, U. 329, 332, 431
- Hanley, N. 336
- Hartwick, J.M. 17
- Haynie, F.H. 57, 172
- health impacts 4, 12–13, 173–5, 475, 498
 - adjusted comparison 479–80
 - damage attribution by economic sector 227, 233–62, 276–7, 278, 279
 - developments in valuation, *see* valuation
 - effects of land contamination 382
 - exposure–response functions, *see* exposure–response functions
 - Germany 143–4, 144–8, 205–8
 - Italy 148–51, 152–3, 209–11
 - Netherlands 153–4, 156–60, 161–6, 212–15
 - sensitivity analysis 180–84, 186, 188–96, 197, 221–5
 - UK 166–70, 171, 172–3, 217–20
 - see also* morbidity; mortality
- health production function 77
- heavy metals 6

- Netherlands 153–66, 214
- sensitivity analysis 181–4, 185
- see also under individual names*
- Helming, J.F.M. 301, 303
- Hessia 405
- Hicks, J. 18
- historic buildings 433–9
 - expenditures on restoration 435–9
- Hoffman-Kroll, R. 338, 340, 341
- Holland, M.R. 186
- home improvement 462
- Hoos, D. 139
- Horner, G.L. 303
- house prices 83–4, 374–5, 376–7, 377–8
- households 24–6
 - defensive expenditures 100, 465, 493–6
 - Germany 430–33
 - Italy 449, 450
 - Netherlands 453–4
 - UK 458–63
- Howitt, R.E. 299–300, 301, 303, 305
- Huetting, R. 16, 17–24, 354
- Hummel, M. 434
- Hurley, J.F. 42
- hybrid accounts 26–31, 103
- ‘ideal forest’ 336, 337–8
- impact pathway analysis 7, 8, 34–40, 87
 - acceptance of methodology 34–5
 - applications 477–80
 - comparison of approaches 479–80
 - consistency 476–7
 - damage attribution by sector 38–9
 - exposure–response functions and valuation data 36–7
 - full approach and air pollution 88–91, 226–92, 478–80
 - improved modelling and reporting of air quality 38
 - land contamination 382–4
 - partial approach and air pollution 87–8, 113–225, 478–80
 - range of effects now quantifiable 36
 - reliability 474–6
 - treatment of uncertainty 37–8
 - water quality valuation 370–77, 379–80
 - year on year changes 39
- industrial combustion 228, 229–83, 290
- industry expenditures, *see* private sector
- inhalation effects 214
- inspection, and contaminated land 387–8
- Integrated System of Environmental and Economic Accounting (SEEA) 15, 16, 101–7, 108, 492, 497
- intensity of use 339, 341
- Intergovernmental Panel on Climate Change (IPCC) 412
- intermunicipal corporations 454
- international crop prices 155, 161, 162–3
- interpolation of measured concentration data 114–18, 125–7, 129–31, 132
- investment expenditure 98, 99, 493–5
 - Germany 430–33
 - Italy 445, 448–9
 - UK 458, 459
- IQ 214
 - lead in blood and childhood IQ 56, 181, 184
- Ireland 284–5, 291, 393, 394, 482, 483
- ISPE study 440, 441, 492
- Italy 38
 - adjusted comparison of health damages 480
 - air pollution
 - damage attribution by country 284–5, 291, 481, 482, 483
 - damage attribution by economic sector 229–83, 288–90
 - damage cost estimates 148–53, 173–5, 198, 498
 - physical impacts 209–11
 - air quality data 118–27
 - biodiversity and ecosystems 339–42
 - contaminated land 407
 - legislation and data availability 390–93, 394–5
 - defensive expenditures 439–50, 493–6
 - private sector 447–50
 - public sector 439–47
 - forests
 - damage 323–5
 - valuation studies 333–5

- stock at risk data 139
 water damage 368–70
- Jansen, H.M.A. 166
 Johannesson, M. 72–3
 Johansson, P.-O. 72–3
 Johnson, D.W. 327
 Jones-Lee, M. 67, 68–9, 79
- Katsouyanni, K. 42, 186
 Keuning, S.J. 26
 Klein, C. 331
 Korn, E.L. 43, 50
 Kroth, W. 336–8
 Krupnick, A.J. 44, 50, 78
 Kucera, V. 172
- land contamination 36, 381–410,
 487–9, 499, 500
 classification 385, 386
 contaminated land legislation and
 data availability 385–93
 costs of treatment 393–405, 406,
 407, 488, 489
 clean-up costs of special sites
 399–403
 remediation costs 403–5
 defensive expenditures 441–2, 443
 definition 384
 future research areas 405–6
 GARP approach 7, 9
 impact pathways 382–4
 land cover 344–6
 land remediation options 397, 398
 land restoration plans 390–93
 landfill sites 402, 403
 Larsen, J.B. 320
 latency 55, 74–5
 Laurenzi Tabasso, M. 433
 lead 55
 non-cancer risks 56
 sensitivity analysis 178, 181–2, 184
 legislation on contaminated land
 385–93, 406
 Leipert, C. 94, 429, 452
 Lekkerkerk 381, 388
 life-table methods 53
 limestone 57
 additional and acid deposition 262,
 263, 265, 267, 269
- Linden, J.W. van der 335
 linearity, analysis of 286–7
 Lipfert, F.W. 51, 434
 LML (Dutch Air Quality Monitoring
 Network) 127–9, 130
 local government 387–8
 defensive expenditures 445–7, 454
 London Group on Environmental and
 Resource Accounting 15, 103, 108
 Love Canal, US 381
 Löwenstein, W. 331–2
 lung cancer 55
 Luxembourg 284–5, 291, 482, 483
- MacArthur, R.H. 344
 Mahlman, J.D. 417
 maize 307
 Mäler, K.-G. 24–6
 management costs of nature reserves
 353
 marginal damage costs 421–4
 marginal valuation 11
 Markandya, A. 4, 8, 9, 10, 12, 13, 31,
 36, 46, 56, 58, 65, 66, 67, 166, 169,
 293, 312, 319, 336, 499
 mass balance 364
 materials damage 4, 475, 476
 damage cost assessment 173–5, 227,
 271, 272–7, 279, 298, 498
 defensive expenditures in Germany
 433–9
 exposure–response functions 56–8,
 60
 GARP approach 7, 8
 Germany 144, 144–8, 209
 and land contamination 383
 Netherlands 155–61, 161–6, 216–17
 sensitivity analysis 184–6
 UK 172, 172–3, 221
 materials data 139, 140–41, 142
 mathematical programming 296–7,
 298–9, 299–300
 McCarl, B.A. 300, 301
 McInnes, G. 228
 measured concentration data 38, 87–8,
 114–36, 474, 475
 background concentrations 136–8
 comparison with modelled data
 287–8, 289, 290
 Germany 114–18, 120–21

- Italy 118–27
- Netherlands 127–31
- sensitivity analysis 178–9, 180, 181, 187–8
- UK 131–6
- Mendelsohn, R.O. 414–15, 419–20
- mercury 55
 - non-cancer risks 55
 - Messerschmidt Stiftung* 439
- meta analysis 67–8
- metal working sites 402, 403
- metals 53–6
 - heavy, *see* heavy metals
- methane 422
- methodology
 - acceptance 34–5
 - air pollution 87–92
 - using measured concentration data 87–8, 114–42
 - using modelled concentration data 88–91, 226–7
 - applications, *see* applications of methodology
- MIDAS project 439
- Milborrow, I. 4, 31
- Miller, B. 53
- Ministry of the Environment (Italy) 442
- minor restricted activity days (MRAD) 43, 48
- Mjelde, J.W. 300–301
- modelled concentration data 88–91
 - air pollution damage attribution using 226–92, 481–4, 497
 - comparison with measured concentration data 287–8, 289, 290
- Moore, M.J. 70–72
- morbidity 476, 498
 - damage attribution by economic sector 227, 236–62, 276–7, 279
 - Germany 143, 205–7
 - Italy 148–51, 209–11
 - Netherlands 153–4, 156–8, 160, 212–15
 - sensitivity analysis 180–84, 186, 188, 190, 191, 192, 221–2, 223, 224
 - UK 166–70, 171, 217–20
 - valuation 76–80, 81, 82
- morbidity data 140
- Morris, R. 43, 49
- mortality 13, 82, 476, 498
 - damage attribution by economic sector 227, 233–6, 237–44, 276–7, 279
 - Germany 143–4, 207–8
 - Italy 148–51, 209–11
 - Netherlands 153–4, 158–9, 160, 166, 212–15
 - sensitivity analysis 186, 188, 189–96, 197, 223, 225
 - UK 166–70, 171, 217–20
 - and VOLY 70–76
- mortality data 139–40
- Müller-Edzards, C. 320–21
- multi-criteria decision support analysis (MCDA) 20
- multifunctionality 388, 396
- municipalities 454
- Murty, M.N. 68
- National Accounting Matrix including Environmental Accounts (NAMEA) 26–8, 103
- National Expenditure for Environmental Protection 104–7
- national income 3, 5, 10, 12
 - subtraction of defensive expenditures from 24–6
- National Priority List (NPL) (US) 399–400, 401
- natural resource depletion 3, 7, 9–10, 17
- natural resource use and management account 96–7
- nature and landscape management 456
- nature reserves 353
- Nature 2000 network 341
- Navrud, S. 79
- Needleman, L. 79
- ‘net environmental burden’ of a sector 451–6
- net exporting countries 284–5, 291, 483
- net importing countries 284–5
- net national product (NNP) 24–6
- net pollution 25, 32
- Netherlands
 - adjusted comparison of health damages 480
 - air pollution

- analysis of linearity 286–7
- damage attribution by country 284–5, 481, 482, 483
- damage attribution by economic sector 229–83, 288–90
- damage cost estimates 153–66, 173–5, 198, 498
- physical impacts 212–17
- air quality data 127–31
- biodiversity
 - physical damage indicators 342–3, 344, 345
 - restoration costs 336, 353–4, 355
 - valuation studies 348, 350–52
- crop damage 299
- defensive expenditures 451–7, 493–6
 - breakdown by sector and environmental theme 452–6
 - nature and landscape management 456
 - scope and limitations of methodology 451–2
- forests
 - commercial value 327–8
 - damage 325–6
 - valuation studies 335
- land contamination 381, 407
- land remediation costs 403–4
- legislation and data availability 388–90, 393, 395, 488
- NAMEA system 26–8, 103
- stock at risk data 139–41
- water damage 370
- Network for Industrial Land in Europe (NICOLE) programme 406
- Neumann, J.E. 419
- nickel 55
- nitrates 8
 - damage attribution by economic sector 290
 - morbidity 236–62
 - mortality 233–6, 237–44
- nitrogen deposition 8, 36
 - crop damage 58, 59, 262–71
 - Netherlands 326
- nitrogen dioxide 46, 136
 - air quality data 115–16
 - sensitivity analysis 186–7, 187–8, 189, 190, 191, 192, 222, 223
- nitrous oxide 422, 423
- noise 36
- noise abatement 462
- non-fatal cancers 78, 81
- non-methyl volatile organic compounds (NMVOC) 176–7, 229–32
- Nordhaus, W.D. 414–15, 419–20
- North America 47; *see also* United States
- O/E ASPT measure of water quality 372
- Oosterhuis, F.H. 335
- operating expenditure, *see* current expenditure
- opportunity costs 23
 - social 353–4
- organically grown products 462
- Organisation for Economic Cooperation and Development (OECD) 95–6, 98–100, 108, 497
- Oskam, A.J. 353, 354
- Ostro, B.D. 41, 43, 50, 152
- other mobile sources and machinery 228, 229–83
- oxides of nitrogen (NOx) 136
 - air quality data 125, 127
 - analysis of linearity 286–7
 - damage attribution by country 284–5, 290–91
 - emissions by economic sector 229–32
 - exposure–response functions 41, 46, 49
 - increase in emissions and decrease in ozone 232–3, 262
 - sensitivity analysis 176–7
 - see also* nitrogen dioxide; nitrous oxide
- ozone 8, 36, 284
 - air quality data
 - Germany 116–18, 120–21
 - Italy 124–5
 - Netherlands 131, 132
 - UK 134–5
 - background concentrations 137, 138
 - crop damage 293–4, 303–13, 491–2
 - damage attribution by economic sector 232, 278, 290
 - crops 262–71

- morbidity 236–62
 - mortality 233–6, 237–44
- damage cost estimates 173–5, 498
 - Germany 143–8, 173–5, 206, 207, 208, 209
 - Italy 148–53, 211
 - Netherlands 153–66, 215, 216–17
 - sensitivity analysis 176–7, 186, 188, 189, 190, 222
 - UK 166–73, 220
- exposure–response functions
 - crop damage 58–9
 - health 41, 43–4, 45, 48, 49–50
 - material damage 57–8
- ozone depletion 29, 30
- paint 57
- parks 328–36
- partial equilibrium method 10–11
- PM_{2.5} 52
 - exposure–response functions 47
 - sensitivity analysis 188, 193–6, 197, 224, 225
- PM₁₀ 38, 479
 - air quality data 127, 133–4
 - background concentrations 137, 138
 - damage attribution by economic sector 229, 230, 290
 - morbidity 249–50
 - mortality 233, 234, 237–8
 - damage cost estimates 173–5, 498
 - Germany 143–8, 173–5, 205–6, 208
 - Italy 148–53, 210
 - Netherlands 153–66, 212–13, 214–15
 - sensitivity analysis 176–7, 188, 189, 190, 191–2, 193, 197, 222
 - UK 166–73, 218–19
- particulate matter (PM) 36
 - building soiling 184–5
 - exposure–response functions 41, 43–4, 45, 48, 49–51
 - chronic mortality 44, 51–3
 - see also* PM_{2.5}; PM₁₀; total suspended particulates (TSP)
- Pavan, M. 4, 8, 9, 10, 12, 13, 36, 46, 56, 58, 65, 66, 67, 166, 169, 293, 319, 336, 499
- Pearce, D.W. 67, 312, 413, 414
- Peskin, H. 93
- Pfälzerwald 329–31, 332–3
- physical impacts 5, 477, 478
 - air pollution 142, 205–25
 - climate change 411–12
 - ecosystems and biodiversity 338–47
 - forest damage 321–7
 - land damage 382–4
- Pilkington, A. 42
- policy analysis 34–5
- policy guidance 23–4
- policy recommendations 497–500
- pollution abatement and control (PAC)
 - expenditure 95–6, 98–100; *see also* defensive expenditures
- pollution maps, *see* measured concentration data
- Ponce de Leon, A. 44, 49
- Pons, A. 185
- Pope, C.A. 43, 47, 50, 51, 52, 190
- population data 138–9, 139, 139–40, 142
- population equivalent 366–8
- Portugal 284–5, 291, 393, 395, 482, 483
- Positive Mathematical Programming (PMP) 303
- potential pollutant loads 363, 364
 - estimation 366–8
- prevention costs 11–12, 19–20, 22–3, 500
- preventive environmental protection activities 94, 429
- price elasticities of demand 301–2
- prices
 - agricultural land 353–4
 - agricultural products 155, 161, 162–3, 305, 306
 - waterfront property 83–4, 374–5, 376–7, 377–8
- primary pollutants 6–8, 12, 229–32
- private sector 100
 - defensive expenditure 465, 493–6
 - Germany 430–33, 436–7, 438, 440
 - Italy 447–50
 - Netherlands 453
 - UK 457–8, 459, 460
- producer surplus 294–5
- DRAM 305–9, 313

- compared with simple multiplication method 309–12
 - production 24–6
 - extension of the production boundary of the SNA 102
 - production processes 228, 229–83
 - profit function 297–8
 - project financiers 396–7
 - prospective cohort studies 51–2
 - protected areas 341–2
 - provincial governments 454
 - public power, cogeneration and district heating plants 228, 229–83, 290
 - public sector 100
 - defensive expenditures 465, 493–6
 - Germany 430–33, 435–6, 437, 440
 - Italy 439–47, 450
 - Netherlands 453, 454
 - UK 463, 464
 - public utilities 453
 - purchases 99
 - Pyatt, D.G. 320
 - Rabl, A. 37, 160
 - Racomitrium lanuginosum* 347
 - rarity 339, 341
 - receipts from by-products 99
 - Records of Decisions (RODs) 399–400
 - recreation
 - forest damage 319, 328–36, 490
 - water damage 82–4, 371–4, 375–6, 377, 379–80
 - regional government expenditure 445–7
 - regional impacts of climate change 414–16
 - registers of contaminated land 388, 391, 393, 487–8, 488–9
 - reliability 499
 - air pollution damages 474–6
 - land damages 488
 - water damages 486
 - remediation costs, land 393–405, 406, 407, 488, 489
 - clean-up costs of special sites 399–403
 - Germany 404–5
 - Netherlands 403–4
 - replicability
 - air pollution damages 473–4, 475
 - land damages 487–8
 - water damages 485–6
 - resource depletion 3, 7, 9–10, 17
 - respiratory hospital admissions (RHA) 43, 48, 80, 81
 - respiratory symptoms 44, 50
 - restoration costs of biodiversity 336, 350, 352–4, 355, 490–91
 - restricted activity days (RAD) 43, 48, 50, 77–8, 81, 175
 - revenues 99
 - Review Group on Acid Rain (RGAR) 136–7
 - RIVM (Dutch Institute of Public Health and Environmental Protection) 127–8, 129–31, 451
 - road transport 228, 229–83, 290
 - Roemer, W. 43, 50
 - Rothschild, S. 43, 50
 - Rowe, R.D. 76
 - Ruffell, R. 336
 - Ruijgrok, E.C.M. 350
 - Russel, M. 399
 - safe minimum standards 25–6
 - salmon fishing 83, 373–4, 375–6
 - Salway, A.G. 182
 - sample valuations 7, 8, 9; *see also* ecosystems; forest damage; land contamination; water pollution
 - sandstone 57
 - satellite accounts 15, 23, 500
 - NAMEA 26–8, 103
 - UKENA 28–31, 31–2
 - Schwartz, J. 43, 49, 50, 56
 - secondary pollutants 6–8, 12, 229–32
 - sensitivity analysis 37, 175–96, 197, 198, 221–5, 483
 - alternative exposure–response functions 186–96
 - extension to other pollutants 177–86
 - year on year changes 175–7
 - severe hereditary effects 80, 81
 - Shephard, D.S. 68
 - Shortle, J.S. 296
 - Sijtsma, F.J. 353, 354
 - Simon, S. 457, 460, 463

- simple multiplication method 293, 294–6
 - comparison with DRAM 309–12, 313, 491–2
- Simpson, D. 89
- site investigation costs 397
- Slangen, L.H.G. 353, 354
- social demand curve 18–19
- social opportunity costs 353–4
- socio-economic development 418–19
- Sohngen, B.L. 419
- soil remediation 388–90
 - 'cost-effectiveness curve' 403–4
- Solow, A. 348
- solvent use 228, 229–83
- Source Receptor Ozone Model (SROM) 89, 287
- Spain 284–5, 291, 393, 395, 482, 483
- spatial coverage of air monitoring 119, 122
- special sites 385, 397, 407
 - estimating the clean-up costs of 399–403
- specialised producers 100
- Spix, C. 44, 49
- standard deviations 414–15, 415–16
- Stedman, J.R. 134, 135, 178, 187
- Stern, N. 68
- stock at risk data 138–42, 474, 475
- stocks, environmental 25–6
- Strijker, D. 353, 354
- structural diversity 339, 341
- subsidies 99, 354
- substances, account of 26–7
- Südharz 331–2, 332–3
- suitability for use 387–8, 396
- sulphates 8, 52
 - comparison of modelled and measured concentration data 287–8, 290
 - damage attribution by economic sector 290
 - morbidity 236–62
 - mortality 233–6, 237–44
- sulphur dioxide 8, 36
 - air quality data
 - Germany 91, 114–15
 - Italy 125, 126
 - Netherlands 131, 132
 - UK 133
 - analysis of linearity 286–7
 - background concentrations 136, 138
 - comparison of modelled and measured concentration data 287–8, 289
 - crop damage 262–71, 293–4, 303–5, 491
 - damage attribution by country 284–5, 290–91
 - damage attribution by economic sector
 - crops 262–71
 - emissions 229–32
 - materials 271, 272–5
 - morbidity 236–62
 - mortality 233–6, 237–44
 - damage cost estimates 173–5, 498
 - Germany 143–8, 205, 207, 208, 209
 - Italy 148–53, 209, 211
 - Netherlands 153–66, 214–17
 - sensitivity analysis 176–7, 189, 192
 - UK 166–73, 217, 221
 - exposure–response functions
 - crops 58
 - health 41, 44, 45–6, 49
 - forest damage 321–2
- Sunyer, J.M. 44, 49
- supply and use tables 104–7
- survival probabilities 70, 71–2
- sustainability norms 11, 18–19, 20–22
- Sustainability and the Use of Non-renewable Resources (SAUNER) 9–10, 13
- sustainable development 9–10, 18, 21, 23
- sustainable development indicators 28
- Sustainable National Income (SNI) 16–24, 354
 - concept 17–18
- symptom days 44, 50, 78–9, 81
- synthesis 411–12
- System for Integrated Environmental and Economic Accounting (SEEA) 15, 16, 101–7, 108, 492, 497
- System of National Accounts (SNA) 15, 101
- Système Européen pour le Rassemblement des Informations

- Economiques sur l'Environnement (SERIEE) 16, 96–7, 98–100, 108, 492–3
- tax deductions 436–7, 438
- Taylor, G.E. 327
- technical measures 22
- themes, environmental, *see* environmental themes
- themes account 26–7
- thresholds 47
- timber production, loss of 319
- Tol, R.S.J. 414–15, 416, 419–20, 421, 422, 423
- total damage 10–11
- total economic surplus 312, 313, 491–2
- total suspended particulates (TSP) 8
 - air quality data 116, 117, 125–7
 - see also* particulate matter (PM)
- Touloumi, G. 44, 49
- trade and services 453
- transfers 99
- treatment of environmental damages 94, 429
- uncertainty 37–8, 475
 - marginal damages due to greenhouse gas emissions 422–4
 - ratings 37, 42, 43–4, 48
 - reliability 474, 499
- UNECE Integrated Collaborative Programme (ICP) 57
- unit risk factors (URFs) 53–5
- United Kingdom (UK) 38
 - adjusted comparison of health damages 480
- air pollution
 - damage attribution by country 284–5, 291, 481, 482, 483
 - damage attribution by economic sector 229–83, 288–90
 - damage cost estimates 166–73, 173–5, 198, 498
 - physical impacts 217–21
 - sensitivity analysis 37, 175–96, 197, 198, 221–5, 483
- air quality data 131–6
- biodiversity 343–7
- defensive expenditures 457–63, 493–6
 - government expenditure 463, 464
 - household expenditure 458–63
 - industry expenditure 457–8, 459, 460
- forests
 - commercial value 328
 - physical damage 326–7
 - valuation studies 335–6, 337–8
- land contamination 407
 - clean-up costs of special sites 400–403
 - legislation and data availability 385–8, 395–6
 - stock at risk data 142
 - water damage 370–77, 377–8, 379–80
- United Kingdom Environmental Accounts (UKENA) 28–31, 31–2
- United Nations Conference on Environment and Development (UNCED) Earth Summit 1992 21
- United Nations Statistical Office (UNSO) 101
- United States (US) 12, 35, 96
 - clean-up costs of special sites 399–400, 401
 - crop damage 299–301
 - global warming damage 413–14
 - Love Canal 381
- US Fuel Cycle Study 78–9
- valuation 7, 8, 36–7, 65–86, 480–81
 - applications of methodology 477–8
 - crops 65–6
 - GARP objectives 5–6
 - health 66–82
 - age dependent mortality 68–9
 - morbidity 76–80
 - mortality and VOLY 70–76
 - VOLY 69–70
 - methodological issues 10–11
 - recreation and amenity 82–4
 - replicability 474, 475
 - SEEA approach 101–7, 108
- value judgements 417
- value of life years lost (VOLY) 13, 69–76, 82
 - independence from age 70–74
 - mortality and 70–76
- value of a statistical life (VOSL) 12–13, 66–8, 70, 82

- variation by age 68–9
- Vaze, P. 9, 28
- Verhoeff, A.P. 44, 49
- Vincent, K. 133
- Viscusi, W.K. 70–72, 79
- vitality of forests 325–6
- Volkswagenstiftung* 439
- volume reductions 22

- Waldkircher, C. 434
- waste 100
- waste treatment and disposal 228, 229–83
- water availability 60
- water boards 454
- Water Framework Directive 485–6, 487
- water pollution 363–80, 485–7, 499, 500
 - defensive expenditures 100, 441–2, 443
 - developments in valuation 82–4
 - GARP approach 7, 9, 36
 - land contamination and 383
 - monetary valuation of damages 365–70
 - data availability 368–70
 - valuation using WTP estimates 370–77
 - amenity 82–4, 374–5, 376–7, 377–8
 - angling 82–3, 371–4, 375–6, 377, 379–80
 - methodology 371–5
 - results 375–7
- water treatment costs 365–70, 377, 486, 487
- waterfront properties 83–4, 374–5, 376–7, 377–8
- Weitzman, M.L. 11, 17
- welfare-based values 24
- welfare principles 10
- Western Europe 46
- wet acid deposition (WAD) 155
- Whittemore, A.S. 43, 50
- Wichmann, H.E. 44, 49
- willingness-to-accept (WTA) 8, 11, 66–7
- willingness-to-pay (WTP) 8, 11, 21, 66–7, 500
 - ecosystems and biodiversity 348–52
 - forestry valuation studies 328–36, 337–8
 - for an illness 76
 - valuation of water 370–77, 377–8, 379–80
- Wilson, E.O. 344
- Windrose Trajectory Model (WTM) 89, 287–8, 289, 290
- Wordley, J. 44, 49
- World Health Organisation (WHO) 54–5
- Wüstenrot-Stiftung* 439
- year on year changes 39, 175–7
- years of life lost (YOLL) 52–3
- yields
 - estimated in the Netherlands 140, 141
 - losses, *see* crop damages
- Yohe, G.W. 419
- Zeckhauser, R.J. 68
- zinc 57