

Index

- Aarhus Convention 153
 - absolute priority concept 109
 - academic research projects 160
 - accelerated learning 263
 - ACSL 333
 - adaptive community learning 181–2, 201–3
 - adaptive management 15–16, 220, 263, 265–6, 283, 284–5
 - Africa
 - approaches to IWRM 11–12
 - water pollution/scarcity 31–2
 - wildlife parks 299–300
 - Agenda 21 4, 72, 74–5
 - agent based modelling/models (ABM) 193, 194, 197, 271, 293, 307
 - Agreement on Government Procurement (AGP), GATS 28, 34
 - agriculture
 - contamination of crops 302
 - expansion of 281–2
 - pollution from 31–2, 119
 - algae problems 135–42
 - allocation
 - alternatives for 120–21
 - case study 208–13
 - optimal 303–4
 - policies 304
 - process, France 29
 - allocation policies, Gwydir/Namoi river basins 208–9
 - participatory management tasks 209
 - participatory methods 209–13
- alternatives, definition of 136
 - analyses, ISM 275–6
 - Analysis Matrix (AM) 85–6
 - analysis methods/tools 79–81
 - modelling/evaluation 85–6
 - Analytic Hierarchy Process (AHP) 110, 112, 118, 122
 - application development systems 327, 343
 - application domain specialists 236, 258
 - application programming interface (API) 329, 331
 - archiving functions 334
 - Army Corps lake projects, Australia 198
 - artificial water bodies, WFD 57–9
 - artificial watercourses 48–50
 - Asia
 - approaches to IWRM 12, 20
 - water pollution 32
 - assessment methods/tools 81–3
 - dynamic and integrated DPSIR-DSS tool 86–8
 - see also* integrated assessment
 - attributes, definition of 101
 - Australia
 - allocation 190–92, 208–13
 - approaches to IWRM 10–11, 20
 - TIME initiative 336–9
 - automatic data loggers 243
 - averaged system outcomes 293
 - base models 207–9
 - Basin Development Plan, Mekong River Commission 12
 - Bayes, Thomas 313
 - Bayesian belief networks 313–17
 - behaviour definitions 201–3
 - bias 15, 220–21
 - bid-auction system 36–7, 41
 - biodiversity impact assessment (BIA) 81
 - biogeochemical
 - cycle 48–9
 - models 300–301
 - biological indices/surveys 61–2
 - Borda technique 94–5
 - boundary conditions 238, 274–5
 - Bruntland Report* 4, 5
 - Buenos Aires Water Concession 39

- Build, Own, Operate, Transfer (BOOT) system 29
- built-in functionality 250, 251
- C++ 248, 341–2
- calibration 259, 295
- calibrators 341
- California, water project management agencies 29
- Candellara Canal, Italy 91, 93
- capacity building workshops 184, 211, 213
- card sorting 184
- cardinal ranking 115–16
- case studies
 - algae problems 135–42
 - integrated scenario modelling 279–80
 - irrigation management 189–98
 - OPENMI modelling 339–40
 - overview of 20–21
 - sharing visions 189–93, 198–203
 - TIME modelling 336–9
 - transboundary management 189–93, 213–16
 - TWOLE 340–43
 - urban water management 189–93, 203–8
 - water allocation 189–93, 208–13
 - water management 143–8
- catchment boundaries 288
- Catchment Management Boards 212
- catchment modelling toolkit 336–9
- catchment scale hydrological models 296
- catchment systems, sustainability in 263–4
- causal modelling 185
- centralised management 29–30
- Chile, Maipo River Basin 311
- choice models 305–6
- choice phase 92–5
- circulatory systems 48
- climate variability 274–5
- closed-loop control 268, 273
- cognitive mapping 185, 205–8, 217
- collective skills 183
- communication 218, 283
- compartmentalism 263
- competition
 - introduction of 28
 - under GATS rules 40–41
- competitive pressure 37
- complete ranking 115–16
- complex models 310–12
- component-based software 327–8
- components, software
 - data storage/manipulation components 331–2
 - decomposition of software into 328–31
 - in existing models 247
 - knowledge representation components 332
 - modelling components 332–4
 - operational components 334–5
 - re-use of 20
 - user interface components 335–6
- compromise 264–5
- compromise programming (CP) 104, 106–7, 121, 122, 272
- conceptual frameworks 74, 76–9, 84–5
- conceptual models 296, 325–6
- concession of water management 40
- concordance index 114–15
- concrete processes 325–6
- conditional probability tables (CPTs) 313, 315–16
- conditioning *see* data-assimilation
- confidentiality 168
- conflict, potential for 265
- Consent Decree Orders, US Federal District Court 199
- constraints, method multi-objective programming 105
- construction processes 326
- consultation processes 154
- contamination 119, 301–2
- continuous
 - methods 120
 - multi-criteria objectives 132
 - problems 121
- controllable drivers 7
- controllable influencing variables 273–4
- Cooperative Research Centre for Catchment Hydrology (CRCCH) 337
- Cooperative Research Centre for Cotton 211
- cost-benefit monitoring/analysis 189
- Council of Australian Governments (COAG) 10–11

- coupled complex models 310
- coupling mechanisms, existing models
 - 244, 247
- Cour des Comptes, France 38
- criteria, selection/definition of 137
- Criterion DecisionPlus 3.0 134
- crops, water consumption of 120
- cross-model compatibility 333
- culture 201, 217
- cumulative effects assessment (CEA) 81
- curve number approach 294

- Danube, River 158
- data
 - exchange difficulties 250–51
 - harmonisation/interoperability 332
 - processing techniques 236–7
 - social surveys 284
- data quality, maintenance of 244
- data storage/manipulation components
 - 331–2
- data warehouses 326
- data-assimilation 259
- data-based models 291, 294, 295–6, 306
- Decision Explorer 3.2 134
- decision making, IWRM 12–14, 71–3
 - methodology for 84–8
 - modelling for 290
 - objectives 131–2
 - supports for 73–83
 - see also* multi-criteria decision making
- decision support systems (DSS) 16, 83, 86–8, 95, 209, 211–12, 217, 290, 318
- decision variables, definition of 101
- decisions, ownership of 156
- declarative modelling 333–4
- decomposition 112–13
- DEFINITE
 - Jisperveld case study 143–8
 - multi-criteria decision making 133–42
 - overview 19
- DelftWLS 244
- demand models 306–7
- demand nodes 311
- Department of Statistics, Ministry of
 - Agriculture, France 36
- descriptive indicators 75, 79
- design phase 89–92
- design processes 326

- Destra Piave Reclamation Board, Italy
 - 88
- deterministic models 239
- developing countries
 - public participation 170
 - water pollution/scarcity 31, 119
- digital mapping tablets 243
- disciplines, integration of 7, 12–14, 308
- discordance index 114–15
- discrete choice problems/solutions 120, 121, 133–4
- discrete multi-criteria methods 132
- displaced ideal method, compromise programming 107
- diversity, respect for 162
- DLLs 337
- documenting functions 334
- domain objects 341
- dominance index 117
- double-loop learning 161, 162
- down-scaling routines 257–8
- downstream use/users 171, 303
- DRASTIC 245
- drivers, integration of 7
- Drivers-State-Response (DSR) system
 - 77
- driving force indicators 90
- Driving Force-Pressure-State-Impact-Response (DPSIR) framework
 - 52–3, 76–9, 84–92, 95
- Dublin Core ontology 332
- Dublin Statement (1992) 153
- Duero, River 190–92, 213–16
- dynamic environmental models 251
- dynamic modelling scripts 251–6
- dynamic models 292, 295–7, 299–300, 304, 305
- dynamic spatial models 237–40, 249
- dynamic validation 196

- Earth Summit (1992) 4, 72, 74–5
- eco-efficiency indicators 75–6, 79
- EcoBas 334
- ecological criticisms, EU policy 58–9
- ecological modelling approaches 297–8
 - biogeochemical models 300–301
 - ecotoxicological models 301–2
 - modelling population dynamics 299–300
- trophic networks 298

- ecological perspective, water management 52–4
- ecological status, WFD 57–8, 59–60, 61, 62, 63–4
- ecological-economic system, privatisation/interaction in 37–8
- ecology of surface water 48–52
- economic-ecological system, privatisation/interaction in 37–8
- ECOPATH 298
- Ecosystem Management Decision Support (EMDS) 134
- ecosystem models 301
- Ecosystem Services Database 334
- ecotoxicological models 301–2
- effect models 301–2
- efficiency 35–7
- efficient solutions 104–5, 106–7
- ELECTRE 114–16, 118, 122, 134, 142, 272
- element-based spatial models 292
- Emission Limit Value (ELV), EU River Basin Management Plan 57
- empirical data, application of 243
- England, River Tyne Catchment 312
- environmental aims 37–8
- environmental data 326
- environmental engineering projects 91
- environmental health impact assessment (EHIA) 81
- environmental impact assessment (EIA) 81–2
- environmental modelling languages 247–8, 250–51
- Environmental Protection Agency, USA 10
- environmental quality, changes in 305–6
- EPIC model 312
- equity 35–7, 39
- error accumulation 275, 278
- ESRI 251
 - MapObjects 332
- ethics 15
- Europe
 - privatisation 35
 - water pollution 31
- European Commission
 - 5th Framework Programme 339
 - INSPIRE initiative 332
- European Environmental Agency (EEA) 75–6, 77, 78–9
- European Union
 - assessment of water status 60–62
 - ecological criticisms 58–9
 - history of water management 54–5
 - plans/programmes 59–60
 - regulations 150, 302
 - see also* Water Framework Directive
- eutrophication models 301
- evaluation 85–6
 - of participatory approaches 14, 167, 219–20
 - research 15
- Evaluation Matrix (EM) 85–6
- evaluation techniques, stakeholder participation 187–8
 - cost-benefit monitoring/analysis 189
 - experimental observation/comparison 189
 - innovation assessment 188
 - participant surveys/interviews 188–9
 - project documentation 189
 - sustainability matrix 188
- EValue procedure 140
- Evamix method 142
- excretory systems 48
- experimental observation 189
- exploratory data analysis (EDA) techniques 244
- Exploratory Modelling 247, 252
- exploratory power of models 235
- exploratory simulation/optimisation 271–3
- external evaluation 189
- external process managers 165
- fairness 35–7
- fate models 301–2
- fen meadow areas 143–4, 145, 148
- field data
 - model inputs for 256–9
 - model structure for 240–41
 - software tools for 243–4
- fish migration 121
- FLEUR 312
- flood control/protection 119, 171
- flow-control structures 333–4
- Flumen Monegros irrigation area, Spain 121

- focus groups 184, 185, 214–16, 217
- forecasting 289–90
- Foresight for Lanier workshops 200–203
- formal meetings 166
- Fortran 248
- forward models *see* dynamic models
- France
 - outranking methods 114
 - price equity 36
 - privatisation 29, 30, 38
 - urban water management 35
- functional management concept 59
- functionality of software 236
- fuzzy sets 117–18, 121

- gender analysis 164
- General Agreement on Trade and Services (GATS) 28
 - commitments under 37–9
 - general features 32–3
 - ongoing processes 33–5
 - rules 40–42
- General Algebraic Modelling System (GAMS) 333, 335
- Generale des Eaux 35
- generic purpose scripting languages 249
- Geoffrion 333
- Geographical Information Systems (GIS)
 - in hydrological modelling 236–7, 243–4, 245, 247, 248, 250–56, 257, 259–60, 294
 - in multi-criteria decision making 119, 133
- geological layers 245
- Geostatistical interpolation routines 243–4, 257
- Germany
 - river bank maintenance 171
 - urban water management 35
- global models 302
- GMS 245
- goal programming (GP) 104, 107–9, 118, 122
- goals
 - definition of 101
 - reflection on 161–2
- government decision making 154
- government procurement 33–5
- GPS 243

- Grand Anse, Grenada, algae problem 135
 - multi-criteria analysis 137–42
 - problem definition 136–7
 - report 142
 - sensitivity analysis 142
- graphical modelling languages/systems 249–50
- graphical user interface (GUI) 256, 329, 335–6, 337, 338
- GRASS 251
- Grenada, Grand Anse 135–42
- Grid 344
- grid-based models 292, 296–7, 312
- groundwater contamination 119
- groundwater management 9, 121
- groundwater protection programs 244–5
- group decision making 124
- group model building 181
- group systems 133–4
- GSLIB 257
- Guardiana, River 190, 213–16
- Gwydir, River 190–92, 208–13

- Haeckel, Ernst 297
- Harmoni/COP project 183
- Hengelo, groundwater quality mapping 245
- heterogeneous information retrieval 13–14
- hexagon method 185
- hierarchic analysis 112–14
- hierarchical data format (HDF) 331
- high level policy-making bodies 84
- HIPRE 134
- Hiview 134
- Hodgson's approach, cognitive mapping 207
- Hofstede's theory 159–60
- house building 314, 316
- hydrocommons 288
- hydrological modelling approaches
 - IHACRES 295–6
 - NRCS curve number approach 294
 - overview 20
 - TOPOG 296–7
- hydrological modelling software tools 235–7
 - dynamic spatial models 237–40
 - estimation of inputs/parameters 256–9

- existing models 244–7
- high volume tools 243–4
- model construction inside GIS 250–56
- model construction outside GIS 247–50
- model development cycle 240–43
- hydrological models 117, 296
 - linking of 339–40
- IBERAQUA project 213–16
- ideal solutions 106–7
- IDRISI/IDRISI 3.1 134, 243, 251, 257
- IHACRES model 295–6
- ILWIS 134, 243
- image processing software 243
- impact assessments 81–3
- indicators 74–6
 - assessment/measurement of 326
 - definition process 329–30
 - management of 84–5
- individual-based models *see* agent-based models
- individualism 158
- inflows 98–9
- informal participation 154
- Infrastructure for Spatial Information in Europe (INSPIRE) 332
- infrastructure investments 49
- initiation phase, public participation 167
- innovation assessment 188
- input-output models 267–70, 304
- Input-Output-Outcome-Impact framework 76
- inputs
 - probability distributions 277
 - software for estimation of 256–9
- Institute for the Environment (IFEN), France 36
- Institute of Ecosystem Studies (IES) 298
- institutional changes 32–5
- institutional frameworks 29
- institutional pressures 4–5
- institutions 15
- instream uses 311
- integrated assessment (IA) 185, 215–16, 264, 265–7, 279, 283, 284–5
- integrated assessment modelling (IAM) 53, 80, 85–6, 87–8, 95
 - model integration 267–71
- Integrated Catchment Management, Australia 11
- integrated decision making/knowledge 12–14
- integrated modelling 263–4
 - assessment/scenario modelling 265–71
 - benefits/difficulties of ISM 280–83
 - differing treatment of ISM 279–80
 - enhancing prospects for IWRM 283–5
 - key considerations for ISM 271–9
 - practical approach to identification of sustainability 264–5
 - problems of 287–8
- Integrated Modelling Toolkit 336
- integrated models 307–17, 324–5
- integrated process models 267–70, 271
- integrated reservoir management tools 340–43
- Integrated Scenario Modelling 16, 20, 263–4
 - broad objectives of 274
 - differing treatment of 279–80
 - exploratory simulation and/or optimisation 271–3
 - insights 281–2
 - interpersonal matters 282–3
 - involvement in modelling 281
 - key modelling considerations 274–5
 - miscellaneous considerations 278–9
 - scales/nodes of analyses/outputs 275–6
 - software 282
 - stakeholder involvement 281
 - types of scenarios/indicators 273–4
 - uncertainty/sensitivity needs 276–8
- integrated water resources management approaches/tools for 15–16
 - by doing 17
 - challenges in 12–17
 - decision making in 71–3
 - definition of 8
 - ecological perspective 52–3
 - enhancing prospects for 283–5
 - Europe 54–62
 - international approaches 8–12
 - methods for integration of models 307–17
 - nature of 5–8
 - principles 71–2

- integration 6–8
 - issues 17–18
 - methods for IWRM 307–19
- intensive agriculture, role of 31–2
- Interactive Component Modelling System (ICMS) 337
- interactive software 132–3
- interdisciplinary research 12–14
- interface specification problems 333
- interlinked data 313–17
- internal process managers 165
- internal software architecture 328
- internal waters, Italy 62–3
- international approaches to IWRM
 - Africa 11–12
 - Asia 12
 - Australia 10–11
 - Europe 9
 - US 9–10
- International Centre for Living Aquatic Resources Management (ICLARM) 298
- international level public participation 167–9
- International Standards Organisation 62
- international trade in services, GATS commitments 32–5
- internationalisation of markets 55
- interoperability problems 343
- interpersonal matters, ISM 282–3
- interpolation routines 257–8
- interviews 186, 188–9, 210, 213
- inverse modelling procedure 257, 258–9
- irrigation management, Senegal
 - participatory management task 193–4
 - participatory methods 194–5
 - strengths/weaknesses 195–8
- irrigation schemes 170–71
- issues, integrated treatment of 308
- Italy
 - application of EU Water Framework Directive 63–4
 - environmental reporting 78
 - quality management of internal waters 62–3
 - see also* Venice Lagoon watershed study
- Java 340, 342
- Java 2 Enterprise Edition 336
- Java Beans 335
- Jisperveld, Netherlands, water management 143–8
- Jordan
 - strategic planning 122
 - water scarcity 119
- key modelling considerations, ISM 274–5
- knowledge representation components 332
- kriging 257
- Lakemaker 336
- Land Development Department, Thailand 281
- Land Reclamation Boards, Italy 88–9
- landscape models 301–2
- language building blocks 251
- Lake Lanier 190–92, 198–203
- Law 139/76 (Legge Merli), Italy 62
- Law 152/99, Italy 63
- Law 183/89 (Legge Galli), Italy 62–3
- leadership, public participation 162
- learning by modelling 182
- lexicographic goal programming (LGP) 108–9
- linear programming model 103–4
- linear standardisation 138
- local decision makers 84
- local management water systems, changes to 30–31
- Logical Decisions 5.1 134
- loose coupling 244, 247
- low-level programming languages 248–50
- lumped spatial models 250, 291, 294, 295–6, 298, 306
- lumped temporal models 292, 294, 298, 304, 305, 306
- Luso-Spanish Convention (1998) 213, 214, 215
- MacBeth 134
- MacKay type models 301
- Mae Chaem catchment study 279, 280
- Maggiore (Verbanò), Lake 342
- mailouts 211
- Maipo River Basin, Chile 311

- management
 - changes 30–32
 - collaboration 19
 - criteria 177
 - decision making structures 268
 - modelling for 290
 - stages 178–9
 - uncertainty 16–17
- management-oriented models 267–70, 271
- market failures 38, 39
- masculinity 158
- mathematical models 235–40, 244–5, 324–5
- mathematical programming model 103–4
- MATLAB 250, 259, 333
- maximum standardisation 138
- media 163
- Mediterranean, water scarcity 31, 119
- Mekong River Commission 12
- mental models 207, 217
- Meolo, River 89
- metadata 326, 332, 338–9, 343
- methodologies, integration of 6
- methodology for sustainable development 84–8
- methods of public participation 166
- Microsoft .NET 328, 333, 336, 338, 340
- Middle East, water scarcity 31, 119
- MIKE-SHE 244
- Millennium Development Declaration (2000), UN 5, 48
- Mind Manager 4.0 134
- Ministry of Agriculture, France 36
- Ministry of Environment, France 29
- mixed process models 295–6
- model base 324
- model building 217
- model classification
 - agent-based/whole system behaviour 293
 - data-based/process-based 291
 - treatment of space 291–2
 - treatment of time 292–3
- model complexity 275
- model conceptualisation process 267
- model development 318
 - cycle 240–43
 - issues 287–8
- model inputs/parameters 256–9
- model integration 267–71
- model linking 339
- model outputs 240
- model reusability 333
- model structure, identification of 240–43
- model support 257–8
- model uncertainty 275
- model-based socio-economic approaches 302–7
- modelling 85–6
 - future directions 317–19
 - issues 287
 - objectives 275
 - overview 19–20
 - reasons for 289–91
 - tools 79–80
- MODELMAKER 249
- models
 - capability of 276–7
 - choice of 288
 - classification of 317
 - construction of 327
 - existing 244–7
 - joint use of 186, 193–8, 205–8
- models, integration methods for IWRM 307–10
 - Bayesian belief networks 313–17
 - coupled complex models 310
 - grid-based approaches 312
 - node-link (semi-distributed) approaches 310–12
- MODFLOW 244, 245, 247, 327–8
- modified water bodies, WFD 57–9
- MODPATH 245, 246
- monitoring of water status
 - EU 60–62
 - Italy 63–4
- monitoring processes 326
- monolithic software 327–8
- Monte Carlo Analysis 142, 277
- MULINO Decision Support System 19, 84–8, 89–90
- multi-agent systems *see* agent-based models
- multi-attribute decision approach (MADM) 101–3, 109–10, 121–2
 - hierarchic analysis 112–14
 - outranking methods 114–17
 - value function methods 110–12
- Multi-Attribute Methods 85

- multi-attribute utility theory 142, 272
- multi-criteria analysis (MCA) 266, 272
 - methodology 80–81, 95
 - ranking 140–42
 - standardisation 137–40
 - techniques 86
 - weighting 140
- multi-criteria decision making (MCDM) 85, 98–118, 123–4, 129–30
 - applications 118–22
 - see also* software tools
- multi-criteria preference index 116–17
- multi-objective decision approach (MODM) 101–4, 121–2
 - compromise programming (CP) 106–7
 - goal programming (GP) 107–9
- multi-objective programming (MOP) 104–5
- multi-purpose water use 98–9
- MURMUR 332
- Murray-Darling Basin, Australia 208

- Namoi, River 190–92, 208–13
- national culture 156–9
- national level public participation 168
- nationalisation 40–41
- natural equilibrium 53
- natural monopolies 36, 40, 41
- natural watercourses 48–50
- nearest neighbour interpolation 257
- NELUP (NERC/ESRC Land-use Programme) 312
- Netherlands
 - flood protection 171
 - groundwater quality mapping 245
 - water users' associations 156
 - see also* Jisperveld
- new models, programming 247–50
- Nile River Strategic Action Program 11–12
- Nitrate Directive (91/676/EEC) 55
- node-link systems 310–12
- non-government organisations (NGOs) 160, 163, 166, 167, 168, 169
- non-inferior set estimation model (NISE) 105
- non-linear standardisation 138–9
- non-model-based assessment methods 267
- non-spatial models 237–9, 250, 291, 305, 306
- non-temporal models 292, 306
- normalisation procedure 86, 108–9
- NRCS curve number approach 294
- numerical behaviour definitions 201–3
- numerical environmental models 235–40, 242
- numerical integration routine 333–4
- numerical models 298
- numerical recipes 249

- Object Modelling System 336
- object-oriented technology 341
- objective function 258–9
- objectives, definition of 101
- observer status 169
- off-the-shelf models 242, 245–7
- Office of the National Water Resources Committee, Thailand 281, 336
- offstream uses 311
- one-dimensional dynamic models *see* non-spatial models
- Ontoknowledge project 332
- Ontoweb project 332
- Open Modelling Engine (OME) 337
- open spaces 166
- open-loop
 - control 268
 - optimisation 273
- OPENMI (Open Modelling Interface and Environment) 339–40, 343
- operational components 334–5
- operational decision making 119–21
- operational processes 326–7
- optimal allocation 303–4
- optimal solutions 107–8, 120
- Optimal Territorial Areas, Italy 63
- optimisation 271–3, 277
- optimisation algorithms 305
- optimisation-based models 102, 290, 311
- optimisers 341
- Order Weighting Average (OWA) method 93
- Organisation for Economic Cooperation and Development (OECD) 77, 78
- Our Common Future* 4
- outcomes, differentiation of 16, 284
- outflows 98–9

- outputs
 - ISM 275–6
 - of models 240
- outranking methods 114–17, 122
- pair-wise comparisons 113–14
- Palude della Rosa, Venice Lagoon 298
- parameters
 - probability distributions 277
 - software for estimation of 256–9
 - values 297
- Pareto efficiency 110
- Parrett, River 157
- partial privatisation 40
- participants, recruitment of 217–18
- participation burn-out 166
- participation handbooks 226–31
- participation levels 179–80
- Participation: The New Tyranny* 220
- participatory goals 155–6
- participatory management tasks
 - allocation project 209
 - integration management project 193–4
 - sharing visions project 199–200
 - transboundary management project 214
 - urban water project 204
- participatory methods
 - allocation project 209–13
 - goals of participation 180
 - irrigation management, Senegal 194–8
 - large groups 183–4
 - levels of participation 179–80
 - management stages 178–9
 - participant types 180
 - selection of 180
 - sharing visions project 200–203
 - small/medium-sized
 - groups/individuals 184–7
 - transboundary management project 214–16
 - urban water project 204–8
- participatory processes
 - adaptive community learning 181–2
 - evaluation of 14
 - group model building 181
 - social learning 182–3
- participatory research 159–60, 218–19
- PCRaster 251–5, 257
- performance indicators 75, 79
- perturbation 277
- PEST 259
- physical models 235
- pilot study, Venice Lagoon 88–95
- planning levels 84
- platform independent models 339–40
- point models *see* non-spatial models
- policy changes, impact of 304–5
- policy decisions, outcomes of 307–8
- policy implementation, Italy 62–4
- policy measures, assessment of 75
- policy settings for IWRM
 - GATS 32–5
 - institutional frameworks 29
 - management of potable water 39–41
 - necessity for change 30–32
 - principles underlying IWRM 35–7
 - privatisation/interaction 37–8
 - public policy under private constraints 38–9
 - technocratic/centralised management 29–30
- policy-effectiveness indicators 76, 79
- pollutants 120
- pollution
 - agricultural practices 31–2
 - causes/sources of 53–4
 - protection from 37–8
 - Venice Lagoon 88–95
- pollution-related problems 300–301
- population models 299–300, 301
- Portugal, transboundary management 190–92, 213–16
- potable water, management of 39–41
- power distance 158
- power generation 119
- power, misappropriation of 220
- practical considerations, model structure 241–2
- pre-specified optimisation 272
- precaution 263
- Predictive Modelling 242, 289
- predictive models 235, 268
- pressure indicators 90
- Pressure-State-Response (PSR) model 77
- price
 - equity 36, 39
 - rules 40
- private constraints of public policy 38–9
- private good, water as 27–8

- privatisation 28, 29–31, 34–9, 53–4
- problem definition, multi-criteria
 - decision making
 - assessment of scores 137
 - definition of alternatives 136
 - selection/definition of criteria 137
- problem formulation 89
- problem structuring 133–4
- problematic information 162
- process design, public participation 167
- process managers, public participation 165
- process-based models 291, 296–7, 304, 305
- process-oriented logic 75
- process-oriented models 267–70, 271
- production models 303–4
- programming
 - model construction inside GIS 250–56
 - model construction outside GIS 247–50
 - use of existing models 244–7
- programming codes, modification of 249
- programming languages 247–50
- programming tools 327
- project documentation 189
- project organisation 165
- Prolog 333
- PROMETHEE 116–17, 122, 272
- Protégé project 332
- public consultation, Australia 10–11
- public good, water as 27–8
- public participation, IWRM 7, 14–15
 - choice of methods 166
 - context of 156–9
 - goals 155–6
 - nature of 154–5
 - organisation of 163–7
 - outline of process 167
 - overview 19
- process managers/project organisation 165
- purpose 163–4
 - in research 159–60
- roles/rules 165
- scale issue 167–70
- scope 165–6
- social learning 160–63
- stakeholder analysis 164
- timing 166
- see also* water users' associations 170–71
- public representation 162–3
- public sector 29–30
- purification 49–50, 51–2
- qualitative data 120
- quality assurance 16–17
- quality indices 64
- quality issues 119
 - surface water 48–52
- quality management, Italy 62–3
- quality monitoring 60–62
- quality safeguards 53–4
- quality standards 55
- quantity regulation 38
- quasi-criteria 116
- questionnaires 184, 188–9, 200–203, 215
- rainfall run-off modelling 251–6, 297
- ranking 140–48
- reciprocal determinism 182–3
- reciprocity 162
- Red Bluff diversion dam, Spain 121
- reference environments, WFD 58, 59–60, 63–4
- Regime method 142
- region-based production models 303–4, 305
- region-based spatial models 291–2, 296
- regional economy, impact of changes 303–4
- Regional Watershed Coordination teams, US 10
- regional-scale production models 303–4, 305
- remote sensing techniques 243
- reports 16–17, 142
- representative farm models 304–5
- research
 - constraints 278–9
 - current/future 341–2
 - evaluation of 15
 - public participation in 159–60
- research models 290–91
- reservoir management 119, 120, 121
 - tools for 340–43
- resource constraints 278–9
- response exercises 183–4
- response options 85

- Rhine, River 168
- riparian zones 51–2
- risk attitude 274
- risk-based optimisation 272
- river bank maintenance 171
- River Basin Authorities, Italy 62–3
- river basin districts, EU 56–7, 169–70
- River Basin Management Plans, WFD 9, 57, 60
- river basin organisations 168
- river basin planning 119
- river basins
 - integration of 6–7
 - public participation in 167–70
- rivers, WFD categorisation of 57–60
- role-playing games 186–7, 194–8, 205–8, 217
- roles, public participation 165
- rule-based function 238
- rules, public participation 165
- rural water provision, Australia 10
- scale
 - choice of 288
 - integration of 308–9
 - public participation 167–70
 - selection of 275–6
 - transfer 258
- scaling up 297
- scarcity 31–2, 119, 121
- scenarios 273–4, 324–5
- science 12–14, 15
- scripting languages 249
- SCS curve number approach *see* NRCS curve number approach
- security of supply 203–4
- self-organising integration frameworks 271
- self-purification 49–50, 51–2
- self-regulation, watercourses 51–2
- Semantic Web 334
- semi-distributed modelling approaches 310–12
- semi-structured interviews 186, 210
- Senegal, irrigation management 190–98, 217, 220
- Senegal, River 190–92, 193–8
- sensitivity analysis 142–3
- sensitivity needs, ISM 276–8
- service sector, GATS commitments 32–5
- sewage systems 135
- shared watercourses, Africa 11
- sharing visions, Lake Lantier/Chattahoochee watershed 198–9
 - participatory management tasks 199–200
 - participatory methods 200–203
- SHE model 312
- Sicily 122
- Simple Additive Weighting (SAW) method 93
- Simsript 333
- simulation 271–3
 - errors 276–8
- simulation-based models 290
- simulators 341
- single organism models 301
- single sector approach to quality standards 55
- single-loop learning 161
- ski pistes 251–6
- social equity 35–6
- social impact assessment (SIA) 81
- social learning
 - concept of 160–61
 - contribution of research 160
 - definition of 156
 - leadership/facilitation 162
 - modelling for 290
 - principles 161–2
 - promotion of 171
 - representation 162–3
 - stakeholder participation 182–3
- Social Learning Group 178–9
- social sciences 267, 284, 287–8
- social-relational activities 161
- socioeconomic drivers 89
- socioeconomic issues 87–8
- socioeconomic modelling approaches 302–3
 - agent-based models 307
 - choice models 305–6
 - impact of changes on regional economy 304
 - impacts of change on
 - industries/producers 303–4
 - representative farm (household) models 304–5
 - urban water demand models 306–7

- software
 - classification of components 331–6
 - decomposition in components 328–31
 - role of 325–7
- software applications 328
- software development 282
- software engineers 236, 249
- software tools for IWRM management 324–5
 - case studies 336–43
 - classification of components 331–6
 - current/future research 341–2
 - decomposition into components 328–31
 - development of applications 336
 - monolithic software 327–8
 - role of 325–7
 - time modelling environment 336–9
- software tools for multi-criteria decision making 131–4
 - presentation of results 143–8
 - problem definition to report 135–42
 - see also* hydrological modelling software tools
- software workshops 211
- South America, water pollution 32
- Southern African Development Community (SADC) 11
- space, treatment of 291–2
- Spain
 - reservoir management 121
 - transboundary management 190–92, 213–16
 - urban water management 35
- spatial database systems 243
- spatial decision support systems 133–4
- spatial functions 251–6
- spatial lumps 310–11
- spatial models 237–40, 250, 251, 291–2, 294, 295–6, 298–9, 306
- spatial planning 245
- spatial trade-offs 304
- spatially lumped models 295–6
- spatio-temporal data 243
- stakeholder analysis 80, 164, 165, 167
- stakeholder participation 177–8
 - case studies 189–216
 - ISM 281
 - lessons from case studies 217–21
 - overview 19
 - participatory methods 178–80
 - participatory processes/methods/evaluation 181–9
 - versus public participation 155
- stakeholders
 - identification of 163–4
 - integration with 309
 - views of 282–3
- standard algorithms 249
- standardisation 137–40
- standardisation procedure 86
- state indicators 90
- state-space models 270–71
- steering committees 187, 210
- STELLA 249, 299, 302
- sticky-dot exercises 202
- stochastic models 239, 271, 343
- strategic decision making 119–20, 122
- strategic environmental assessment (SEA) 81, 82–3
- structural changes 32–5
- structured interviews 186
- structured modelling 333
- sub-catchments 279–80, 303
- subjectivity 263, 264–5
- Suez Lyonnaise des Eaux 35
- Sun Microsystems J2EE 328, 333
- supply nodes 311
- surface water, ecology/quality issues 48–52
- surrogate worth trade-off method 118
- surveys 184, 188–9, 200–203, 305–6
- sustainability
 - concepts of 264
 - practical approach to identification of 264–5
- sustainability assessment (SA) 82
- sustainability matrix 188
- sustainable development
 - decision making 71–3
 - decision making tools 73–83
 - methodology 84–8
 - pilot study 88–95
 - three pillars of 5–6, 18–19
- Sustainable Development Strategies* 80
- Switzerland
 - Lake Maggiore 342–3
 - urban water management 190–92, 203–8, 218–19
- system identification 196

- system learning 283
- system monitoring 326
- system representation 275
- system understanding, modelling for 290–91
- System-Wide Initiative on Water Management (SWIM) 311
- systems analysis 329–30

- Tajo, River 190–92, 213–16
- targets
 - definition of 101
 - selection of 264–5
- Tarsier 337
- Team Expert Choice 134
- technical computing language 250
- technocratic management 29–30
- technological monopolies 40
- temporal data 251–6
- temporal models 298–9, 304, 305, 306
- territorial aspects, WFD 56–7
- Thailand, catchment studies 279–82
- Thames Water 35
- Ticino, River 342
- tight coupling 244, 247
- time
 - discrete representation of 238
 - leads/lags 275, 278–9
 - modelling case studies 336–9
 - treatment of 292–3
- TIME (The Invisible Modelling Environment) 336–9, 343
- timescales 284–5
- timing, public participation 166
- tools, integration of 6–7
- top-down models 305, 307
- TOPOG 296–7
- TOPSIS (Technique for Order Preference by Similarity to Ideal Solution) 94
- Total Maximum Daily Load (TMDL) programme, Georgia 199
- trade in services, GATS commitments 32–5
- transboundary management 30–31, 119
- transboundary management project, Iberian river basins 213–14
 - participatory management tasks 214
 - participatory methods 214–16
- transferable resources 303
- transparency 14
- trophic networks 298
- true criteria 116
- TWOLE 336, 340–43
- Tyne, River 312

- UK, privatisation 30
- uncertainty
 - avoidance of 158
 - ISM 263, 265, 276–8
 - management 16–17
 - of models 275, 278
 - quantification of 274
- uncontrollable drivers 7
- uncontrollable influencing variables 273–4
- Unified Federal Policy for Ensuring a Watershed Approach to Federal Land and Resource Management, USA 9–10
- unilateral control/protection 162
- United Nations
 - Commission on Sustainable Development 76, 77
 - Conference on the Environment and Development (UNCED) (1992) 4, 72, 74–5
 - Millennium Development Declaration (2000) 5, 48
 - World Commission for the Environment and Development 4
- unstructured interviews 186
- up-scaling routines 257–8
- Upper Chattahoochee River, Australia 198–203
- upstream use/users 171, 303
- urban water demand models 306–7
- urban water management, Switzerland 203–4
 - participatory management tasks 204
 - participatory methods used 204–8
- urban water use 28
- US
 - approaches to IWRM 9–10
 - culture 159
 - Lake Lanier 190–92, 198–203
 - privatisation 35
- US Federal District Court 199
- user interface components 335–6
- utility maximisation 306

- validation processes 195–7
- Vallio, River 89, 91
- value functions methods 110–12, 122
- Vela Catchment, Italy 89–95
- Venice Lagoon
 - Palude della Rosa 298
 - watershed study 88–95
- VISA/VISA Groupware 134
- Visual Basic 335
- Vivendi SA 35

- wastewater planning 119
- water bodies
 - classification of 57–8
 - reclamation of 59–60
- water cycle 48–50
- Water Framework Directive, EU 5, 9, 18, 47–8, 54–8, 339
 - compliance with 87
 - criticisms of 58–9
 - implementation of 65, 213, 214, 215
 - Italy's application of 63–4
 - monitoring water status 60–62
 - new plans/programmes under 59–60
 - public participation in 169–70, 179–80
- water project management agencies, US 29
- Water Quality Objective (WQO), EU River Basin Management Plan 57
- water reclamation, EU 59–60
- water resources, principles for safeguarding 53–4
- Water Sharing Plans 212
- water status assessment, EU 60–62, 169
- water users' associations 154, 156, 170–71
- waterborne disease 36

- watercourse management, Africa 11
- watercourses
 - as open ecosystems 50
 - self-regulation/self-purification processes 51–2
- watershed management 313
 - US 9–10
- weak dominance approach, outranking 115
- web site provision 184, 215
- Web-HIPRE 134
- weighted goal programming (WGP) 108–10
- weighted summation 140–42, 145–6, 272
- weighting 92–5, 111, 140–42
- weights method, multi-objective programming 105
- welfare indicators 76, 79
- wetlands
 - protection of 59
 - use of 54
- wildebeest model 299–300
- workshops 184, 200–203, 205–8, 211, 213, 214–16, 217
- World Bank 37
- World Summit on Sustainable Development (WSSD) (2002) 4–5, 48
 - commitments of scientists 73
- World Trade Organisation (WTO) 28, 35, 37
- World Water Council (WWC) 71
- worst-case planning 203–4

- XML 332

- Yass catchment study 279, 280